



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:07 PM UTC

PDB ID : 9UX0 / pdb_00009ux0
Title : Crystal structure of the virulence effector VepA in complex with its secretion chaperone VecA
Authors : Iimori, M.; Oki, H.; Akeda, Y.; Ishii, E.; Kodama, T.; Ueda, T.; Nakamura, S.; Matsuda, S.; Kawahara, K.; Iida, T.
Deposited on : 2025-05-13
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	493	
2	B	157	
2	C	157	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5218 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cation transporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	405	Total	C	N	O	S	0	0	0
			3131	1968	541	606	16			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q87P38

- Molecule 2 is a protein called CesT family type III secretion system chaperone.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	130	Total	C	N	O	S	0	0	0
			1032	653	182	193	4			
2	C	133	Total	C	N	O	S	0	0	0
			1055	667	186	198	4			


There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	GLY	-	expression tag	UNP Q87P37
B	-3	PRO	-	expression tag	UNP Q87P37
B	-2	LEU	-	expression tag	UNP Q87P37
B	-1	GLY	-	expression tag	UNP Q87P37
B	0	SER	-	expression tag	UNP Q87P37
C	-4	GLY	-	expression tag	UNP Q87P37
C	-3	PRO	-	expression tag	UNP Q87P37
C	-2	LEU	-	expression tag	UNP Q87P37
C	-1	GLY	-	expression tag	UNP Q87P37
C	0	SER	-	expression tag	UNP Q87P37


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cation transporter



• Molecule 2: CesT family type III secretion system chaperone



• Molecule 2: CesT family type III secretion system chaperone



HIS
GLU
GLN
SER
HIS
VAL
GLN
PRO
LEU
ARG
VAL

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	109.85Å 152.93Å 101.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.26 – 2.49 48.26 – 2.49	Depositor EDS
% Data completeness (in resolution range)	98.1 (48.26-2.49) 98.1 (48.26-2.49)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 2.48Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.241 , 0.276 0.241 , 0.276	Depositor DCC
R_{free} test set	2924 reflections (9.69%)	wwPDB-VP
Wilson B-factor (Å ²)	53.1	Xtriage
Anisotropy	0.443	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 42.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5218	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.16	0/3186	0.35	0/4294
2	B	0.12	0/1050	0.38	0/1424
2	C	0.12	0/1073	0.33	0/1456
All	All	0.15	0/5309	0.35	0/7174

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3131	0	3155	56	0
2	B	1032	0	1024	40	0
2	C	1055	0	1048	23	0
All	All	5218	0	5227	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:43:THR:HG21	2:C:100:ARG:NH2	1.91	0.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:LYS:HG2	1:A:381:SER:HB3	1.67	0.75
1:A:176:ASN:O	1:A:180:ASN:ND2	2.22	0.73
1:A:345:MET:HE3	1:A:485:MET:HB3	1.71	0.72
1:A:418:LEU:HD21	1:A:425:LEU:HD22	1.73	0.70
1:A:180:ASN:HA	1:A:183:LEU:HD23	1.74	0.69
2:C:47:ALA:HB3	2:C:100:ARG:HH21	1.59	0.67
2:B:107:ASN:H	2:B:110:ASN:HD21	1.42	0.66
1:A:83:GLU:HG3	1:A:117:LEU:HD11	1.81	0.63
2:B:78:ARG:HD2	2:C:100:ARG:NH1	2.15	0.62
1:A:144:GLN:HG2	1:A:324:ILE:HD12	1.82	0.61
1:A:471:ASP:OD2	1:A:475:LYS:NZ	2.33	0.61
2:C:49:MET:HG3	2:C:100:ARG:HB3	1.82	0.61
2:C:20:LEU:HD21	2:C:30:LEU:HB2	1.84	0.59
1:A:57:LEU:HD13	1:A:58:ARG:H	1.68	0.59
1:A:163:LEU:HD23	1:A:183:LEU:HD12	1.84	0.58
1:A:241:SER:HB2	1:A:316:SER:HA	1.85	0.58
2:B:133:ASP:N	2:B:133:ASP:OD1	2.36	0.58
2:B:57:LEU:O	2:B:93:ARG:HG2	2.05	0.57
2:B:22:LEU:H	2:B:22:LEU:HD23	1.68	0.57
2:B:100:ARG:HD2	2:C:81:SER:O	2.05	0.57
1:A:172:GLY:O	1:A:177:ALA:N	2.37	0.57
1:A:175:VAL:HG23	1:A:364:GLU:HG2	1.86	0.56
2:B:71:LEU:HD22	2:C:72:ALA:HA	1.88	0.55
2:C:43:THR:OG1	2:C:44:GLU:N	2.38	0.55
2:B:22:LEU:HD12	2:B:26:ASN:HB2	1.88	0.55
2:B:5:GLN:HB2	2:B:6:PRO:HD3	1.89	0.54
1:A:379:LEU:HD13	1:A:485:MET:HE1	1.88	0.53
2:C:26:ASN:OD1	2:C:26:ASN:N	2.42	0.53
1:A:141:PRO:O	1:A:145:VAL:HG12	2.09	0.53
2:B:107:ASN:H	2:B:110:ASN:ND2	2.06	0.53
2:B:107:ASN:OD1	2:B:108:SER:N	2.43	0.52
1:A:29:ARG:HD2	1:A:104:PRO:HB3	1.92	0.52
1:A:322:LEU:HB2	1:A:333:PHE:HB2	1.91	0.51
1:A:482:LEU:HA	1:A:485:MET:HE3	1.91	0.51
1:A:186:VAL:O	1:A:190:VAL:HG12	2.11	0.51
2:B:101:GLN:HB2	2:B:106:LEU:HD11	1.93	0.51
2:B:111:LEU:O	2:B:115:PHE:N	2.42	0.51
1:A:51:SER:O	1:A:56:VAL:HG21	2.10	0.51
2:C:43:THR:OG1	2:C:45:ASP:OD1	2.23	0.51
1:A:178:ALA:HA	1:A:365:ALA:HB2	1.93	0.50
2:B:69:GLU:O	2:B:73:ARG:HG3	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:78:ARG:HD2	2:C:100:ARG:HH11	1.75	0.50
2:C:4:ILE:CD1	2:C:22:LEU:HD21	2.41	0.50
2:C:70:LEU:HD21	2:C:128:ARG:HG3	1.94	0.50
1:A:322:LEU:HG	1:A:335:MET:HE3	1.94	0.50
2:B:68:LEU:HB3	2:C:68:LEU:HB3	1.93	0.50
1:A:213:GLU:HG3	1:A:227:MET:HE3	1.93	0.49
1:A:119:GLU:HB2	1:A:316:SER:HB3	1.93	0.49
1:A:204:ASP:O	1:A:208:TYR:N	2.42	0.49
2:B:88:LEU:HB2	2:C:72:ALA:HB1	1.94	0.49
1:A:57:LEU:HD13	1:A:58:ARG:N	2.27	0.49
2:B:62:GLU:HG2	2:B:66:ARG:HH21	1.77	0.49
2:C:23:GLU:O	2:C:24:ASP:HB2	2.12	0.49
2:B:81:SER:OG	2:B:117:GLU:OE1	2.26	0.49
1:A:194:ARG:HB2	1:A:197:HIS:HA	1.94	0.49
2:B:8:LEU:HD13	2:B:20:LEU:HB2	1.95	0.49
2:B:70:LEU:HD22	2:B:132:LEU:HD21	1.94	0.49
1:A:49:PHE:HA	2:B:31:LEU:O	2.13	0.48
2:B:10:GLU:O	2:B:14:LEU:HB2	2.14	0.48
2:B:115:PHE:O	2:B:119:ILE:HG12	2.14	0.47
2:B:9:ASP:HA	2:B:12:CYS:SG	2.54	0.47
1:A:351:LYS:HG2	1:A:386:HIS:ND1	2.28	0.47
2:B:64:ARG:NH2	2:B:92:GLY:O	2.21	0.47
1:A:199:ALA:HB2	2:B:60:SER:HB2	1.95	0.47
2:B:100:ARG:NH2	2:C:78:ARG:O	2.46	0.47
2:C:43:THR:HG21	2:C:100:ARG:HH21	1.78	0.47
1:A:202:ASN:OD1	1:A:205:ALA:N	2.47	0.47
2:C:45:ASP:OD1	2:C:45:ASP:N	2.39	0.47
2:B:7:LEU:H	2:B:7:LEU:HD13	1.79	0.47
2:B:20:LEU:HB3	2:B:28:CYS:SG	2.55	0.46
1:A:44:HIS:ND1	1:A:48:LYS:HD2	2.30	0.46
1:A:176:ASN:HA	1:A:179:ILE:HD12	1.98	0.46
2:C:61:GLY:O	2:C:65:VAL:HG23	2.16	0.45
1:A:112:GLU:CD	1:A:321:ARG:HH12	2.22	0.45
2:B:58:GLU:O	2:B:64:ARG:NH1	2.41	0.45
1:A:446:TYR:O	1:A:460:ASP:HA	2.17	0.44
1:A:177:ALA:HB1	1:A:362:PRO:HG3	1.99	0.44
1:A:353:ASP:OD1	1:A:355:SER:OG	2.26	0.44
1:A:163:LEU:HD23	1:A:183:LEU:CD1	2.47	0.44
2:B:8:LEU:CD1	2:B:20:LEU:HB2	2.47	0.44
2:C:5:GLN:HB3	2:C:6:PRO:HD3	2.00	0.44
1:A:414:PHE:HZ	1:A:432:MET:HE1	1.83	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:LYS:HA	1:A:59:LYS:HD3	1.69	0.43
1:A:154:LYS:HD3	1:A:154:LYS:HA	1.77	0.43
1:A:11:SER:O	1:A:11:SER:OG	2.26	0.43
1:A:25:GLN:OE1	1:A:108:ARG:NH1	2.52	0.43
1:A:49:PHE:CE2	2:B:32:VAL:HG22	2.54	0.43
2:B:38:LEU:HD22	2:B:119:ILE:HD11	2.01	0.43
2:B:46:ASP:O	2:B:103:THR:HG22	2.19	0.43
1:A:177:ALA:CB	1:A:362:PRO:HG3	2.49	0.42
2:B:86:LEU:HD23	2:B:86:LEU:HA	1.82	0.42
2:B:106:LEU:HD13	2:B:111:LEU:HD21	2.01	0.42
1:A:175:VAL:O	1:A:178:ALA:N	2.53	0.42
1:A:152:PRO:HG3	1:A:196:LEU:HG	2.02	0.42
2:B:38:LEU:HD13	2:B:52:VAL:HB	2.01	0.42
1:A:170:LEU:HB3	1:A:176:ASN:HB3	2.01	0.41
2:B:47:ALA:HA	2:B:102:PRO:HA	2.02	0.41
2:C:134:GLN:H	2:C:134:GLN:CD	2.28	0.41
1:A:325:SER:OG	1:A:330:ASP:OD1	2.24	0.41
1:A:23:ALA:HB2	1:A:110:ILE:HG22	2.02	0.41
1:A:51:SER:OG	2:B:18:PRO:HB2	2.20	0.41
1:A:456:ARG:HA	1:A:456:ARG:HD3	1.81	0.41
1:A:174:GLY:O	1:A:364:GLU:HB2	2.20	0.41
1:A:344:LEU:O	1:A:348:LEU:HG	2.21	0.41
1:A:416:LYS:HD3	1:A:465:LEU:HD23	2.03	0.41
1:A:426:MET:HB3	1:A:427:PRO:HD3	2.03	0.40
2:C:115:PHE:O	2:C:119:ILE:HG13	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	399/493 (81%)	383 (96%)	15 (4%)	1 (0%)	36 55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	128/157 (82%)	123 (96%)	5 (4%)	0	100	100
2	C	131/157 (83%)	122 (93%)	8 (6%)	1 (1%)	16	31
All	All	658/807 (82%)	628 (95%)	28 (4%)	2 (0%)	36	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	199	ALA
2	C	43	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/399 (85%)	327 (96%)	13 (4%)	29	56
2	B	110/134 (82%)	104 (94%)	6 (6%)	19	40
2	C	113/134 (84%)	112 (99%)	1 (1%)	70	87
All	All	563/667 (84%)	543 (96%)	20 (4%)	31	58

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	GLU
1	A	57	LEU
1	A	98	SER
1	A	114	VAL
1	A	168	GLU
1	A	190	VAL
1	A	204	ASP
1	A	241	SER
1	A	325	SER
1	A	382	SER
1	A	423	ASP
1	A	445	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	478	SER
2	B	7	LEU
2	B	23	GLU
2	B	28	CYS
2	B	79	VAL
2	B	112	THR
2	B	133	ASP
2	C	43	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	GLN
1	A	128	GLN
1	A	180	ASN
1	A	211	GLN
1	A	214	GLN
1	A	223	GLN
2	B	29	GLN
2	C	126	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	405/493 (82%)	0.49	39 (9%) 13 11	38, 55, 108, 128	0
2	B	130/157 (82%)	1.06	17 (13%) 7 6	58, 85, 124, 136	0
2	C	133/157 (84%)	0.43	0 100 100	43, 62, 90, 108	0
All	All	668/807 (82%)	0.59	56 (8%) 17 15	38, 63, 112, 136	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	391	VAL	4.5
2	B	41	THR	4.3
1	A	196	LEU	4.0
1	A	190	VAL	4.0
1	A	161	GLN	3.9
1	A	199	ALA	3.9
2	B	37	VAL	3.8
2	B	40	PHE	3.5
2	B	8	LEU	3.4
2	B	22	LEU	3.4
1	A	201	VAL	3.3
1	A	174	GLY	3.3
1	A	173	SER	3.3
2	B	7	LEU	3.2
1	A	167	LYS	3.1
2	B	26	ASN	3.0
1	A	203	GLY	3.0
1	A	12	PRO	2.9
1	A	100	TYR	2.9
1	A	455	GLY	2.9
1	A	191	ALA	2.8
1	A	453	ALA	2.8
1	A	160	ALA	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	65	PHE	2.7
1	A	57	LEU	2.6
1	A	170	LEU	2.6
2	B	20	LEU	2.6
1	A	175	VAL	2.6
1	A	168	GLU	2.6
1	A	171	LYS	2.6
1	A	11	SER	2.5
1	A	452	ALA	2.5
2	B	102	PRO	2.4
2	B	5	GLN	2.4
2	B	11	PHE	2.4
2	B	32	VAL	2.4
1	A	188	LEU	2.4
1	A	169	LYS	2.4
1	A	192	THR	2.3
2	B	53	ALA	2.3
1	A	166	GLY	2.2
1	A	197	HIS	2.2
1	A	41	SER	2.2
1	A	165	MET	2.1
2	B	30	LEU	2.1
2	B	6	PRO	2.1
1	A	402	MET	2.1
1	A	312	GLN	2.1
1	A	46	GLY	2.1
2	B	111	LEU	2.1
1	A	189	LEU	2.1
1	A	454	ASN	2.1
2	B	106	LEU	2.1
1	A	49	PHE	2.0
1	A	69	ILE	2.0
1	A	458	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.