



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 17, 2026 – 08:26 PM UTC

PDB ID : 4V4R / pdb_00004v4r
Title : Crystal structure of the whole ribosomal complex.
Authors : Petry, S.; Brodersen, D.E.; Murphy IV, F.V.; Dunham, C.M.; Selmer, M.;
Tarry, M.J.; Kelley, A.C.; Ramakrishnan, V.
Deposited on : 2005-09-30
Resolution : 5.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 5.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1135 (7.80-4.00)
Clashscore	190562	1201 (7.80-4.00)
Ramachandran outliers	187476	1026 (7.80-4.00)
Sidechain outliers	187428	1017 (7.82-3.98)
RSRZ outliers	180081	1128 (7.80-4.00)
RNA backbone	3983	1054 (8.70-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1522	9% 26% 44% 24% 6%
2	AV	76	13% 17% 57% 22% .
3	AW	76	14% 30% 42% 17% 11%
4	AX	18	78% 61% 33% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	AB	256	
6	AC	239	
7	AD	209	
8	AE	162	
9	AF	101	
10	AG	156	
11	AH	138	
12	AI	128	
13	AJ	105	
14	AK	129	
15	AL	135	
16	AM	126	
17	AN	61	
18	AO	89	
19	AP	88	
20	AQ	105	
21	AR	88	
22	AS	93	
23	AT	106	
24	AU	27	
25	AY	354	
26	BB	123	
27	BA	2916	
28	BD	173	
29	BE	338	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	BF	246	
31	BG	176	
32	BH	177	
33	BI	149	
34	BN	145	
35	BO	122	
36	BP	164	
37	BQ	138	
38	BS	186	
39	BT	66	
40	BW	113	
41	BX	84	
42	BY	119	
43	BZ	253	
44	BR	118	
45	BU	118	
46	BV	100	
47	B2	70	
48	B3	60	
49	B0	91	
50	B4	73	
51	B5	60	
52	B6	82	
53	B7	47	
54	B8	64	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
55	B9	36	
56	BK	141	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	YYG	AW	37	X	-	X	-

2 Entry composition

There are 56 unique types of molecules in this entry. The entry contains 142780 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1515	Total	C	N	O	P	0	0	0
			32551	14490	6022	10525	1514			

- Molecule 2 is a RNA chain called P-site tRNA (Phe).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AV	76	Total	C	N	O	P	0	0	0
			1622	725	293	529	75			

- Molecule 3 is a RNA chain called E-site tRNA (Phe).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AW	76	Total	C	N	O	P	0	0	0
			1638	736	294	533	75			

- Molecule 4 is a RNA chain called 5'-R(*AP*UP*GP*UP*UP*CP*UP*AP*GP*UP*AP*C P*AP*AP*UP*AP*AP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AX	17	Total	C	N	O	P	0	0	11
			136	56	19	44	17			

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AB	234	Total	C	N	O	S	0	0	0
			1900	1213	341	341	5			

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AC	206	Total	C	N	O	S	0	0	0
			1612	1016	314	281	1			

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AE	150	Total	C	N	O	S	0	0	0
			1146	724	217	201	4			

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	AH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	AI	127	Total	C	N	O		0	0	0
			1011	639	198	174				

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	AJ	98	Total	C	N	O	S	0	0	0
			794	499	156	138	1			

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	AK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	AL	124	Total	C	N	O	S	0	0	0
			970	611	195	163	1			

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AM	125	Total	C	N	O	S	0	0	0
			997	617	207	171	2			

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	AO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AP	83	Total	C	N	O	S	0	0	0
			700	443	139	117	1			

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AQ	104	Total	C	N	O	S	0	0	0
			857	547	161	147	2			

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	AR	73	Total	C	N	O		0	0	0
			597	380	118	99				

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	AS	80	Total	C	N	O	S	0	0	0
			647	414	119	112	2			

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	AT	99	Total	C	N	O	S	0	0	0
			762	469	162	129	2			

- Molecule 24 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
24	AU	24	Total	C	N	O	0	0	0
			208	128	50	30			

- Molecule 25 is a protein called Peptide chain release factor 1.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
25	AY	333	Total	C	0	0	333
			333	333			

- Molecule 26 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BB	123	Total	C	N	O	P	0	0	0
			2637	1175	488	852	122			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BB	-1	A	-	insertion	GB 48271

- Molecule 27 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	BA	2814	Total	C	N	O	P	0	0	0
			60600	26974	11331	19482	2813			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BA	493	G	-	insertion	GB 48268

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	BD	173	Total	C	N	O	S	0	0	0
			1308	820	246	236	6			

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	BE	191	Total	C	N	O	S	0	0	0
			1507	940	290	273	4			

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	BF	189	Total	C	N	O	S	0	0	0
			1430	872	255	302	1			

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	BG	122	Total	C	N	O	S	0	0	0
			957	597	176	180	4			

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	BH	164	Total	C	N	O	S	0	0	0
			1251	787	225	237	2			

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	BI	148	Total	C	N	O	S	0	0	0
			1145	727	205	212	1			

- Molecule 34 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BN	117	Total	C	N	O	S	0	0	0
			917	570	164	180	3			

- Molecule 35 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	BO	122	Total	C	N	O	S	0	0	0
			937	585	180	169	3			

- Molecule 36 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
36	BP	84	Total	C	N	O	0	0	0
			639	391	109	139			

- Molecule 37 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BQ	138	Total	C	N	O	S	0	0	0
			1081	678	208	192	3			

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BS	113	Total	C	N	O	S	0	0	0
			866	536	165	164	1			

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BT	52	Total	C	N	O	S	0	0	0
			406	242	74	85	5			

- Molecule 40 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	BW	108	Total	C	N	O	0	0	0
			860	542	169	149			

- Molecule 41 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	BX	76	Total	C	N	O	S	0	0	0
			602	366	102	131	3			

- Molecule 42 is a protein called 50S ribosomal protein 24.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
42	BY	110	Total	C	N	O	0	0	0
			879	531	166	182			

- Molecule 43 is a protein called 50S ribosomal protein CTC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	BZ	177	Total	C	N	O	S	0	0	0
			1360	859	238	257	6			

- Molecule 44 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
44	BR	105	Total	C	N	O	0	0	0
			855	536	174	145			

- Molecule 45 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	BU	117	Total	C	N	O	S	0	0	0
			978	608	210	159	1			

- Molecule 46 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	BV	100	Total	C	N	O	S	0	0	0
			787	495	146	145	1			

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	B2	64	Total	C	N	O	S	0	0	0
			494	301	93	99	1			

- Molecule 48 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	B3	60	Total	C	N	O	S	0	0	0
			477	303	91	82	1			

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	B0	86	Total	C	N	O	S	0	0	0
			641	402	124	114	1			

- Molecule 50 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	B4	73	Total	C	N	O	S	0	0	0
			604	382	110	108	4			

- Molecule 51 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	B5	58	Total	C	N	O	S	0	0	0
			457	281	94	77	5			

- Molecule 52 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	B6	53	Total	C	N	O	S	0	0	0
			431	274	80	76	1			

- Molecule 53 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	B7	46	Total	C	N	O	S	0	0	0
			383	230	91	60	2			

- Molecule 54 is a protein called 50S ribosomal protein L35.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	B8	63	Total	C	N	O	S	0	0	0
			496	312	101	78	5			


- Molecule 55 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	B9	35	Total	C	N	O	S	0	0	0
			285	172	64	45	4			


- Molecule 56 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	BK	133	Total	C	N	O	S	0	0	0
			999	642	169	182	6			







- Molecule 3: E-site tRNA (Phe)



- Molecule 4: 5'-R(*AP*UP*GP*UP*UP*CP*UP*AP*GP*UP*AP*CP*AP*AP*UP*AP*AP*U)-3'




- Molecule 5: 30S ribosomal protein S2




- Molecule 6: 30S ribosomal protein S3






• Molecule 7: 30S ribosomal protein S4




• Molecule 8: 30S ribosomal protein S5




• Molecule 9: 30S ribosomal protein S6







• Molecule 10: 30S ribosomal protein S7




• Molecule 11: 30S ribosomal protein S8




• Molecule 12: 30S ribosomal protein S9





• Molecule 13: 30S ribosomal protein S10











• Molecule 14: 30S ribosomal protein S11




• Molecule 15: 30S ribosomal protein S12



• Molecule 16: 30S ribosomal protein S13




• Molecule 17: 30S ribosomal protein S14




• Molecule 18: 30S ribosomal protein S15








- Molecule 19: 30S ribosomal protein S16





- Molecule 20: 30S ribosomal protein S17



- Molecule 21: 30S ribosomal protein S18




- Molecule 22: 30S ribosomal protein S19




- Molecule 23: 30S ribosomal protein S20

Chain AT:




- Molecule 24: 30S ribosomal protein Thx

Chain AU:




- Molecule 25: Peptide chain release factor 1


Chain AY:




- Molecule 26: 5S ribosomal RNA

Chain BB:






● Molecule 27: 23S ribosomal RNA




G1483	A1419	G1356	U1288	C1223	G1160	U1097	U1033	C971	U905	C838	G778
G1484	U1420	U1357	C1289	G1224	C1161	A1098	G1034	G972	U839	U779	
G1485	G1421	G1358	G1289	C1225	G1162	G1099	U1035	A973	U907	G906	
A1486	G1422	A1359	U1294	G1226	G1163	G1227	G1036	G974	C908	A781	
G1487	G1423	A1360	C1295	G1227	G1164	U1101	C1040	C974A	A909	G845	
G1488	G1424	G1361	G1296	G1228	U1165	C1102	C1040	G975	A910	C846	
U1489	G1425	C1362	C1297	G1229	G1166	A1103	C1041	G976	A911	U847	
A1490	G1426	C1363	C1298		U1167	C1104	G1042	G977	C912	G848	
G1491	A1427	G1364	U1299	G1234	G1168	U105	C1043	G978	U913	G849	
G1492	C1428	A1365	U1300	G1235	G1169	G106	G1044	G979	C914	C850	
C1493	G1429	A1366	A1301	G1236	G1170	G107	G1045	A980	C915	U851	
A1494	C1430	A1367	A1302	A1237	G1171	U108	A1046	A981	G916	G852	
A1495	U1431	G1368	G1303	G1238	G1172	C1109	G1047	C982	A917	G853	
A1496	A1432	G1369	U1239	G1239	A1174	G1110	A1048	A983	A918	C790	
U1497	U1433	C1370	C1305	U1240	A1175	G1111	C1049	A984	G919	G854	
G1498	A1434	G1371	C1306	A1241	G1176	G1112	A1050	C985	G920	C856	
C1499		U1372	A1307	A1242	A1177	U1113	G1051	C986		C857	
G1500	C1437	A1373	A1308	G1243	C1178	G1114		C987	C923	U858	
C1501	U1438	G1374	G1309	G1244	C1179	G1115	A1054	A988		G859	
C1502	A1439	C1375	U1310	G1245	C1180	U1116	G1055	G989	G928	U860	
	G1440	C1376	G1311	A1246	C1181	G1117	G1056	A990	U930	A861	
	G1441	G1377	U1312	U1247	A1182	C1118	A1057	C991	G931	G798	
C1506	G1442	A1378	U1313	G1248	G1183	C1119	G1058	C992	U930	G799	
A1507	G1443	A1379	U1314	U1249	C1184	G1120	G1059	C993	G932	A800	
U1508	G1444	C1380	C1315	G1250	C1185	C1121	U1060	C994	G933	C801	
C1509	A444A	G1381	U1316	A1251	G1186	G1122	U1061	C995	U934	C802	
A1511	C1445	G1382	A1317	G1252	C1187	C1123	G1062	A996	C935	U803	
G1512		C1383	C1318	C1253	U1188	G1124	G1063	G997	G936	G867	
G1513	G1448	A1384	G1319	A1254	A1189	G1125	C1064	C998	U938	U868	
U1514	A1449	G1385	C1320	U1255	G1190	A1126	U1065	U999	G939	C806	
C1515	G449A		A1321	G1256	G1191	U1127	U1066	A1000	U870	U807	
U1516	C1450	G1389		C1257	G1192	A1128	A1067		U871	G808	
G1517	A1451	U1390	G1324	C1258	C1193	A1129	G1068	G1003	A872	G809	
C1518	A1453	U1391	G1325	U1259	G1195	U1130	A1069	C1004	U942	U810	
U1454	U1454	A1392	U1326	G1260	C1196	G1131	C1070	C1005	U943	U811	
U1520	G1455	A1393	C1327	C1261	G1197	A1132	G1071	C1006	G944	C812	
G1521	G1456	U1394	G1328	U1262	U1198	U1133	C1072	C1007	U945	U813	
U1522	A1457	A1395	U1329	U1263	U1199	G1134	A1073	C1008	G946	C814	
U1523		U1396	C1330	G1264	U1200	C1135	G1074	A1009	G947	C815	
G1524	A1460	U1397	A1331	A1265	C1202	G1136	C1075	C949	G948	A750	
G1525	A1461	C1398	G1332	G1266	G1203	G1137	C1076	U1010	U949	C816	
C1526	C1462	C1399	C1333	U1267	A1204	G1138	A1077	G1011	G950	C817	
G1527	A1463	G1400		A1268	U1205	G1139	U1078	U1012		C818	
A1528	C1464	G1401	G1337	A1269	C1206	C1140	C1079	C1013	A953	A819	
A1529	G1465	A1402	G1338	U1270	G1207	U1141	C1080	G1017	G954	A820	
G1530	G1466	C1403	G1339	C1271	C1208	U1142	U1081	G1018	C955	A821	
C1531	C1467	C1404	U1340	U1272	G1209	A142A	U1082	U1019	G956	U822	
C1532		U1405	U1341	U1273	A1210	A1143	U1083	A1020	C957	A824	
C1533	G1470	A1406	A1342	U1274	U1211		A1084	A1021	U958	C825	
G1534	A1471	C1407	G1343	A1275	G1212	G1149	A1085	G1022	A959	U826	
A1472	A1536	A1473	G1344	U1276	A1213	C1150	A1086	U1023	A960	U827	
C1537	C1474		C1345	U1277	G1214	G1151	C1087	G1024	C961	U828	
		G1411		U1278	C1215	C1152	A1088	G1025	G962	U829	
G1538	G1475	A1412	A1349	G1279	G1216	C1153	G1089	U1026	U963	G830	
U1539	C1476	G1413	C1350		C1217	G1154	C1090	A1027	C964	C831	
G1540	A1477	G1414	C1351	G1283	C1218	A1155	G1091	A1028	C965	G832	
U1541	G1478	U1415	U1352	A1284	G1219	A1156	C1092	A1029	G966	U833	
C1542	G1479	G1416	A1353	G1285	A1220	G1157	C1093	G1030	G967	A774	
A1543		C1417	A1354	A1286	C1221	U1158	G1094	G1031	U969	A835	
U1432		C1355	A1355	A1287	C1222	U1159	A1086	A1032	C970	G836	


G2334	A2274	C2209	U	C2084	G2024	A1980	G1899	G1823	A1762	U1680	C1616	A1585
A2335	C2275	G2210	C	C2085	C2025	C1961	A1900	G1824	G1763	G1681	C1617	A1584
A2336	G2276	G2211	C	U2086	G2026	C1962	A1901	A1825	G1764	G1682	A1618	C1547
G2337	A2277	A2212	G	G2087	G2027	U1963	C1902	G1826	C1765	C1683	G1619	C1548
G2338	A2278	G2213	G	C2088	U2028	G1964	G1903	G1827	U1766	C1684	C1620	
G2339	G2279	G2215	G	U2089	G2029	C1965	G1904	G1828	C1767	C1685		
G2340	G2280	G2216	U	G2090	A2030	A1966	C1905	A1829	U1768	C1686	G1824	G1552
G2341	G2281	G2217	G	U2091	A2031	C1967	G1906	G1830	G1769	G1687	C1825	A1553
G2342	G2282	G2218	G	U2092	G2032	G1968	G1907	G1831	G1770	G1688	G1826	A1554
G2343	G2283	G2219	G	G2093	A2033	A1969	C1908	C1832	G1771	A1689	G1827	G1555
G2344	G2284	G2224	G	G2094	U2034	A1970	C1909	U1833	G1772	A1690	G1828	C1556
G2345	G2285	A2225	G	C2095	G2035	A1971	G1910	U1834	A1773	U1629	G1829	C1557
A2346	A2286	G2226	G	U2096	G2036	A1972	U1911	G1835	C1774	G1630	A1558	
C2347	A2287	A2227	G	C2097	G2037	G1973	A1912	G1836	U1775	G1559	G1631	G1560
U2348	A2288	G2228	A	U2098	C2038		A1913	C1837	U1776	G1561		
G2349	G2289	C2229	G	U2099	C2039	G1914	G1914	C1838	U1777			
C2350	G2290	G2230	G	G2100	C2040	U1915	U1915	G1839	U1778			
G2351	U2291	G2231	C	G2101	U2041	A1916	U1916	G1840	U1779			
A2352	C2292	U2232	C	U2102	A2042	G1917	U1917	U1841	A1780			
G2353	C2293	U2233	C	C2103	C2043	A1918	A1918	G1842	C1781			
G2354	C2294	U2234	C	G2104	C2044	C1919	A1919	G1843	G1782			
C2355	C2295	G2235	G	C2105	G2045	G1983	C1920	C1844	A1783			
C2356	U2296	G2236	G	G	G2046	G1984	G1921	C1845	A1784			
U2357	C2297	G2237	U	C	U2047		G1922	A1847	A1785			
G2358	A2298	G2238	G	C	G2048		U1923	A1848	A1786			
C2359	G2299	G2239	A	U	G2049		C1924		A1787			
A2360	G2300	C2240	A	G1988		G1989	C1925	U1851	C1788			
A2361	C2301	A2241	A	C1990	A2051	U1991		C1852	A1789			
G2362	G2302	G2242	C	G1991	G2052	G1992	A1928	A1853	C1790			
C2363	G2303	U2243	U	U1993	G2053	A1993	G1929	A1854	C1791			
C2364	U2244	U2244	A	U1994	A2054	C1994	G1930	G1855	A1791			
G2365	A2305	U2245	C	U1995	G2055	U1995	U1931	G1856	G1792			
A2366	C2306	G2246	A	C1996	G2056	G1996	A1932	G1857	C1795			
G2367	G2307	A2247	C	A	A2057	G1997	G1933	G1858	U1796			
G2368	G2308	C2248	C	U	C2058	G1998	C1934	A1859	C1797			
A2369	A2309	U2249	C	G	A2059	G1999	G1935	G1860	U1798			
G2370	A2310	G2250	U	A	G2060	G2000	A1936	G1861	G1799			
G2371	A2311	G2251	G	G	G2061	A2001	A1937	G1862	C1800			
G2372	U2312	G2252	U	U	A2062	G2002	A1938	C1870	G1801			
G2373	C2313	G2253	G	G	C2063	G2003	U1939	A1872	A1802			
C2374	G2314	C2254	G	U	C2064	G2004	U1940	C1873	A1803			
G2375	G2315	G2255	G	G	C2065	A2005	C1941	A1874	C1804			
A2376	G2316	G2256	A	A	C2066	C2006	C1942	G1878	U1805			
C2377	G2317	U2257	G	G	G2067	C2007	U1943	C1879	C1806			
A2378	G2318	C2258	C	C	U2068	C2008	U1944	C1880	G1807			
G2379	G2319	G2259	U	U	G2069	G2009	U1945	C1881	U1808			
C2380	A2320	C2260	C	C	G2070	G2010	G1946	C1882	A1809			
C2381	G2321	G2261	G	U	A2071	U2011	C1947	G1883	G1746			
G2382	A2322	U2262	U	U	G2072	G2012	G1948	A1884	G1747			
G2383	C2323	C2263	G	G	C2073	A2013	G1949	A1885	A1811			
C2384	G2324	C2264	A	A	U2074	A2014	U1950	C1886	A1812			
G2385	G2325	U2265	A	A	U2075	A2015	U1951	G1887	G1813			
C2386	C2326	A2266	C	C	U2076	U2016	G1952	G1888	G1814			
U2387	A2327	A2267	C	U	A2077	U2017	A1953	G1889	A1815			
A2388	A2328	A2268	C	C	C2078	G2018	G1954	A1890	G1816			
G2389	G2329	A2269	C	C	U2079	A2019	U1955	A1891	G1817			
U2390	G2330	G2270	C	C	G2080	A2020	U1956	G1891	G1818			
G2391	U2331	G2271	G	G	C2081	A2021	C1957	C1895	A1819			
A2392	U2332	U2272	C	C	A2082	U2022	C1958	G1896	U1820			
A2393	A2333	A2273	C	C	G2083	G2023	G1959		G1822			




• Molecule 28: 50S ribosomal protein L2




• Molecule 29: 50S ribosomal protein L3







• Molecule 32: 50S ribosomal protein L6




• Molecule 33: 50S ribosomal protein L9




• Molecule 34: 50S ribosomal protein L13







• Molecule 35: 50S ribosomal protein L14




• Molecule 36: 50S ribosomal protein L15




• Molecule 37: 50S ribosomal protein L16




• Molecule 38: 50S ribosomal protein L18







• Molecule 39: 50S ribosomal protein L19



• Molecule 40: 50S ribosomal protein L22




• Molecule 41: 50S ribosomal protein L23




• Molecule 42: 50S ribosomal protein 24







• Molecule 43: 50S ribosomal protein CTC



• Molecule 44: 50S ribosomal protein L17




• Molecule 45: 50S ribosomal protein L20




• Molecule 46: 50S ribosomal protein L21







• Molecule 47: 50S ribosomal protein L29



• Molecule 48: 50S ribosomal protein L30



• Molecule 49: 50S ribosomal protein L27



• Molecule 50: 50S ribosomal protein L31



• Molecule 51: 50S ribosomal protein L32





• Molecule 52: 50S ribosomal protein L33




• Molecule 53: 50S ribosomal protein L34





• Molecule 54: 50S ribosomal protein L35



• Molecule 55: 50S ribosomal protein L36



• Molecule 56: 50S ribosomal protein L11



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	518.99Å 518.99Å 365.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 5.90 40.00 – 5.90	Depositor EDS
% Data completeness (in resolution range)	97.4 (40.00-5.90) 97.0 (40.00-5.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 5.39Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.351 , 0.371 0.338 , 0.359	Depositor DCC
R_{free} test set	7425 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	223.1	Xtriage
Anisotropy	0.185	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.14 , 141.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	142780	wwPDB-VP
Average B, all atoms (Å ²)	236.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: YYG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AA	1.00	61/36411 (0.2%)	1.15	241/56769 (0.4%)
2	AV	1.90	3/1813 (0.2%)	1.02	10/2823 (0.4%)
3	AW	1.19	10/1739 (0.6%)	1.78	28/2698 (1.0%)
4	AX	0.38	0/139	0.50	0/213
5	AB	1.03	1/1935 (0.1%)	0.98	6/2609 (0.2%)
6	AC	0.98	2/1636 (0.1%)	1.61	6/2205 (0.3%)
7	AD	0.91	2/1733 (0.1%)	1.28	13/2318 (0.6%)
8	AE	0.65	0/1161	0.93	2/1561 (0.1%)
9	AF	0.47	0/856	0.81	0/1154
10	AG	0.73	1/1276 (0.1%)	0.95	4/1709 (0.2%)
11	AH	0.60	0/1136	0.90	1/1527 (0.1%)
12	AI	0.47	0/1029	0.82	1/1378 (0.1%)
13	AJ	0.53	0/807	0.83	1/1085 (0.1%)
14	AK	1.79	1/900 (0.1%)	0.87	2/1213 (0.2%)
15	AL	0.76	1/986 (0.1%)	1.01	6/1320 (0.5%)
16	AM	1.49	2/1008 (0.2%)	1.48	3/1347 (0.2%)
17	AN	0.55	0/501	0.89	0/664
18	AO	0.44	0/745	0.86	0/992
19	AP	0.56	0/716	0.84	2/963 (0.2%)
20	AQ	2.36	2/870 (0.2%)	2.04	9/1159 (0.8%)
21	AR	0.55	0/603	0.94	0/799
22	AS	0.49	0/661	0.79	0/890
23	AT	0.43	0/764	0.88	0/1006
24	AU	0.45	0/212	0.78	0/277
26	BB	0.89	5/2950 (0.2%)	1.14	16/4602 (0.3%)
27	BA	0.97	139/67844 (0.2%)	1.17	478/105838 (0.5%)
28	BD	0.50	0/1328	0.96	10/1783 (0.6%)
29	BE	0.92	3/1540 (0.2%)	1.66	16/2078 (0.8%)
30	BF	1.08	3/1444 (0.2%)	1.13	12/1954 (0.6%)
31	BG	0.32	0/971	0.82	5/1304 (0.4%)
32	BH	0.73	1/1272 (0.1%)	0.80	5/1721 (0.3%)
33	BI	0.53	1/1156 (0.1%)	0.99	6/1544 (0.4%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
34	BN	0.41	0/927	0.83	5/1245 (0.4%)
35	BO	0.40	0/946	0.91	5/1269 (0.4%)
36	BP	2.93	3/643 (0.5%)	1.63	6/870 (0.7%)
37	BQ	0.44	1/1106 (0.1%)	0.80	3/1490 (0.2%)
38	BS	0.99	2/877 (0.2%)	1.63	6/1179 (0.5%)
39	BT	0.49	0/412	1.24	4/554 (0.7%)
40	BW	0.46	0/869	0.90	4/1166 (0.3%)
41	BX	0.71	1/608 (0.2%)	1.49	4/820 (0.5%)
42	BY	0.32	0/887	1.25	3/1195 (0.3%)
43	BZ	0.46	1/1385 (0.1%)	0.80	4/1883 (0.2%)
44	BR	0.37	0/867	0.68	2/1162 (0.2%)
45	BU	1.07	1/994 (0.1%)	0.84	4/1323 (0.3%)
46	BV	1.21	1/796 (0.1%)	1.22	7/1058 (0.7%)
47	B2	0.49	0/497	1.24	3/668 (0.4%)
48	B3	0.38	0/482	0.78	2/646 (0.3%)
49	B0	0.37	0/649	1.53	3/860 (0.3%)
50	B4	0.95	2/620 (0.3%)	0.89	3/831 (0.4%)
51	B5	0.44	0/469	1.17	7/629 (1.1%)
52	B6	0.40	0/438	0.76	2/583 (0.3%)
53	B7	0.47	0/387	0.77	0/509
54	B8	0.94	2/503 (0.4%)	1.80	8/657 (1.2%)
55	B9	0.45	0/286	0.92	1/375 (0.3%)
56	BK	0.40	0/1010	0.94	6/1349 (0.4%)
All	All	0.97	252/154800 (0.2%)	1.16	975/231824 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	AW	1	5
5	AB	0	1
6	AC	0	2
7	AD	0	1
15	AL	0	1
16	AM	0	1
20	AQ	0	2
28	BD	0	1
29	BE	0	3
30	BF	0	3
32	BH	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
33	BI	0	1
36	BP	0	1
38	BS	0	1
41	BX	0	1
42	BY	0	1
47	B2	0	1
54	B8	0	1
56	BK	0	1
All	All	1	29

The worst 5 of 252 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
20	AQ	22	LEU	C-N	-65.58	0.64	1.33
27	BA	2199	A	O3'-P	-56.90	0.75	1.61
2	AV	45	G	O3'-P	-56.02	0.77	1.61
14	AK	112	THR	C-N	-51.44	0.89	1.33
36	BP	61	ALA	C-N	50.87	1.80	1.33

The worst 5 of 975 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AW	25	C	O3'-P-O5'	-55.06	21.42	104.00
27	BA	2199	A	O3'-P-O5'	-54.58	22.13	104.00
29	BE	49	THR	O-C-N	-45.61	68.87	121.32
27	BA	712(A)	A	P-O3'-C3'	-39.11	61.54	120.20
6	AC	106	VAL	CA-C-N	-36.92	70.42	120.63

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	AW	37	YYG	C15

5 of 29 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	AW	16	U	Sidechain
3	AW	17	U	Sidechain
3	AW	18	G	Sidechain
3	AW	19	G	Sidechain
3	AW	62	A	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32551	0	16464	1933	4
2	AV	1622	0	823	186	0
3	AW	1638	0	835	233	0
4	AX	136	0	63	35	0
5	AB	1900	0	1950	102	0
6	AC	1612	0	1675	104	0
7	AD	1703	0	1762	193	0
8	AE	1146	0	1206	59	0
9	AF	843	0	857	28	0
10	AG	1257	0	1294	141	0
11	AH	1116	0	1177	85	0
12	AI	1011	0	1041	84	0
13	AJ	794	0	840	118	0
14	AK	885	0	904	51	0
15	AL	970	0	1057	82	0
16	AM	997	0	1071	130	0
17	AN	492	0	529	115	0
18	AO	734	0	771	31	0
19	AP	700	0	720	70	0
20	AQ	857	0	929	95	0
21	AR	597	0	668	31	0
22	AS	647	0	672	148	0
23	AT	762	0	859	44	0
24	AU	208	0	221	22	0
25	AY	333	0	0	48	0
26	BB	2637	0	1338	200	0
27	BA	60600	0	30513	10820	139
28	BD	1308	0	1345	1112	0
29	BE	1507	0	1474	1137	3
30	BF	1430	0	1359	1084	0
31	BG	957	0	950	709	0
32	BH	1251	0	1289	765	0
33	BI	1145	0	1225	645	4
34	BN	917	0	896	792	1
35	BO	937	0	993	626	0
36	BP	639	0	605	502	0
37	BQ	1081	0	1048	936	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	BS	866	0	867	707	0
39	BT	406	0	360	176	0
40	BW	860	0	911	568	0
41	BX	602	0	558	462	0
42	BY	879	0	860	754	0
43	BZ	1360	0	1377	903	0
44	BR	855	0	904	593	0
45	BU	978	0	995	942	0
46	BV	787	0	783	665	0
47	B2	494	0	504	389	0
48	B3	477	0	528	461	0
49	B0	641	0	658	517	0
50	B4	604	0	587	507	0
51	B5	457	0	457	300	0
52	B6	431	0	454	285	0
53	B7	383	0	409	406	0
54	B8	496	0	541	375	0
55	B9	285	0	312	205	0
56	BK	999	0	1068	145	0
All	All	142780	0	94556	28501	146

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 121.

The worst 5 of 28501 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
51:B5:33:CYS:SG	51:B5:36:CYS:HB2	1.24	1.69
27:BA:2470:G:C2	27:BA:2471:C:C5	1.81	1.68
27:BA:994:C:C2	45:BU:53:LYS:HD3	1.16	1.68
53:B7:30:ILE:HA	53:B7:33:ARG:CD	1.21	1.67
27:BA:2580:U:C6	27:BA:2581:G:C8	1.82	1.66

The worst 5 of 146 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
27:BA:6:A:C4'	27:BA:2902:C:O2'[8_554]	0.49	1.71
1:AA:359:U:OP1	33:BI:82:LYS:NZ[3_454]	0.68	1.52
27:BA:6:A:N9	27:BA:2902:C:C6[8_554]	0.88	1.32

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
27:BA:1:G:O6	27:BA:2898:U:C2[8_554]	0.92	1.28
27:BA:6:A:O4'	27:BA:2902:C:C2'[8_554]	0.97	1.23

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AB	232/256 (91%)	183 (79%)	34 (15%)	15 (6%)	1	12
6	AC	204/239 (85%)	165 (81%)	23 (11%)	16 (8%)	1	9
7	AD	206/209 (99%)	156 (76%)	34 (16%)	16 (8%)	1	9
8	AE	146/162 (90%)	114 (78%)	29 (20%)	3 (2%)	5	29
9	AF	99/101 (98%)	85 (86%)	10 (10%)	4 (4%)	2	18
10	AG	153/156 (98%)	131 (86%)	18 (12%)	4 (3%)	4	25
11	AH	136/138 (99%)	101 (74%)	25 (18%)	10 (7%)	1	10
12	AI	125/128 (98%)	87 (70%)	30 (24%)	8 (6%)	1	12
13	AJ	96/105 (91%)	73 (76%)	14 (15%)	9 (9%)	0	8
14	AK	117/129 (91%)	89 (76%)	23 (20%)	5 (4%)	2	17
15	AL	122/135 (90%)	91 (75%)	14 (12%)	17 (14%)	0	3
16	AM	123/126 (98%)	96 (78%)	21 (17%)	6 (5%)	1	15
17	AN	58/61 (95%)	42 (72%)	12 (21%)	4 (7%)	1	11
18	AO	86/89 (97%)	76 (88%)	9 (10%)	1 (1%)	10	43
19	AP	81/88 (92%)	64 (79%)	10 (12%)	7 (9%)	0	8
20	AQ	102/105 (97%)	78 (76%)	17 (17%)	7 (7%)	1	11
21	AR	71/88 (81%)	54 (76%)	11 (16%)	6 (8%)	0	8
22	AS	78/93 (84%)	60 (77%)	15 (19%)	3 (4%)	2	19
23	AT	97/106 (92%)	79 (81%)	12 (12%)	6 (6%)	1	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
24	AU	22/27 (82%)	17 (77%)	3 (14%)	2 (9%)	0	8
28	BD	169/173 (98%)	60 (36%)	34 (20%)	75 (44%)	0	0
29	BE	183/338 (54%)	89 (49%)	35 (19%)	59 (32%)	0	0
30	BF	179/246 (73%)	51 (28%)	47 (26%)	81 (45%)	0	0
31	BG	116/176 (66%)	46 (40%)	31 (27%)	39 (34%)	0	0
32	BH	162/177 (92%)	74 (46%)	39 (24%)	49 (30%)	0	0
33	BI	144/149 (97%)	71 (49%)	29 (20%)	44 (31%)	0	0
34	BN	111/145 (77%)	34 (31%)	21 (19%)	56 (50%)	0	0
35	BO	120/122 (98%)	61 (51%)	27 (22%)	32 (27%)	0	0
36	BP	82/164 (50%)	28 (34%)	21 (26%)	33 (40%)	0	0
37	BQ	130/138 (94%)	38 (29%)	35 (27%)	57 (44%)	0	0
38	BS	105/186 (56%)	36 (34%)	20 (19%)	49 (47%)	0	0
39	BT	48/66 (73%)	17 (35%)	13 (27%)	18 (38%)	0	0
40	BW	104/113 (92%)	42 (40%)	15 (14%)	47 (45%)	0	0
41	BX	72/84 (86%)	26 (36%)	18 (25%)	28 (39%)	0	0
42	BY	108/119 (91%)	49 (45%)	20 (18%)	39 (36%)	0	0
43	BZ	175/253 (69%)	52 (30%)	53 (30%)	70 (40%)	0	0
44	BR	103/118 (87%)	35 (34%)	20 (19%)	48 (47%)	0	0
45	BU	115/118 (98%)	22 (19%)	23 (20%)	70 (61%)	0	0
46	BV	96/100 (96%)	39 (41%)	25 (26%)	32 (33%)	0	0
47	B2	62/70 (89%)	8 (13%)	9 (14%)	45 (73%)	0	0
48	B3	58/60 (97%)	24 (41%)	13 (22%)	21 (36%)	0	0
49	B0	84/91 (92%)	33 (39%)	16 (19%)	35 (42%)	0	0
50	B4	71/73 (97%)	21 (30%)	16 (22%)	34 (48%)	0	0
51	B5	56/60 (93%)	16 (29%)	17 (30%)	23 (41%)	0	0
52	B6	51/82 (62%)	21 (41%)	9 (18%)	21 (41%)	0	0
53	B7	44/47 (94%)	4 (9%)	7 (16%)	33 (75%)	0	0
54	B8	61/64 (95%)	23 (38%)	9 (15%)	29 (48%)	0	0
55	B9	33/36 (92%)	14 (42%)	9 (27%)	10 (30%)	0	0
56	BK	124/141 (88%)	93 (75%)	26 (21%)	5 (4%)	2	18
All	All	5320/6250 (85%)	2968 (56%)	1021 (19%)	1331 (25%)	0	1

5 of 1331 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	AB	24	TRP
5	AB	104	ASN
5	AB	153	ARG
5	AB	154	LEU
5	AB	161	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AB	202/220 (92%)	177 (88%)	25 (12%)	4	17
6	AC	160/188 (85%)	143 (89%)	17 (11%)	6	21
7	AD	180/181 (99%)	163 (91%)	17 (9%)	8	26
8	AE	115/123 (94%)	89 (77%)	26 (23%)	1	6
9	AF	90/90 (100%)	82 (91%)	8 (9%)	9	28
10	AG	126/127 (99%)	116 (92%)	10 (8%)	11	31
11	AH	119/119 (100%)	93 (78%)	26 (22%)	1	6
12	AI	98/99 (99%)	89 (91%)	9 (9%)	8	27
13	AJ	88/92 (96%)	78 (89%)	10 (11%)	5	18
14	AK	90/99 (91%)	87 (97%)	3 (3%)	33	55
15	AL	104/111 (94%)	92 (88%)	12 (12%)	5	18
16	AM	100/101 (99%)	86 (86%)	14 (14%)	3	14
17	AN	49/50 (98%)	42 (86%)	7 (14%)	3	13
18	AO	79/80 (99%)	67 (85%)	12 (15%)	3	12
19	AP	72/74 (97%)	64 (89%)	8 (11%)	6	20
20	AQ	96/97 (99%)	83 (86%)	13 (14%)	4	14
21	AR	64/77 (83%)	55 (86%)	9 (14%)	3	13
22	AS	71/80 (89%)	64 (90%)	7 (10%)	7	24
23	AT	76/82 (93%)	66 (87%)	10 (13%)	4	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	AU	19/22 (86%)	19 (100%)	0	100	100
28	BD	135/135 (100%)	93 (69%)	42 (31%)	0	2
29	BE	156/284 (55%)	128 (82%)	28 (18%)	2	9
30	BF	152/193 (79%)	124 (82%)	28 (18%)	1	9
31	BG	102/147 (69%)	93 (91%)	9 (9%)	9	28
32	BH	137/147 (93%)	110 (80%)	27 (20%)	1	7
33	BI	119/119 (100%)	98 (82%)	21 (18%)	2	9
34	BN	95/121 (78%)	79 (83%)	16 (17%)	2	10
35	BO	101/101 (100%)	77 (76%)	24 (24%)	1	5
36	BP	67/126 (53%)	52 (78%)	15 (22%)	1	6
37	BQ	110/110 (100%)	83 (76%)	27 (24%)	1	4
38	BS	89/149 (60%)	72 (81%)	17 (19%)	1	8
39	BT	44/52 (85%)	32 (73%)	12 (27%)	0	3
40	BW	88/92 (96%)	73 (83%)	15 (17%)	2	10
41	BX	67/73 (92%)	45 (67%)	22 (33%)	0	2
42	BY	97/105 (92%)	79 (81%)	18 (19%)	1	8
43	BZ	151/203 (74%)	127 (84%)	24 (16%)	2	12
44	BR	89/101 (88%)	69 (78%)	20 (22%)	1	6
45	BU	96/97 (99%)	68 (71%)	28 (29%)	0	2
46	BV	79/79 (100%)	68 (86%)	11 (14%)	3	14
47	B2	51/56 (91%)	37 (72%)	14 (28%)	0	3
48	B3	52/52 (100%)	44 (85%)	8 (15%)	2	12
49	B0	64/67 (96%)	55 (86%)	9 (14%)	3	13
50	B4	66/66 (100%)	54 (82%)	12 (18%)	2	9
51	B5	51/53 (96%)	41 (80%)	10 (20%)	1	7
52	B6	46/69 (67%)	37 (80%)	9 (20%)	1	7
53	B7	39/40 (98%)	30 (77%)	9 (23%)	1	6
54	B8	50/51 (98%)	41 (82%)	9 (18%)	2	9
55	B9	34/35 (97%)	30 (88%)	4 (12%)	5	18
56	BK	108/113 (96%)	105 (97%)	3 (3%)	38	59
All	All	4533/5148 (88%)	3799 (84%)	734 (16%)	2	11

5 of 734 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
37	BQ	59	ASN
43	BZ	49	THR
37	BQ	142	LYS
37	BQ	56	ILE
40	BW	103	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 127 such sidechains are listed below:

Mol	Chain	Res	Type
28	BD	223	ASN
47	B2	42	ASN
33	BI	43	ASN
47	B2	29	ASN
51	B5	29	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1509/1522 (99%)	541 (35%)	166 (11%)
2	AV	75/76 (98%)	16 (21%)	4 (5%)
26	BB	122/123 (99%)	44 (36%)	3 (2%)
27	BA	2808/2916 (96%)	1520 (54%)	360 (12%)
3	AW	73/76 (96%)	15 (20%)	5 (6%)
4	AX	5/18 (27%)	0	0
All	All	4592/4731 (97%)	2136 (46%)	538 (11%)

5 of 2136 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	6	G
1	AA	7	G
1	AA	8	A
1	AA	9	G
1	AA	12	U

5 of 538 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
27	BA	2426	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
27	BA	2492	U
27	BA	2425	A
27	BA	2774	C
27	BA	181	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	PSU	AW	39	3	18,21,22	0.74	1 (5%)	21,30,33	0.73	0
3	PSU	AW	55	3	18,21,22	0.72	0	21,30,33	0.91	1 (4%)
3	YYG	AW	37	3	38,42,43	0.89	2 (5%)	45,62,65	2.33	10 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PSU	AW	39	3	-	0/7/25/26	0/2/2/2
3	PSU	AW	55	3	-	0/7/25/26	0/2/2/2
3	YYG	AW	37	3	1/1/8/9	7/24/42/43	0/4/4/4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AW	37	YYG	C2-N2	3.09	1.38	1.33
3	AW	37	YYG	C3-N3	2.23	1.50	1.47
3	AW	39	PSU	C6-N1	-2.04	1.33	1.36

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AW	37	YYG	C11-C12-N1	8.62	111.38	105.31
3	AW	37	YYG	C24-O23-C21	6.47	123.12	115.63
3	AW	37	YYG	C5-C4-N3	4.94	128.00	123.99
3	AW	37	YYG	O23-C21-N20	4.58	118.47	110.77
3	AW	37	YYG	C10-C11-N2	3.61	126.57	119.32

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	AW	37	YYG	C15

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	AW	37	YYG	C15-C16-O18-C19
3	AW	37	YYG	O17-C16-O18-C19
3	AW	37	YYG	C12-C13-C14-C15
3	AW	37	YYG	C13-C14-C15-C16
3	AW	37	YYG	C13-C14-C15-N20

There are no ring outliers.

2 monomers are involved in 43 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	AW	39	PSU	5	0
3	AW	37	YYG	38	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
27	BA	104
1	AA	67
3	AW	8
56	BK	5
2	AV	4
37	BQ	3
26	BB	3
46	BV	2
6	AC	2
28	BD	1
8	AE	1
16	AM	1
5	AB	1
36	BP	1
10	AG	1
38	BS	1
30	BF	1
15	AL	1
43	BZ	1
33	BI	1
7	AD	1
32	BH	1
45	BU	1
14	AK	1
20	AQ	1

The worst 5 of 214 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BK	70:ILE	C	71:LYS	N	5.81
1	BK	73:PRO	C	74:PRO	N	5.30
1	BK	72:THR	C	73:PRO	N	5.11
1	AA	30(D):A	O3'	1031:G	P	4.82
1	BA	142(A):A	O3'	1143:A	P	4.82

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	AA	1515/1522 (99%)	0.83	134 (8%) 15 22	236, 236, 236, 236	0
2	AV	76/76 (100%)	1.01	10 (13%) 7 14	236, 236, 236, 236	0
3	AW	73/76 (96%)	1.20	11 (15%) 5 13	236, 236, 236, 236	0
4	AX	17/18 (94%)	4.92	14 (82%) 0 1	236, 236, 236, 236	0
5	AB	234/256 (91%)	1.20	57 (24%) 2 8	236, 236, 236, 236	0
6	AC	206/239 (86%)	1.43	63 (30%) 1 6	236, 236, 236, 236	0
7	AD	208/209 (99%)	2.22	91 (43%) 0 3	236, 236, 236, 236	0
8	AE	150/162 (92%)	1.16	30 (20%) 3 9	236, 236, 236, 236	0
9	AF	101/101 (100%)	1.38	25 (24%) 2 8	236, 236, 236, 236	0
10	AG	155/156 (99%)	1.60	45 (29%) 1 6	236, 236, 236, 236	0
11	AH	138/138 (100%)	0.87	31 (22%) 2 8	236, 236, 236, 236	0
12	AI	127/128 (99%)	1.53	38 (29%) 1 6	236, 236, 236, 236	0
13	AJ	98/105 (93%)	1.79	40 (40%) 0 4	236, 236, 236, 236	0
14	AK	119/129 (92%)	1.02	16 (13%) 7 14	236, 236, 236, 236	0
15	AL	124/135 (91%)	1.86	49 (39%) 1 4	236, 236, 236, 236	0
16	AM	125/126 (99%)	2.24	49 (39%) 1 4	236, 236, 236, 236	0
17	AN	60/61 (98%)	1.66	22 (36%) 1 5	236, 236, 236, 236	0
18	AO	88/89 (98%)	1.49	26 (29%) 1 6	236, 236, 236, 236	0
19	AP	83/88 (94%)	1.83	29 (34%) 1 5	236, 236, 236, 236	0
20	AQ	104/105 (99%)	1.25	23 (22%) 2 8	236, 236, 236, 236	0
21	AR	73/88 (82%)	1.13	16 (21%) 2 8	236, 236, 236, 236	0
22	AS	80/93 (86%)	2.12	32 (40%) 1 4	236, 236, 236, 236	0
23	AT	99/106 (93%)	1.78	33 (33%) 1 5	236, 236, 236, 236	0
24	AU	24/27 (88%)	2.89	13 (54%) 0 3	236, 236, 236, 236	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
25	AY	333/354 (94%)	7.14	273 (81%)	0	1	236, 236, 236, 236	0
26	BB	123/123 (100%)	0.54	4 (3%)	49	44	236, 236, 236, 236	0
27	BA	2814/2916 (96%)	1.11	490 (17%)	4	11	236, 236, 236, 236	0
28	BD	173/173 (100%)	1.72	60 (34%)	1	5	236, 236, 236, 236	0
29	BE	191/338 (56%)	1.84	69 (36%)	1	5	236, 236, 236, 236	0
30	BF	189/246 (76%)	1.88	73 (38%)	1	4	236, 236, 236, 236	0
31	BG	122/176 (69%)	1.92	53 (43%)	0	3	236, 236, 236, 236	0
32	BH	164/177 (92%)	1.23	41 (25%)	2	7	236, 236, 236, 236	0
33	BI	148/149 (99%)	1.53	44 (29%)	1	6	236, 236, 236, 236	0
34	BN	117/145 (80%)	1.73	33 (28%)	1	7	236, 236, 236, 236	0
35	BO	122/122 (100%)	1.73	40 (32%)	1	5	236, 236, 236, 236	0
36	BP	84/164 (51%)	1.32	19 (22%)	2	8	236, 236, 236, 236	0
37	BQ	138/138 (100%)	2.23	57 (41%)	0	4	236, 236, 236, 236	0
38	BS	113/186 (60%)	1.25	27 (23%)	2	8	236, 236, 236, 236	0
39	BT	52/66 (78%)	2.17	25 (48%)	0	3	236, 236, 236, 236	0
40	BW	108/113 (95%)	1.69	31 (28%)	1	6	236, 236, 236, 236	0
41	BX	76/84 (90%)	1.40	23 (30%)	1	6	236, 236, 236, 236	0
42	BY	110/119 (92%)	2.19	46 (41%)	0	4	236, 236, 236, 236	0
43	BZ	177/253 (69%)	1.52	52 (29%)	1	6	236, 236, 236, 236	0
44	BR	105/118 (88%)	1.42	33 (31%)	1	6	236, 236, 236, 236	0
45	BU	117/118 (99%)	1.71	36 (30%)	1	6	236, 236, 236, 236	0
46	BV	100/100 (100%)	1.32	23 (23%)	2	8	236, 236, 236, 236	0
47	B2	64/70 (91%)	1.11	15 (23%)	2	8	236, 236, 236, 236	0
48	B3	60/60 (100%)	1.07	11 (18%)	3	10	236, 236, 236, 236	0
49	B0	86/91 (94%)	1.63	29 (33%)	1	5	236, 236, 236, 236	0
50	B4	73/73 (100%)	1.57	22 (30%)	1	6	236, 236, 236, 236	0
51	B5	58/60 (96%)	1.91	14 (24%)	2	8	236, 236, 236, 236	0
52	B6	53/82 (64%)	1.15	11 (20%)	2	9	236, 236, 236, 236	0
53	B7	46/47 (97%)	1.80	13 (28%)	1	7	236, 236, 236, 236	0
54	B8	63/64 (98%)	1.87	19 (30%)	1	6	236, 236, 236, 236	0
55	B9	35/36 (97%)	1.99	16 (45%)	0	3	236, 236, 236, 236	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
56	BK	133/141 (94%)	2.08	55 (41%) 0 4	236, 236, 236, 236	0
All	All	10424/11335 (91%)	1.53	2654 (25%) 1 7	236, 236, 236, 236	0

The worst 5 of 2654 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
25	AY	284	ARG	74.1
25	AY	165	PRO	47.4
25	AY	287	LYS	39.9
25	AY	283	GLU	39.1
25	AY	166	GLY	39.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PSU	AW	55	20/21	0.27	0.14	236,236,236,236	0
3	YYG	AW	37	39/40	0.48	0.35	236,236,236,236	0
3	PSU	AW	39	20/21	0.81	0.23	236,236,236,236	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.