



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:55 PM UTC

PDB ID : 2VKD / pdb_00002vkd
Title : CRYSTAL STRUCTURE OF THE CATALYTIC DOMAIN OF LETHAL TOXIN FROM CLOSTRIDIUM SORDELLII IN COMPLEX WITH UDP-GLC AND MANGANESE ION
Authors : Ziegler, M.O.P.; Jank, T.; Aktories, K.; Schulz, G.E.
Deposited on : 2007-12-18
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7383 (2.54-2.50)
Clashscore	190562	8079 (2.54-2.50)
Ramachandran outliers	187476	7944 (2.54-2.50)
Sidechain outliers	187428	7946 (2.54-2.50)
RSRZ outliers	180081	7387 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	546	
1	B	546	
1	C	546	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13572 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOTOXIN L.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	542	Total	C	N	O	S	0	0	0
			4447	2838	721	872	16			
1	B	538	Total	C	N	O	S	0	0	0
			4422	2824	716	867	15			
1	C	541	Total	C	N	O	S	0	0	0
			4442	2835	720	871	16			


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	ALA	VAL	engineered mutation	UNP Q46342
A	289	MET	ILE	engineered mutation	UNP Q46342
B	13	ALA	VAL	engineered mutation	UNP Q46342
B	289	MET	ILE	engineered mutation	UNP Q46342
C	13	ALA	VAL	engineered mutation	UNP Q46342
C	289	MET	ILE	engineered mutation	UNP Q46342

- Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Mn	0	0
			3	3		
2	B	1	Total	Mn	0	0
			1	1		
2	C	1	Total	Mn	0	0
			1	1		

- Molecule 3 is URIDINE-5'-DIPHOSPHATE-GLUCOSE (CCD ID: UPG) (formula: C₁₅H₂₄N₂O₁₇P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			36	15	2	17	2		
3	B	1	Total	C	N	O	P	0	0
			36	15	2	17	2		
3	C	1	Total	C	N	O	P	0	0
			36	15	2	17	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	47	Total	O	0	0
			47	47		
4	B	57	Total	O	0	0
			57	57		
4	C	44	Total	O	0	0
			44	44		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CYTOTOXIN L



• Molecule 1: CYTOTOXIN L



• Molecule 1: CYTOTOXIN L





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.29Å 190.32Å 204.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	90.17 – 2.53 90.17 – 2.53	Depositor EDS
% Data completeness (in resolution range)	99.7 (90.17-2.53) 99.7 (90.17-2.53)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.46 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.244 , 0.288 0.239 , 0.280	Depositor DCC
R_{free} test set	3780 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.2	Xtriage
Anisotropy	0.705	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 42.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	13572	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.55 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.7375e-04.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, UPG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/4530	0.84	0/6114
1	B	0.54	0/4505	0.86	0/6081
1	C	0.52	1/4525 (0.0%)	0.85	1/6107 (0.0%)
All	All	0.52	1/13560 (0.0%)	0.85	1/18302 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	465	THR	C-O	-5.43	1.17	1.24

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	69	ASN	N-CA-C	5.87	118.43	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4447	0	4406	36	0
1	B	4422	0	4380	41	0
1	C	4442	0	4401	40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	3	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	36	0	22	0	0
3	B	36	0	22	0	0
3	C	36	0	22	1	0
4	A	47	0	0	0	0
4	B	57	0	0	1	0
4	C	44	0	0	1	0
All	All	13572	0	13253	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:ASP:HB2	1:A:164:PRO:HA	1.39	1.03
1:B:262:ARG:HH11	1:B:262:ARG:HG3	1.18	1.02
1:A:106:GLN:HE21	1:A:231:LYS:HD2	1.35	0.91
1:B:262:ARG:HG3	1:B:262:ARG:NH1	1.85	0.89
1:A:4:VAL:HG22	1:A:8:GLN:HB2	1.62	0.81
1:C:366:ILE:HG21	1:C:388:ILE:HD13	1.65	0.78
1:A:311:SER:HA	1:A:314:MET:HE3	1.66	0.78
1:C:163:ASP:HB3	1:C:164:PRO:HA	1.67	0.74
1:C:4:VAL:HG22	1:C:8:GLN:HB3	1.68	0.73
1:A:98:LEU:HD21	1:A:285:LEU:HD12	1.70	0.72
1:A:1:MET:HB2	1:C:422:THR:HG21	1.71	0.71
1:B:262:ARG:HH11	1:B:262:ARG:CG	2.02	0.69
1:C:513:GLU:O	1:C:516:ILE:HG12	1.95	0.67
1:C:42:VAL:HG21	1:C:90:SER:CB	2.27	0.65
1:B:204:ASN:HA	1:B:207:LYS:HE2	1.77	0.65
1:C:160:ASN:HD22	1:C:164:PRO:HD3	1.60	0.65
1:A:4:VAL:HG22	1:A:8:GLN:CB	2.25	0.65
1:A:163:ASP:HB2	1:A:164:PRO:CA	2.22	0.64
1:C:4:VAL:HG22	1:C:8:GLN:CB	2.28	0.64
1:C:371:LEU:O	1:C:395:CYS:HB2	2.00	0.62
1:A:304:PRO:HG2	1:A:307:ILE:HD12	1.81	0.61
1:A:373:VAL:HG23	1:A:395:CYS:HB3	1.83	0.60
1:B:253:ARG:NH2	4:B:2027:HOH:O	2.34	0.60
1:C:524:GLN:HA	1:C:527:ALA:HB3	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:363:LEU:HD22	1:C:366:ILE:HD11	1.85	0.58
1:C:324:LYS:NZ	1:C:353:LYS:O	2.35	0.58
1:A:304:PRO:HD2	1:A:312:TRP:CZ3	2.39	0.57
1:C:165:GLU:HA	1:C:165:GLU:OE1	2.04	0.57
1:B:371:LEU:O	1:B:395:CYS:HB2	2.05	0.56
1:C:42:VAL:HG21	1:C:90:SER:HB2	1.87	0.56
1:A:93:PRO:HA	1:A:366:ILE:O	2.06	0.55
1:B:385:GLN:NE2	1:B:510:GLN:HE21	2.03	0.55
3:C:1544:UPG:H5C2	3:C:1544:UPG:H3'	1.88	0.55
1:B:98:LEU:HD23	1:B:283:VAL:HB	1.87	0.55
1:A:155:GLU:HB3	1:A:158:ARG:HH21	1.71	0.54
1:B:29:ASN:O	1:B:33:GLU:HG2	2.08	0.54
1:C:399:VAL:HG13	1:C:473:VAL:HG12	1.90	0.54
1:A:185:HIS:HD2	1:A:209:TYR:OH	1.91	0.54
1:A:413:ASN:HD22	1:A:434:LYS:HB3	1.72	0.53
1:B:163:ASP:HB2	1:B:164:PRO:HA	1.91	0.53
1:C:42:VAL:HG21	1:C:90:SER:HB3	1.90	0.53
1:C:130:PHE:CZ	1:C:276:MET:HE2	2.46	0.50
1:A:366:ILE:HG21	1:A:388:ILE:HD13	1.93	0.50
1:A:399:VAL:HG13	1:A:473:VAL:HG12	1.94	0.49
1:B:380:ASN:ND2	1:B:495:GLU:OE2	2.45	0.49
1:A:91:LEU:HB3	1:A:367:LYS:HB3	1.94	0.49
1:A:262:ARG:HD2	1:A:453:TYR:CE2	2.46	0.49
1:B:373:VAL:HG23	1:B:395:CYS:HB3	1.95	0.49
1:B:273:ARG:O	1:B:277:LEU:HB2	2.13	0.48
1:C:255:TYR:CE2	1:C:259:LEU:HD22	2.47	0.48
1:C:420:GLU:HG3	1:C:430:ILE:HD13	1.94	0.48
1:A:59:TYR:C	1:A:59:TYR:CD2	2.91	0.48
1:B:94:VAL:HG23	1:B:366:ILE:HG13	1.95	0.48
1:B:72:LEU:O	1:B:76:LYS:HG3	2.15	0.47
1:B:385:GLN:HE21	1:B:510:GLN:HE21	1.62	0.47
1:A:374:LYS:HB2	1:A:388:ILE:HB	1.96	0.47
1:B:376:ALA:HB2	1:B:386:ALA:HB3	1.96	0.47
1:B:4:VAL:CG2	1:B:8:GLN:HB3	2.45	0.47
1:B:353:LYS:HD2	1:B:358:GLU:HB3	1.97	0.47
1:B:330:TYR:HA	1:B:513:GLU:OE1	2.14	0.47
1:A:69:ASN:O	1:A:73:LYS:HG2	2.14	0.46
1:A:248:ASP:HB3	1:A:251:LEU:HB2	1.97	0.46
1:C:279:GLU:HB3	4:C:2024:HOH:O	2.16	0.46
1:B:373:VAL:HG22	1:B:389:SER:HB2	1.98	0.46
1:C:197:ASN:HB3	1:C:200:PHE:HD2	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:524:GLN:H	1:C:524:GLN:HG2	1.56	0.46
1:A:163:ASP:CB	1:A:164:PRO:HA	2.26	0.46
1:B:445:MET:HE3	1:B:449:LYS:HE3	1.98	0.46
1:C:104:GLY:HA2	1:C:135:ALA:O	2.16	0.45
1:A:106:GLN:HG3	1:A:228:SER:HA	1.99	0.45
1:B:246:PHE:HA	1:B:279:GLU:HG3	1.98	0.45
1:C:197:ASN:HD22	1:C:199:GLU:H	1.64	0.45
1:C:399:VAL:HG13	1:C:473:VAL:CG1	2.46	0.45
1:C:435:LEU:HD22	1:C:447:MET:SD	2.57	0.45
1:C:515:GLU:C	1:C:517:THR:H	2.25	0.45
1:B:247:ALA:HB1	1:B:252:VAL:HG21	1.99	0.44
1:A:94:VAL:HG13	1:A:368:VAL:CG1	2.47	0.44
1:B:247:ALA:HB1	1:B:252:VAL:CG2	2.47	0.44
1:A:376:ALA:HB2	1:A:386:ALA:HB3	1.98	0.44
1:A:409:ILE:HG21	1:A:447:MET:HE1	1.99	0.44
1:C:382:VAL:HG21	1:C:475:THR:HG23	1.99	0.44
1:B:265:LEU:O	1:B:269:SER:HB2	2.18	0.44
1:B:94:VAL:HA	1:B:390:LEU:HD23	2.00	0.43
1:C:524:GLN:HA	1:C:527:ALA:CB	2.48	0.43
1:A:395:CYS:O	1:A:399:VAL:HG23	2.18	0.43
1:A:402:GLN:HB2	1:A:473:VAL:HG13	2.01	0.43
1:B:42:VAL:HG21	1:B:90:SER:HB2	2.00	0.43
1:B:59:TYR:CD2	1:B:59:TYR:C	2.97	0.43
1:B:197:ASN:HB3	1:B:200:PHE:CD2	2.54	0.43
1:B:246:PHE:CD1	1:B:279:GLU:HB3	2.54	0.43
1:B:536:LYS:C	1:B:538:TYR:H	2.27	0.43
1:A:364:ASP:HB3	1:A:365:ASP:H	1.67	0.42
1:C:185:HIS:HD1	1:C:209:TYR:HH	1.67	0.42
1:A:106:GLN:HE21	1:A:231:LYS:CD	2.17	0.42
1:A:327:ILE:HA	1:A:328:PRO:HD3	1.88	0.42
1:A:34:TYR:OH	1:A:82:GLU:OE2	2.29	0.42
1:C:232:ILE:HG13	1:C:237:GLY:HA3	2.01	0.42
1:C:444:MET:O	1:C:448:ILE:HG12	2.19	0.42
1:B:82:GLU:O	1:B:82:GLU:HG3	2.20	0.42
1:B:366:ILE:HD12	1:B:388:ILE:HD13	2.00	0.42
1:C:164:PRO:HB2	1:C:165:GLU:H	1.61	0.41
1:C:174:LYS:O	1:C:178:ILE:HG12	2.19	0.41
1:B:315:ILE:HD13	1:B:338:LEU:HD11	2.02	0.41
1:B:283:VAL:CG2	1:B:366:ILE:HD11	2.50	0.41
1:C:57:ASP:HA	1:C:60:LEU:HD12	2.02	0.41
1:B:340:GLU:H	1:B:340:GLU:CD	2.28	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:279:GLU:O	1:C:391:LYS:HE2	2.21	0.41
1:A:377:PHE:CE1	1:A:502:GLU:HB3	2.56	0.41
1:C:293:ILE:HD11	1:C:317:LEU:HD23	2.02	0.41
1:B:460:PRO:HB3	1:B:527:ALA:HB2	2.03	0.41
1:B:94:VAL:CG2	1:B:366:ILE:HG13	2.51	0.40
1:A:106:GLN:NE2	1:A:231:LYS:HD2	2.18	0.40
1:B:74:LYS:HA	1:B:74:LYS:HD2	1.72	0.40
1:C:50:LYS:HA	1:C:484:PHE:CD1	2.56	0.40
1:C:189:TYR:O	1:C:193:GLN:HG2	2.21	0.40
1:B:364:ASP:HB3	1:B:365:ASP:H	1.71	0.40
1:C:98:LEU:HD12	1:C:283:VAL:HB	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	540/546 (99%)	513 (95%)	26 (5%)	1 (0%)	43 62
1	B	536/546 (98%)	507 (95%)	28 (5%)	1 (0%)	43 62
1	C	539/546 (99%)	505 (94%)	32 (6%)	2 (0%)	30 47
All	All	1615/1638 (99%)	1525 (94%)	86 (5%)	4 (0%)	43 62

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	PRO
1	B	164	PRO
1	C	164	PRO
1	C	516	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	502/505 (99%)	492 (98%)	10 (2%)	48	73
1	B	500/505 (99%)	484 (97%)	16 (3%)	34	60
1	C	502/505 (99%)	486 (97%)	16 (3%)	34	60
All	All	1504/1515 (99%)	1462 (97%)	42 (3%)	38	64

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	VAL
1	A	94	VAL
1	A	98	LEU
1	A	123	SER
1	A	238	ASN
1	A	244	GLU
1	A	345	SER
1	A	468	LEU
1	A	489	THR
1	A	532	GLU
1	B	6	LYS
1	B	33	GLU
1	B	42	VAL
1	B	86	LEU
1	B	94	VAL
1	B	233	THR
1	B	242	ASN
1	B	257	GLN
1	B	262	ARG
1	B	300	SER
1	B	306	SER
1	B	310	THR
1	B	354	SER
1	B	368	VAL
1	B	473	VAL
1	B	507	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	4	VAL
1	C	43	VAL
1	C	91	LEU
1	C	92	THR
1	C	94	VAL
1	C	154	LEU
1	C	197	ASN
1	C	206	ILE
1	C	248	ASP
1	C	345	SER
1	C	353	LYS
1	C	422	THR
1	C	432	SER
1	C	442	ASP
1	C	517	THR
1	C	524	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	ASN
1	A	106	GLN
1	A	113	ASN
1	A	160	ASN
1	A	185	HIS
1	A	212	ASN
1	A	235	ASN
1	A	343	GLN
1	A	413	ASN
1	A	415	ASN
1	B	88	ASN
1	B	89	ASN
1	B	106	GLN
1	B	139	ASN
1	B	257	GLN
1	B	309	ASN
1	B	334	ASN
1	B	343	GLN
1	B	415	ASN
1	B	492	HIS
1	B	510	GLN
1	B	523	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	10	GLN
1	C	36	ASN
1	C	69	ASN
1	C	134	ASN
1	C	139	ASN
1	C	151	ASN
1	C	160	ASN
1	C	169	ASN
1	C	197	ASN
1	C	238	ASN
1	C	256	ASN
1	C	302	ASN
1	C	385	GLN
1	C	415	ASN
1	C	510	GLN
1	C	524	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 5 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	UPG	C	1544	2	37,38,38	1.03	4 (10%)	55,58,58	1.68	10 (18%)
3	UPG	A	1544	2	37,38,38	0.98	2 (5%)	55,58,58	1.70	11 (20%)
3	UPG	B	1544	2	37,38,38	1.05	4 (10%)	55,58,58	1.55	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UPG	C	1544	2	-	6/23/59/59	0/3/3/3
3	UPG	A	1544	2	-	8/23/59/59	0/3/3/3
3	UPG	B	1544	2	-	6/23/59/59	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1544	UPG	C2-N1	2.78	1.42	1.38
3	B	1544	UPG	PB-O3A	2.63	1.62	1.59
3	C	1544	UPG	C2-N1	2.60	1.42	1.38
3	B	1544	UPG	C4-N3	-2.41	1.34	1.38
3	B	1544	UPG	C2-N3	-2.31	1.33	1.38
3	C	1544	UPG	C5-C4	-2.13	1.39	1.43
3	B	1544	UPG	C6-C5	2.07	1.39	1.35
3	C	1544	UPG	PB-O3A	2.07	1.61	1.59
3	A	1544	UPG	C6-C5	2.05	1.39	1.35
3	C	1544	UPG	C6-C5	2.03	1.39	1.35

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1544	UPG	C4-N3-C2	-4.85	120.59	126.61
3	A	1544	UPG	C4-N3-C2	-4.85	120.59	126.61
3	A	1544	UPG	N3-C2-N1	4.64	120.92	114.89
3	B	1544	UPG	C4-N3-C2	-4.49	121.04	126.61
3	B	1544	UPG	N3-C2-N1	4.48	120.72	114.89
3	C	1544	UPG	N3-C2-N1	4.30	120.50	114.89
3	B	1544	UPG	C5-C4-N3	3.86	120.21	114.80
3	C	1544	UPG	C5-C4-N3	3.84	120.17	114.80
3	C	1544	UPG	O5'-C5'-C4'	3.59	116.18	109.70
3	A	1544	UPG	O4-C4-C5	-3.58	118.99	125.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1544	UPG	O5'-C5'-C4'	3.54	116.09	109.70
3	A	1544	UPG	C5-C4-N3	3.49	119.69	114.80
3	C	1544	UPG	O5'-C1'-O3B	-3.45	106.85	111.36
3	A	1544	UPG	C3'-C4'-C5'	3.45	116.49	110.23
3	C	1544	UPG	O4-C4-C5	-3.44	119.22	125.16
3	A	1544	UPG	O5'-C5'-C4'	3.33	115.70	109.70
3	B	1544	UPG	C3'-C4'-C5'	3.20	116.03	110.23
3	A	1544	UPG	C6'-C5'-C4'	-3.05	105.52	113.02
3	C	1544	UPG	C3'-C4'-C5'	3.04	115.74	110.23
3	C	1544	UPG	C6'-C5'-C4'	-2.93	105.81	113.02
3	B	1544	UPG	O4-C4-C5	-2.89	120.17	125.16
3	A	1544	UPG	C1C-N1-C2	2.61	122.29	117.59
3	C	1544	UPG	C1'-O5'-C5'	2.43	118.46	113.72
3	B	1544	UPG	O5'-C1'-C2'	-2.42	105.39	110.37
3	A	1544	UPG	C1'-O5'-C5'	2.26	118.14	113.72
3	A	1544	UPG	C6-N1-C2	-2.12	118.41	121.00
3	C	1544	UPG	O2-C2-N1	-2.11	120.04	122.80
3	A	1544	UPG	O2-C2-N1	-2.05	120.12	122.80

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1544	UPG	O5'-C1'-O3B-PB
3	B	1544	UPG	O5'-C1'-O3B-PB
3	C	1544	UPG	O5'-C1'-O3B-PB
3	A	1544	UPG	C4'-C5'-C6'-O6'
3	A	1544	UPG	O5'-C5'-C6'-O6'
3	C	1544	UPG	O5'-C5'-C6'-O6'
3	B	1544	UPG	O5'-C5'-C6'-O6'
3	C	1544	UPG	C4'-C5'-C6'-O6'
3	B	1544	UPG	C4'-C5'-C6'-O6'
3	A	1544	UPG	PB-O3A-PA-O1A
3	C	1544	UPG	PA-O3A-PB-O1B
3	A	1544	UPG	PA-O3A-PB-O1B
3	B	1544	UPG	PB-O3A-PA-O1A
3	A	1544	UPG	O4C-C4C-C5C-O5C
3	B	1544	UPG	PA-O3A-PB-O2B
3	C	1544	UPG	PB-O3A-PA-O2A
3	A	1544	UPG	PB-O3A-PA-O2A
3	A	1544	UPG	PA-O3A-PB-O2B
3	B	1544	UPG	PB-O3A-PA-O2A

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	C	1544	UPG	PA-O3A-PB-O2B


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1544	UPG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	542/546 (99%)	0.28	39 (7%) 21 19	12, 29, 59, 87	0
1	B	538/546 (98%)	0.31	35 (6%) 25 22	9, 28, 72, 99	0
1	C	541/546 (99%)	0.37	37 (6%) 23 21	12, 30, 71, 89	0
All	All	1621/1638 (98%)	0.32	111 (6%) 23 21	9, 29, 65, 99	0

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	247	ALA	6.6
1	A	1	MET	6.1
1	C	246	PHE	5.0
1	B	539	PHE	4.9
1	A	538	TYR	4.8
1	A	539	PHE	4.7
1	C	539	PHE	4.7
1	B	246	PHE	4.7
1	C	243	LEU	4.6
1	A	542	ALA	4.5
1	C	164	PRO	4.5
1	B	538	TYR	4.4
1	C	525	ALA	4.2
1	A	246	PHE	4.1
1	C	166	PHE	3.9
1	A	342	VAL	3.9
1	C	161	LEU	3.7
1	B	535	LYS	3.7
1	A	335	PHE	3.6
1	C	538	TYR	3.6
1	B	161	LEU	3.6
1	B	540	GLU	3.5
1	C	541	GLY	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	154	LEU	3.3
1	A	540	GLU	3.3
1	A	525	ALA	3.2
1	B	328	PRO	3.2
1	A	247	ALA	3.2
1	B	164	PRO	3.2
1	B	422	THR	3.2
1	A	245	LYS	3.1
1	A	537	GLY	3.1
1	C	1	MET	3.0
1	A	330	TYR	3.0
1	B	247	ALA	2.9
1	C	168	TYR	2.9
1	A	5	ASN	2.9
1	B	351	SER	2.9
1	A	158	ARG	2.8
1	C	160	ASN	2.8
1	C	519	LEU	2.8
1	C	540	GLU	2.8
1	B	173	ARG	2.8
1	C	157	PHE	2.8
1	C	245	LYS	2.8
1	B	243	LEU	2.7
1	B	157	PHE	2.7
1	B	528	LYS	2.7
1	C	163	ASP	2.6
1	B	166	PHE	2.6
1	C	205	ILE	2.6
1	C	198	PRO	2.6
1	A	334	ASN	2.6
1	C	218	LEU	2.6
1	B	156	SER	2.6
1	B	340	GLU	2.6
1	C	520	TRP	2.5
1	A	164	PRO	2.5
1	B	339	ASP	2.5
1	A	333	LYS	2.5
1	A	331	THR	2.5
1	B	155	GLU	2.5
1	A	160	ASN	2.5
1	C	340	GLU	2.5
1	A	531	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	158	ARG	2.4
1	C	162	ASN	2.4
1	C	537	GLY	2.4
1	B	355	ASP	2.4
1	B	531	PHE	2.4
1	A	535	LYS	2.4
1	A	339	ASP	2.4
1	C	534	TYR	2.4
1	B	215	SER	2.4
1	B	245	LYS	2.4
1	C	159	GLU	2.4
1	C	158	ARG	2.3
1	B	357	SER	2.3
1	C	463	ARG	2.3
1	C	527	ALA	2.3
1	A	163	ASP	2.3
1	B	153	THR	2.3
1	C	194	ILE	2.3
1	A	326	TYR	2.3
1	B	160	ASN	2.2
1	A	338	LEU	2.2
1	C	165	GLU	2.2
1	A	315	ILE	2.2
1	C	529	SER	2.2
1	A	301	ILE	2.2
1	C	155	GLU	2.2
1	B	536	LYS	2.2
1	A	161	LEU	2.2
1	A	166	PHE	2.2
1	A	319	ALA	2.1
1	C	169	ASN	2.1
1	A	323	TYR	2.1
1	A	322	LYS	2.1
1	A	530	GLN	2.1
1	B	159	GLU	2.1
1	C	214	TYR	2.1
1	A	2	ASN	2.1
1	B	534	TYR	2.1
1	A	351	SER	2.1
1	B	199	GLU	2.0
1	C	535	LYS	2.0
1	A	344	ARG	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	171	PHE	2.0
1	A	61	ASN	2.0
1	A	379	ASN	2.0
1	B	537	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MN	A	1552	1/1	0.94	0.06	63,63,63,63	0
3	UPG	B	1544	36/36	0.94	0.08	31,38,42,43	0
3	UPG	C	1544	36/36	0.94	0.08	26,31,35,38	0
3	UPG	A	1544	36/36	0.95	0.08	30,33,37,38	0
2	MN	A	1551	1/1	0.96	0.06	56,56,56,56	0
2	MN	B	1541	1/1	0.98	0.03	35,35,35,35	0
2	MN	C	1542	1/1	0.99	0.02	31,31,31,31	0
2	MN	A	1543	1/1	0.99	0.03	35,35,35,35	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UPG B 1544:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UPG C 1544:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UPG A 1544:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.