



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2026 – 12:13 AM JST

PDB ID : 7WDG / pdb_00007wdg
Title : Crystal structure of the P450 BM3 heme domain mutant F87L in complex with N-imidazolyl-hexanoyl-L-phenylalanine, phenol and hydroxylamine
Authors : Jiang, Y.; Dong, S.; Feng, Y.; Cong, Z.
Deposited on : 2021-12-21
Resolution : 2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3774 (2.08-2.04)
Clashscore	190562	3883 (2.08-2.04)
Ramachandran outliers	187476	3860 (2.08-2.04)
Sidechain outliers	187428	3860 (2.08-2.04)
RSRZ outliers	180081	3775 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	465	8% 84% 12% .
1	B	465	10% 86% 10% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	IPH	B	503	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7573 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bifunctional cytochrome P450/NADPH-P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	448	Total	C	N	O	S	0	0	0
			3518	2253	595	653	17			
1	B	448	Total	C	N	O	S	0	0	0
			3482	2235	597	633	17			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP A0A1Q8UP87
A	87	LEU	PHE	engineered mutation	UNP A0A1Q8UP87
A	456	LEU	-	expression tag	UNP A0A1Q8UP87
A	457	GLU	-	expression tag	UNP A0A1Q8UP87
A	458	HIS	-	expression tag	UNP A0A1Q8UP87
A	459	HIS	-	expression tag	UNP A0A1Q8UP87
A	460	HIS	-	expression tag	UNP A0A1Q8UP87
A	461	HIS	-	expression tag	UNP A0A1Q8UP87
A	462	HIS	-	expression tag	UNP A0A1Q8UP87
A	463	HIS	-	expression tag	UNP A0A1Q8UP87
B	-1	GLY	-	expression tag	UNP A0A1Q8UP87
B	87	LEU	PHE	engineered mutation	UNP A0A1Q8UP87
B	456	LEU	-	expression tag	UNP A0A1Q8UP87
B	457	GLU	-	expression tag	UNP A0A1Q8UP87
B	458	HIS	-	expression tag	UNP A0A1Q8UP87
B	459	HIS	-	expression tag	UNP A0A1Q8UP87
B	460	HIS	-	expression tag	UNP A0A1Q8UP87
B	461	HIS	-	expression tag	UNP A0A1Q8UP87
B	462	HIS	-	expression tag	UNP A0A1Q8UP87
B	463	HIS	-	expression tag	UNP A0A1Q8UP87

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is HYDROXYAMINE (CCD ID: HOA) (formula: H₃NO) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	N	O	0	0
			2	1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	N	O	0	0
			2	1	1		

- Molecule 4 is PHENOL (CCD ID: IPH) (formula: C₆H₆O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	6	1		
4	A	1	Total	C	O	0	0
			7	6	1		
4	A	1	Total	C	O	0	0
			7	6	1		
4	B	1	Total	C	O	0	0
			7	6	1		
4	B	1	Total	C	O	0	0
			7	6	1		
4	B	1	Total	C	O	0	0
			7	6	1		

- Molecule 5 is (2S)-2-(6-imidazol-1-ylhexanoylamino)-3-phenyl-propanoic acid (CCD ID: IC6) (formula: C₁₈H₂₃N₃O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	1
			24	18	3	3		
5	A	1	Total	C	N	O	0	1
			24	18	3	3		
5	B	1	Total	C	N	O	0	1
			24	18	3	3		
5	B	1	Total	C	N	O	0	1
			24	18	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	161	Total	O	0	0
			161	161		
6	B	184	Total	O	0	0
			184	184		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional cytochrome P450/NADPH-P450 reductase



- Molecule 1: Bifunctional cytochrome P450/NADPH-P450 reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.95Å 148.03Å 65.30Å 90.00° 99.93° 90.00°	Depositor
Resolution (Å)	58.07 – 2.07 58.07 – 2.07	Depositor EDS
% Data completeness (in resolution range)	89.5 (58.07-2.07) 80.2 (58.07-2.07)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.07Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.201 , 0.228 0.202 , 0.226	Depositor DCC
R_{free} test set	1754 reflections (2.60%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtriage
Anisotropy	0.361	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7573	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, IC6, IPH, HOA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/3598	0.49	0/4879
1	B	0.18	0/3561	0.43	0/4830
All	All	0.24	0/7159	0.46	0/9709

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3518	0	3415	42	0
1	B	3482	0	3385	35	0
2	A	43	0	30	3	0
2	B	43	0	30	2	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	21	0	17	4	0
4	B	21	0	18	6	0
5	A	48	0	0	0	0
5	B	48	0	0	0	0
6	A	161	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	184	0	0	5	0
All	All	7573	0	6895	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:309:LYS:HA	4:B:507:IPH:H6	1.64	0.79
1:B:388:HIS:HA	1:B:391:LYS:HD3	1.66	0.77
1:B:312:LYS:HG2	1:B:316:MET:HE3	1.69	0.74
1:B:296:ARG:NH2	6:B:601:HOH:O	2.21	0.72
1:B:449:LYS:NZ	6:B:603:HOH:O	2.24	0.70
1:A:309:LYS:HE2	4:A:507:IPH:O1	1.93	0.69
1:B:59:LYS:NZ	6:B:602:HOH:O	2.24	0.68
1:A:216:VAL:HG11	1:A:255:ARG:HG3	1.77	0.66
1:B:148:LEU:HD21	1:B:413:VAL:HG21	1.80	0.64
1:A:124:VAL:O	1:A:128:GLN:HG3	2.00	0.62
1:B:15:LYS:HE2	1:B:43:GLU:HB3	1.82	0.62
2:A:501:HEM:HBB2	2:A:501:HEM:HHC	1.81	0.61
1:B:120:VAL:HG11	1:B:302:VAL:HG13	1.80	0.61
1:B:77:PHE:HE1	1:B:205:PHE:HZ	1.50	0.59
1:A:367:TRP:HB2	1:A:371:VAL:HG12	1.86	0.58
1:B:434:LYS:HB2	1:B:442:GLU:HB2	1.87	0.57
1:B:370:ASP:CG	1:B:375:ARG:HH22	2.12	0.57
2:B:501:HEM:HHC	2:B:501:HEM:HBB2	1.85	0.57
1:A:47:ARG:NH2	1:A:354:MET:HE3	2.21	0.56
1:B:437:LEU:HD12	4:B:503:IPH:H3	1.87	0.55
1:A:289:LYS:HD2	1:A:313:TYR:CZ	2.43	0.54
1:B:426:HIS:CD2	1:B:447:LYS:HE2	2.43	0.54
1:B:78:VAL:HG21	4:B:503:IPH:H4	1.88	0.53
1:A:47:ARG:HH22	1:A:354:MET:HE3	1.72	0.53
1:A:437:LEU:HD12	4:A:503:IPH:H3	1.90	0.53
1:B:15:LYS:CE	1:B:43:GLU:HB3	2.38	0.52
1:A:368:GLY:O	1:A:371:VAL:HG13	2.10	0.52
1:A:148:LEU:HD21	1:A:413:VAL:HG21	1.93	0.51
1:B:177:MET:HG2	1:B:212:MET:CE	2.41	0.51
1:A:238:LEU:HD23	1:A:254:ILE:HD13	1.94	0.50
1:B:177:MET:HG2	1:B:212:MET:HE1	1.95	0.49
1:A:2:ILE:N	6:A:622:HOH:O	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:370:ASP:OD2	1:B:375:ARG:NH2	2.36	0.49
1:A:289:LYS:HD2	1:A:313:TYR:CE1	2.48	0.49
1:A:253:ASN:O	1:A:257:GLN:HG2	2.13	0.49
1:B:164:SER:OG	1:B:171:HIS:HE1	1.97	0.48
1:B:207:GLU:O	1:B:211:VAL:HG23	2.13	0.47
1:B:387:GLN:HG2	1:B:388:HIS:CD2	2.48	0.47
1:A:131:GLU:HG2	1:A:421:PHE:CE1	2.49	0.46
1:A:147:ARG:HG2	1:A:164:SER:HB3	1.96	0.46
1:A:158:PHE:HE2	1:A:258:ILE:HG12	1.80	0.46
1:B:87:LEU:CD2	4:B:503:IPH:H5	2.45	0.46
1:B:136:ASP:HA	1:B:447:LYS:NZ	2.30	0.46
1:A:411:THR:HG21	4:A:507:IPH:H2	1.98	0.46
1:B:315:GLY:HA3	4:B:507:IPH:H4	1.98	0.46
1:A:118:MET:HE3	1:A:156:CYS:HA	1.97	0.46
1:A:120:VAL:HG11	1:A:302:VAL:HG13	1.97	0.45
1:B:215:LEU:HA	1:B:218:LYS:HD3	1.98	0.45
1:A:106:SER:HB3	1:A:236:HIS:ND1	2.31	0.45
1:B:449:LYS:HA	1:B:449:LYS:HD2	1.56	0.45
1:B:213:ASN:OD1	1:B:255:ARG:HD3	2.17	0.45
1:A:403:GLN:OE1	6:A:601:HOH:O	2.21	0.45
1:A:59:LYS:NZ	6:A:624:HOH:O	2.46	0.45
1:A:242:ASP:OD2	1:A:244:GLU:HB3	2.17	0.45
1:B:131:GLU:HG3	1:B:421:PHE:CE1	2.52	0.45
1:A:173:PHE:N	6:A:613:HOH:O	2.34	0.44
1:A:41:LYS:HE2	1:A:41:LYS:HB3	1.70	0.44
1:B:298:LEU:HD22	1:B:303:PRO:HB3	1.99	0.44
1:B:44:ALA:HB3	1:B:47:ARG:HB3	1.98	0.44
1:A:230:SER:N	6:A:627:HOH:O	2.50	0.44
1:A:272:LEU:HD13	1:A:322:LEU:HG	2.00	0.43
4:B:503:IPH:H2	6:B:659:HOH:O	2.17	0.43
1:A:140:GLU:HB3	1:A:143:GLU:OE1	2.18	0.43
1:A:158:PHE:CE2	1:A:258:ILE:HG12	2.53	0.43
1:A:262:LEU:HA	1:A:262:LEU:HD23	1.72	0.43
1:A:87:LEU:CD2	4:A:503:IPH:H5	2.49	0.43
1:B:269:THR:OG1	2:B:501:HEM:HBB2	2.19	0.43
1:B:77:PHE:CE1	1:B:184:ALA:HB2	2.53	0.43
1:A:404:GLN:N	6:A:629:HOH:O	2.51	0.42
1:B:215:LEU:N	6:B:605:HOH:O	2.27	0.42
1:A:242:ASP:HA	1:A:243:PRO:HD3	1.98	0.41
1:A:187:LYS:HA	1:A:190:ARG:HG3	2.02	0.41
1:A:241:LYS:HD2	1:A:246:GLY:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:MET:HE2	1:A:177:MET:HB3	1.96	0.41
1:A:400:CYS:HB2	2:A:501:HEM:ND	2.35	0.41
1:A:106:SER:HB3	1:A:236:HIS:HD1	1.86	0.41
1:A:214:ASP:HA	1:A:217:ASP:OD2	2.21	0.41
1:A:151:ASP:OD1	1:A:162:PHE:HB2	2.21	0.41
1:A:406:ALA:HB2	2:A:501:HEM:CBB	2.50	0.41
1:B:280:LEU:HB3	1:B:287:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/465 (96%)	432 (97%)	12 (3%)	0	100	100
1	B	444/465 (96%)	431 (97%)	13 (3%)	0	100	100
All	All	888/930 (96%)	863 (97%)	25 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/408 (90%)	367 (100%)	1 (0%)	86	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	357/408 (88%)	357 (100%)	0	100	100
All	All	725/816 (89%)	724 (100%)	1 (0%)	88	91

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	190	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	ASN
1	A	128	GLN
1	A	134	ASN
1	A	359	GLN
1	A	404	GLN
1	A	428	ASN
1	B	134	ASN
1	B	186	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	501	3,1	50,50,50	1.45	8 (16%)	66,82,82	1.34	10 (15%)
4	IPH	B	506	-	7,7,7	0.37	0	8,8,8	0.23	0
4	IPH	B	503	-	7,7,7	0.35	0	8,8,8	0.26	0
5	IC6	B	505[B]	-	25,25,25	1.43	1 (4%)	31,31,31	0.94	1 (3%)
3	HOA	B	502	2	0,1,1	-	-	-	-	-
5	IC6	A	504[A]	-	25,25,25	1.43	2 (8%)	31,31,31	1.05	2 (6%)
5	IC6	A	505[B]	-	25,25,25	1.45	1 (4%)	31,31,31	1.02	2 (6%)
4	IPH	A	506	-	7,7,7	0.42	0	8,8,8	0.23	0
4	IPH	A	507	-	7,7,7	0.42	0	8,8,8	0.41	0
5	IC6	B	504[A]	-	25,25,25	1.42	2 (8%)	31,31,31	1.06	2 (6%)
2	HEM	B	501	3,1	50,50,50	1.50	8 (16%)	66,82,82	1.39	9 (13%)
3	HOA	A	502	2	0,1,1	-	-	-	-	-
4	IPH	A	503	-	7,7,7	0.39	0	8,8,8	0.23	0
4	IPH	B	507	-	7,7,7	0.38	0	8,8,8	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	501	3,1	-	1/14/54/54	-
5	IC6	B	505[B]	-	-	7/20/20/20	0/2/2/2
4	IPH	B	503	-	-	-	0/1/1/1
4	IPH	B	506	-	-	-	0/1/1/1
5	IC6	A	505[B]	-	-	5/20/20/20	0/2/2/2
4	IPH	A	506	-	-	-	0/1/1/1
4	IPH	A	507	-	-	-	0/1/1/1
5	IC6	B	504[A]	-	-	3/20/20/20	0/2/2/2
2	HEM	B	501	3,1	-	1/14/54/54	-
4	IPH	B	507	-	-	-	0/1/1/1
5	IC6	A	504[A]	-	-	4/20/20/20	0/2/2/2
4	IPH	A	503	-	-	-	0/1/1/1

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	505[B]	IC6	C11-N12	5.60	1.46	1.34
5	B	505[B]	IC6	C11-N12	5.56	1.45	1.34
5	A	504[A]	IC6	C11-N12	5.56	1.45	1.34
5	B	504[A]	IC6	C11-N12	5.52	1.45	1.34
2	B	501	HEM	FE-NB	4.59	2.09	1.94
2	A	501	HEM	FE-NB	4.47	2.08	1.94
2	B	501	HEM	FE-ND	4.39	2.08	1.94
2	B	501	HEM	FE-NA	3.51	2.07	1.95
2	A	501	HEM	FE-ND	3.43	2.05	1.94
2	A	501	HEM	FE-NA	3.01	2.05	1.95
2	A	501	HEM	CAC-C3C	2.91	1.55	1.47
2	B	501	HEM	CAC-C3C	2.83	1.55	1.47
2	B	501	HEM	CAB-C3B	2.72	1.54	1.47
2	A	501	HEM	CAB-C3B	2.67	1.54	1.47
2	A	501	HEM	CMB-C2B	2.24	1.55	1.50
2	A	501	HEM	CMA-C3A	2.19	1.55	1.50
5	A	504[A]	IC6	O24-C11	-2.19	1.18	1.23
5	B	504[A]	IC6	O24-C11	-2.17	1.18	1.23
2	B	501	HEM	CMA-C3A	2.14	1.55	1.50
2	A	501	HEM	CMC-C2C	2.11	1.55	1.50
2	B	501	HEM	CMB-C2B	2.08	1.55	1.50
2	B	501	HEM	CMC-C2C	2.07	1.55	1.50

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	C4C-NC-C1C	3.50	108.77	105.35
2	B	501	HEM	C1B-NB-C4B	3.49	108.68	105.07
2	A	501	HEM	C1B-NB-C4B	3.44	108.63	105.07
2	B	501	HEM	C4D-ND-C1D	3.24	108.42	105.07
2	A	501	HEM	C4C-NC-C1C	3.12	108.40	105.35
2	A	501	HEM	C4D-ND-C1D	3.05	108.22	105.07
2	A	501	HEM	CHD-C4C-NC	2.70	127.36	124.44
2	B	501	HEM	CHD-C4C-NC	2.58	127.23	124.44
2	A	501	HEM	C4A-NA-C1A	2.57	107.86	105.35
5	A	505[B]	IC6	C14-C13-N12	-2.53	104.56	110.55
2	B	501	HEM	C4A-NA-C1A	2.49	107.79	105.35
2	B	501	HEM	C3B-C2B-C1B	2.41	108.27	106.49
5	A	504[A]	IC6	O15-C14-C13	2.37	121.27	113.40
2	B	501	HEM	CAB-C3B-C2B	-2.33	120.93	128.60
5	A	505[B]	IC6	O15-C14-C13	2.30	121.06	113.40
5	B	504[A]	IC6	O15-C14-C13	2.28	120.96	113.40
5	B	505[B]	IC6	O15-C14-C13	2.27	120.96	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	HEM	C3B-C2B-C1B	2.27	108.17	106.49
5	B	504[A]	IC6	C10-C11-N12	2.21	119.66	115.83
2	B	501	HEM	C3D-C4D-ND	-2.17	107.75	110.17
2	A	501	HEM	C3D-C4D-ND	-2.16	107.77	110.17
2	A	501	HEM	CBA-CAA-C2A	-2.10	106.80	112.63
2	A	501	HEM	CAB-C3B-C2B	-2.09	121.71	128.60
2	B	501	HEM	C4C-C3C-C2C	2.03	108.42	106.75
5	A	504[A]	IC6	C10-C11-N12	2.01	119.33	115.83
2	A	501	HEM	C2A-C1A-NA	-2.01	107.90	110.15

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	504[A]	IC6	N5-C6-C7-C8
5	B	505[B]	IC6	C8-C09-C10-C11
5	B	504[A]	IC6	N5-C6-C7-C8
5	A	505[B]	IC6	C7-C6-N5-C4
5	A	505[B]	IC6	C7-C6-N5-C1
2	A	501	HEM	C4B-C3B-CAB-CBB
2	B	501	HEM	C4B-C3B-CAB-CBB
5	B	505[B]	IC6	C09-C10-C11-O24
5	B	505[B]	IC6	C10-C09-C8-C7
5	A	504[A]	IC6	C7-C6-N5-C4
5	B	504[A]	IC6	C10-C09-C8-C7
5	A	505[B]	IC6	C09-C10-C11-O24
5	B	505[B]	IC6	C09-C10-C11-N12
5	B	505[B]	IC6	C7-C6-N5-C4
5	A	504[A]	IC6	C8-C09-C10-C11
5	A	505[B]	IC6	C6-C7-C8-C09
5	A	505[B]	IC6	C09-C10-C11-N12
5	B	505[B]	IC6	C7-C6-N5-C1
5	B	504[A]	IC6	C7-C6-N5-C4
5	A	504[A]	IC6	C7-C6-N5-C1
5	B	505[B]	IC6	C6-C7-C8-C09

There are no ring outliers.

6 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	HEM	3	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	503	IPH	4	0
4	A	507	IPH	2	0
2	B	501	HEM	2	0
4	A	503	IPH	2	0
4	B	507	IPH	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand IPH B 506




Ligand IPH B 503




Ligand IC6 B 505 (B)




Ligand HOA B 502




Ligand IC6 A 504 (A)




Ligand IC6 A 505 (B)




Ligand IPH A 506




Ligand IPH A 507






Ligand IC6 B 504 (A)



Ligand HEM B 501







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	448/465 (96%)	0.57	37 (8%) 17 17	27, 42, 75, 88	0
1	B	448/465 (96%)	0.70	47 (10%) 11 11	28, 43, 82, 113	0
All	All	896/930 (96%)	0.64	84 (9%) 14 14	27, 42, 79, 113	0

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	173	PHE	4.9
1	B	220	ILE	4.4
1	A	191	ALA	4.0
1	B	194	ASP	4.0
1	A	196	PRO	4.0
1	B	199	ASP	3.8
1	A	231	ASP	3.8
1	B	383	SER	3.7
1	B	217	ASP	3.7
1	B	184	ALA	3.7
1	B	188	LEU	3.6
1	B	205	PHE	3.6
1	B	209	ILE	3.6
1	B	208	ASP	3.6
1	A	221	ALA	3.6
1	A	220	ILE	3.5
1	B	191	ALA	3.5
1	B	196	PRO	3.4
1	A	188	LEU	3.4
1	B	201	ASN	3.3
1	B	212	MET	3.2
1	A	168	ASP	3.2
1	B	219	ILE	3.2
1	B	198	TYR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	200	GLU	3.0
1	B	211	VAL	2.9
1	B	216	VAL	2.9
1	B	195	ASP	2.9
1	B	230	SER	2.9
1	A	173	PHE	2.8
1	B	214	ASP	2.8
1	A	186	ASN	2.8
1	A	219	ILE	2.8
1	A	211	VAL	2.8
1	A	222	ASP	2.7
1	A	184	ALA	2.7
1	B	178	VAL	2.7
1	A	185	MET	2.7
1	A	104	LEU	2.7
1	A	182	ASP	2.6
1	A	77	PHE	2.6
1	A	81	PHE	2.6
1	B	2	ILE	2.6
1	B	109	GLN	2.5
1	B	171	HIS	2.5
1	A	198	TYR	2.5
1	B	204	GLN	2.5
1	A	172	PRO	2.5
1	B	193	PRO	2.5
1	B	136	ASP	2.4
1	A	239	ASN	2.4
1	A	178	VAL	2.4
1	A	187	LYS	2.4
1	A	428	ASN	2.4
1	B	207	GLU	2.4
1	A	215	LEU	2.4
1	B	104	LEU	2.4
1	A	212	MET	2.3
1	B	172	PRO	2.3
1	A	109	GLN	2.3
1	B	111	ALA	2.3
1	B	135	ALA	2.3
1	A	236	HIS	2.2
1	A	241	LYS	2.2
1	A	171	HIS	2.2
1	A	199	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	369	ASP	2.2
1	B	110	GLN	2.2
1	B	206	GLN	2.2
1	B	81	PHE	2.1
1	B	385	ILE	2.1
1	A	189	GLN	2.1
1	B	177	MET	2.1
1	B	158	PHE	2.1
1	B	174	ILE	2.1
1	A	135	ALA	2.1
1	B	231	ASP	2.1
1	B	233	LEU	2.1
1	A	177	MET	2.1
1	B	263	ILE	2.1
1	A	205	PHE	2.1
1	A	263	ILE	2.0
1	A	302	VAL	2.0
1	B	221	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	IPH	A	507	7/7	0.79	0.18	48,58,69,71	0
4	IPH	B	507	7/7	0.81	0.17	44,53,60,63	0
4	IPH	B	506	7/7	0.82	0.16	48,50,60,60	0
4	IPH	A	506	7/7	0.83	0.15	47,56,57,58	0
4	IPH	A	503	7/7	0.85	0.15	54,60,61,63	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	IPH	B	503	7/7	0.85	0.14	53,56,62,64	0
5	IC6	B	504[A]	24/24	0.90	0.14	28,36,40,43	24
5	IC6	A	505[B]	24/24	0.91	0.12	29,37,43,44	24
5	IC6	A	504[A]	24/24	0.91	0.12	25,35,40,40	24
5	IC6	B	505[B]	24/24	0.91	0.12	31,38,43,45	24
3	HOA	A	502	2/2	0.93	0.12	35,35,35,46	0
3	HOA	B	502	2/2	0.93	0.15	40,40,40,43	0
2	HEM	B	501	43/43	0.97	0.08	24,31,35,43	0
2	HEM	A	501	43/43	0.98	0.07	24,30,34,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around IPH B 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IPH B 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IPH A 506:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IPH A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IPH B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IC6 B 504 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IC6 A 505 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IC6 A 504 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IC6 B 505 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HOA A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HOA B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.