



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 11:34 PM JST

PDB ID : 7WOJ / pdb_00007woj
Title : Crystal structure of HSA-Myr complex soaked with cisplatin for one week
Authors : Chen, S.L.; Yuan, C.; Jiang, L.G.; Luo, Z.P.; Huang, M.D.
Deposited on : 2022-01-21
Resolution : 2.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	609	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4478 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Albumin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	567	Total	C	N	O	S	0	0	0
			4360	2753	747	820	40			

- Molecule 2 is Cisplatin (CCD ID: CPT) (formula: $\text{Cl}_2\text{H}_6\text{N}_2\text{Pt}$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
2	A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
2	A	1	Total	N	Pt		0	0
			3	2	1			
2	A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
2	A	1	Total	N	Pt		0	0
			3	2	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	N	Pt	0	0
			3	2	1		
2	A	1	Total	N	Pt	0	0
			3	2	1		
2	A	1	Total	N	Pt	0	0
			3	2	1		
2	A	1	Total	N	Pt	0	0
			3	2	1		

- Molecule 3 is MYRISTIC ACID (CCD ID: MYR) (formula: $C_{14}H_{28}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			14	12	2		
3	A	1	Total	C	O	0	0
			13	11	2		
3	A	1	Total	C	O	0	0
			13	11	2		
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			16	14	2		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Albumin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	169.91Å 36.69Å 90.01Å 90.00° 105.41° 90.00°	Depositor
Resolution (Å)	43.41 – 2.89 43.41 – 2.89	Depositor EDS
% Data completeness (in resolution range)	86.6 (43.41-2.89) 86.6 (43.41-2.89)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 2.90Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.258 , 0.284 0.253 , 0.273	Depositor DCC
R_{free} test set	562 reflections (5.22%)	wwPDB-VP
Wilson B-factor (Å ²)	75.9	Xtriage
Anisotropy	0.059	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4478	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, CPT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.12	1/4443 (0.0%)	1.78	32/5997 (0.5%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	247	HIS	CG-ND1	5.04	1.43	1.38

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	292	GLU	CB-CG-CD	7.36	125.11	112.60
1	A	412	THR	CA-C-O	-6.78	113.88	121.00
1	A	252	GLU	CB-CG-CD	6.76	124.09	112.60
1	A	511	ALA	CA-C-N	6.48	130.54	120.82
1	A	511	ALA	C-N-CA	6.48	130.54	120.82
1	A	471	ASP	CA-CB-CG	6.25	118.85	112.60
1	A	15	GLY	CA-C-O	-6.03	117.41	122.29
1	A	405	ASN	CA-CB-CG	-5.79	106.81	112.60
1	A	282	PRO	CA-C-N	5.61	128.06	120.38
1	A	282	PRO	C-N-CA	5.61	128.06	120.38
1	A	363	ALA	CA-C-N	5.57	130.04	121.19
1	A	363	ALA	C-N-CA	5.57	130.04	121.19
1	A	518	GLU	CA-C-O	-5.56	114.62	120.63
1	A	399	GLY	CA-C-O	-5.47	116.90	122.59
1	A	144	ARG	CB-CG-CD	-5.46	98.75	111.30
1	A	268	GLN	CA-C-N	5.43	127.56	120.28
1	A	268	GLN	C-N-CA	5.43	127.56	120.28
1	A	556	GLU	CB-CG-CD	5.43	121.83	112.60
1	A	449	ALA	N-CA-C	-5.41	105.07	110.97
1	A	480	SER	CA-C-N	5.33	128.81	120.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	480	SER	C-N-CA	5.33	128.81	120.82
1	A	512	ASP	CA-C-N	5.16	127.53	120.46
1	A	512	ASP	C-N-CA	5.16	127.53	120.46
1	A	184	GLU	N-CA-C	-5.16	105.55	111.07
1	A	107	ASP	CA-C-N	5.15	127.95	120.79
1	A	107	ASP	C-N-CA	5.15	127.95	120.79
1	A	256	ASP	CB-CA-C	5.13	119.31	110.79
1	A	120	VAL	CA-C-O	-5.11	115.74	121.05
1	A	340	ASP	N-CA-C	-5.06	106.62	112.89
1	A	396	GLU	N-CA-C	-5.03	105.71	111.14
1	A	441	PRO	CA-C-N	5.01	127.24	120.38
1	A	441	PRO	C-N-CA	5.01	127.24	120.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4360	0	4147	60	0
2	A	30	0	0	0	0
3	A	88	0	137	8	0
All	All	4478	0	4284	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327:LEU:HB3	3:A:614:MYR:H81	1.69	0.74
1:A:218:ARG:HG2	3:A:615:MYR:H41	1.76	0.66
1:A:449:ALA:O	1:A:450:GLU:C	2.45	0.59
1:A:408:LEU:HD21	1:A:526:GLN:O	2.04	0.58
1:A:472:ARG:NH2	1:A:492:GLU:O	2.36	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:GLU:HG3	1:A:132:GLU:N	2.19	0.57
1:A:215:ALA:HB3	1:A:235:VAL:HG13	1.86	0.55
1:A:9:HIS:HA	1:A:12:LYS:HE2	1.89	0.54
1:A:14:LEU:HD13	1:A:22:LEU:HD12	1.88	0.54
1:A:532:LEU:HD13	3:A:613:MYR:H131	1.90	0.53
1:A:238:LEU:O	1:A:241:VAL:HG22	2.08	0.53
1:A:95:GLU:HA	1:A:98:ARG:HB3	1.91	0.52
1:A:127:PHE:O	1:A:131:GLU:HB3	2.10	0.52
1:A:131:GLU:HG3	1:A:132:GLU:H	1.75	0.52
1:A:402:LYS:HA	1:A:405:ASN:HD22	1.75	0.52
1:A:216:VAL:CG2	1:A:235:VAL:HG21	2.40	0.52
1:A:23:VAL:HG21	1:A:46:VAL:HG11	1.92	0.51
1:A:226:ALA:O	1:A:332:TYR:OH	2.29	0.49
1:A:231:VAL:O	1:A:235:VAL:HG23	2.12	0.49
1:A:139:LEU:HD13	1:A:158:ALA:HB2	1.95	0.49
1:A:237:ASP:O	1:A:241:VAL:HG13	2.13	0.49
1:A:216:VAL:HG22	1:A:235:VAL:HG21	1.95	0.49
1:A:426:VAL:HG21	1:A:460:LEU:HD13	1.96	0.48
1:A:395:PHE:CE2	1:A:400:GLU:HA	2.48	0.47
1:A:411:TYR:OH	3:A:612:MYR:O1	2.32	0.47
1:A:345:LEU:HD21	1:A:381:VAL:HA	1.97	0.47
1:A:433:VAL:HG22	1:A:452:TYR:HB3	1.97	0.47
1:A:139:LEU:HA	3:A:610:MYR:H111	1.96	0.47
1:A:14:LEU:HD22	1:A:284:LEU:HD13	1.97	0.46
1:A:416:PRO:HG2	1:A:497:TYR:CG	2.50	0.46
1:A:488:PHE:HB3	3:A:612:MYR:H51	1.98	0.46
1:A:344:VAL:O	1:A:348:ARG:HG3	2.16	0.46
1:A:115:LEU:HD23	1:A:115:LEU:HA	1.84	0.45
1:A:225:LYS:HG2	1:A:299:PRO:HG3	1.99	0.45
1:A:417:GLN:NE2	1:A:494:ASP:OD2	2.48	0.45
1:A:395:PHE:HD2	1:A:403:PHE:CD2	2.35	0.45
1:A:71:GLY:HA2	1:A:74:LEU:HD12	1.98	0.44
1:A:87:MET:HA	1:A:105:HIS:CD2	2.52	0.44
1:A:221:GLN:NE2	1:A:341:TYR:O	2.47	0.44
1:A:230:GLU:O	1:A:234:LEU:HG	2.17	0.44
1:A:238:LEU:HD11	3:A:615:MYR:O2	2.18	0.44
1:A:395:PHE:CZ	1:A:435:SER:HA	2.53	0.44
1:A:23:VAL:HG13	1:A:43:VAL:HG22	2.00	0.43
1:A:548:MET:HG2	3:A:613:MYR:H62	2.01	0.43
1:A:29:GLN:NE2	1:A:149:PHE:O	2.44	0.42
1:A:428:ARG:HD2	1:A:523:ILE:HG12	1.99	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:LEU:HD23	1:A:22:LEU:HA	1.81	0.42
1:A:87:MET:HG3	1:A:105:HIS:HB2	2.01	0.42
1:A:408:LEU:HD11	1:A:424:VAL:HA	2.01	0.42
1:A:134:PHE:O	1:A:138:TYR:HD1	2.02	0.42
1:A:32:GLN:NE2	1:A:144:ARG:O	2.50	0.41
1:A:216:VAL:HG23	1:A:235:VAL:HG11	2.02	0.41
1:A:544:LEU:HD23	1:A:544:LEU:HA	1.97	0.41
1:A:87:MET:HE2	1:A:105:HIS:O	2.20	0.41
1:A:123:MET:HE1	1:A:182:LEU:HD11	2.03	0.41
1:A:216:VAL:HA	1:A:235:VAL:HG21	2.02	0.41
1:A:356:THR:O	1:A:360:CYS:N	2.50	0.41
1:A:191:ALA:HA	1:A:455:VAL:HG11	2.03	0.41
1:A:416:PRO:HB2	1:A:497:TYR:CZ	2.56	0.41
1:A:430:LEU:HD23	1:A:430:LEU:HA	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	559/609 (92%)	535 (96%)	24 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	455/533 (85%)	433 (95%)	22 (5%)	23 55

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	GLU
1	A	115	LEU
1	A	208	GLU
1	A	247	HIS
1	A	251	LEU
1	A	253	CYS
1	A	331	LEU
1	A	336	ARG
1	A	387	LEU
1	A	388	ILE
1	A	389	LYS
1	A	444	LYS
1	A	455	VAL
1	A	459	GLN
1	A	464	HIS
1	A	467	THR
1	A	471	ASP
1	A	492	GLU
1	A	503	ASN
1	A	505	GLU
1	A	512	ASP
1	A	542	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	99	ASN
1	A	268	GLN
1	A	318	ASN
1	A	391	ASN
1	A	405	ASN
1	A	417	GLN
1	A	464	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CPT	A	607	1	0,2,4	-	-	-		
3	MYR	A	610	-	13,13,15	0.55	0	13,13,15	1.00	2 (15%)
2	CPT	A	602	1	0,3,4	-	-	-		
2	CPT	A	605	1	0,2,4	-	-	-		
2	CPT	A	608	1	0,2,4	-	-	-		
3	MYR	A	611	-	12,12,15	0.73	0	12,12,15	0.69	0
2	CPT	A	601	1	0,3,4	-	-	-		
3	MYR	A	612	-	12,12,15	0.56	0	12,12,15	0.87	0
3	MYR	A	613	-	15,15,15	0.71	1 (6%)	15,15,15	0.66	0
2	CPT	A	606	1	0,2,4	-	-	-		
3	MYR	A	615	-	15,15,15	0.55	0	15,15,15	0.53	0
2	CPT	A	603	1	0,2,4	-	-	-		
2	CPT	A	604	1	0,3,4	-	-	-		
2	CPT	A	609	1	0,2,4	-	-	-		
3	MYR	A	614	-	15,15,15	0.58	0	15,15,15	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MYR	A	610	-	-	5/11/11/13	-
3	MYR	A	611	-	-	4/10/10/13	-
3	MYR	A	612	-	-	3/10/10/13	-
3	MYR	A	613	-	-	7/13/13/13	-
3	MYR	A	615	-	-	8/13/13/13	-
3	MYR	A	614	-	-	8/13/13/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	613	MYR	O2-C1	-2.05	1.23	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	610	MYR	C3-C2-C1	-2.22	108.87	114.47
3	A	610	MYR	O1-C1-C2	-2.04	116.54	123.08

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	614	MYR	C1-C2-C3-C4
3	A	610	MYR	C1-C2-C3-C4
3	A	615	MYR	C7-C8-C9-C10
3	A	613	MYR	C2-C3-C4-C5
3	A	615	MYR	C4-C5-C6-C7
3	A	615	MYR	C10-C11-C12-C13
3	A	615	MYR	C9-C10-C11-C12
3	A	612	MYR	C1-C2-C3-C4
3	A	613	MYR	C1-C2-C3-C4
3	A	610	MYR	C7-C8-C9-C10
3	A	611	MYR	C1-C2-C3-C4
3	A	613	MYR	C10-C11-C12-C13
3	A	615	MYR	C6-C7-C8-C9
3	A	615	MYR	C11-C12-C13-C14
3	A	614	MYR	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	613	MYR	C4-C5-C6-C7
3	A	610	MYR	C6-C7-C8-C9
3	A	612	MYR	C11-C10-C9-C8
3	A	613	MYR	C11-C12-C13-C14
3	A	614	MYR	C2-C3-C4-C5
3	A	614	MYR	C11-C10-C9-C8
3	A	610	MYR	O1-C1-C2-C3
3	A	611	MYR	O1-C1-C2-C3
3	A	610	MYR	O2-C1-C2-C3
3	A	613	MYR	O2-C1-C2-C3
3	A	611	MYR	O2-C1-C2-C3
3	A	615	MYR	C5-C6-C7-C8
3	A	614	MYR	O1-C1-C2-C3
3	A	614	MYR	C9-C10-C11-C12
3	A	613	MYR	O1-C1-C2-C3
3	A	614	MYR	O2-C1-C2-C3
3	A	614	MYR	C7-C8-C9-C10
3	A	612	MYR	O2-C1-C2-C3
3	A	615	MYR	O2-C1-C2-C3
3	A	611	MYR	C3-C4-C5-C6


There are no ring outliers.



5 monomers are involved in 8 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	610	MYR	1	0
3	A	612	MYR	2	0
3	A	613	MYR	2	0
3	A	615	MYR	2	0
3	A	614	MYR	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient


equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	567/609 (93%)	0.13	12 (2%) 63 54	47, 95, 149, 195	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	482	VAL	4.7
1	A	347	LEU	3.4
1	A	469	VAL	3.0
1	A	483	ASN	2.9
1	A	370	TYR	2.8
1	A	303	PRO	2.7
1	A	243	THR	2.3
1	A	569	ALA	2.2
1	A	27	PHE	2.2
1	A	337	ARG	2.1
1	A	78	ALA	2.1
1	A	104	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MYR	A	614	16/16	0.81	0.25	72,89,140,144	0
3	MYR	A	613	16/16	0.82	0.14	82,94,119,122	0
3	MYR	A	610	14/16	0.82	0.18	76,102,114,116	0
3	MYR	A	611	13/16	0.83	0.18	58,77,101,107	0
3	MYR	A	615	16/16	0.86	0.16	92,106,128,133	0
2	CPT	A	606	3/5	0.87	0.12	56,56,65,110	3
2	CPT	A	607	3/5	0.91	0.12	56,56,58,97	3
3	MYR	A	612	13/16	0.92	0.12	59,69,103,106	0
2	CPT	A	609	3/5	0.92	0.10	48,48,48,86	3
2	CPT	A	605	3/5	0.97	0.10	72,72,76,121	3
2	CPT	A	608	3/5	0.97	0.07	51,51,52,88	3
2	CPT	A	603	3/5	0.97	0.11	57,57,58,101	3
2	CPT	A	604	4/5	0.98	0.07	90,97,101,113	4
2	CPT	A	602	4/5	0.98	0.06	85,86,100,131	4
2	CPT	A	601	4/5	0.98	0.07	99,126,155,161	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around CPT A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CPT A 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CPT A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CPT A 608:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CPT A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CPT A 604:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CPT A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.