



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 03:18 PM EDT

PDB ID : 6WXZ / pdb_00006wxz
Title : CRYSTAL STRUCTURE OF MYELOPEROXIDASE SUBFORM C (MPO)
COMPLEX WITH Compound-29 A.K.A 7-(1,2-DIPHENYLETHYL)-1H-[1,2
,3]TRIAZOLO[4,5-B]PYRIDIN-5-AMINE
Authors : Khan, J.A.
Deposited on : 2020-05-12
Resolution : 2.23 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	105	 6% 88% 10%
1	D	105	 89% 10%
2	B	467	 8% 88% 11%
2	E	467	 2% 89% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	2	 50% 50%
3	H	2	 50% 50%
4	F	2	 100%
4	G	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	MAN	B	608	-	-	X	-
4	BMA	F	1	-	-	X	-
8	HEC	B	604	X	-	-	-
8	HEC	E	607	X	-	-	-

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 9836 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Myeloperoxidase light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	103	Total	C	N	O	S	0	0	0
			818	519	145	149	5			
1	D	103	Total	C	N	O	S	0	0	0
			820	520	145	150	5			

- Molecule 2 is a protein called Myeloperoxidase heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	464	Total	C	N	O	S	18	0	0
			3689	2328	670	664	27			
2	E	465	Total	C	N	O	S	27	0	0
			3711	2341	679	664	27			

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	2	Total	C	N	O	0	0	0
			24	14	1	9			
3	H	2	Total	C	N	O	0	0	0
			24	14	1	9			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	F	2	Total	C	O	0	0	0
			22	12	10			
4	G	2	Total	C	O	0	0	0
			22	12	10			


- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		
5	B	1	Total	Cl	0	0
			1	1		
5	D	1	Total	Cl	0	0
			1	1		
5	E	1	Total	Cl	0	0
			1	1		

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Ca	0	0
			1	1		
6	E	1	Total	Ca	0	0
			1	1		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	B	1	Total	C	N	O	0	0
			14	8	1	5		
7	E	1	Total	C	N	O	0	0
			14	8	1	5		
7	E	1	Total	C	N	O	0	0
			14	8	1	5		
7	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
8	E	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 9 is 7-[(1R)-1,2-diphenylethyl]-3H-[1,2,3]triazolo[4,5-b]pyridin-5-amine (CCD ID: UEY) (formula: $C_{19}H_{17}N_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	N	0	0
			24	19	5		
9	E	1	Total	C	N	0	0
			24	19	5		

- Molecule 10 is alpha-D-mannopyranose (CCD ID: MAN) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	B	1	Total	C	O	0	0
			11	6	5		
10	E	1	Total	C	O	0	0
			11	6	5		



- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	55	Total 55	O 55	0	0
11	B	156	Total 156	O 156	0	0
11	D	51	Total 51	O 51	0	0
11	E	170	Total 170	O 170	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain




- Molecule 2: Myeloperoxidase heavy chain



- Molecule 2: Myeloperoxidase heavy chain





- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose



- Molecule 4: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	107.42Å 107.42Å 239.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	98.02 – 2.23 98.02 – 2.23	Depositor EDS
% Data completeness (in resolution range)	100.0 (98.02-2.23) 100.0 (98.02-2.23)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.16 (at 2.22Å)	Xtrriage
Refinement program	BUSTER 2.11.7 (17-DEC-2019)	Depositor
R, R_{free}	0.211 , 0.242 0.221 , 0.255	Depositor DCC
R_{free} test set	3514 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	42.6	Xtrriage
Anisotropy	0.548	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 61.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9836	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, HEC, FUC, UEY, CSO, BMA, MAN, CL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	0/843	1.08	1/1150 (0.1%)
1	D	0.71	0/845	1.08	1/1153 (0.1%)
2	B	0.74	0/3767	1.03	5/5113 (0.1%)
2	E	0.73	0/3789	1.04	6/5141 (0.1%)
All	All	0.73	0/9244	1.05	13/12557 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	488	LYS	CA-C-N	6.29	126.99	121.58
2	E	488	LYS	C-N-CA	6.29	126.99	121.58
2	E	272	ASP	CA-CB-CG	6.19	118.79	112.60
2	B	432	GLY	CA-C-N	6.12	128.81	120.54
2	B	432	GLY	C-N-CA	6.12	128.81	120.54
2	B	272	ASP	CA-CB-CG	5.94	118.54	112.60
2	E	356	ASN	CA-CB-CG	5.35	117.95	112.60
2	B	522	MET	CA-C-N	5.30	127.38	120.28
2	B	522	MET	C-N-CA	5.30	127.38	120.28
1	D	20	PRO	N-CA-C	5.15	120.63	113.98
2	E	130	ILE	N-CA-C	5.11	113.49	107.77
1	A	30	VAL	N-CA-C	-5.05	104.54	110.05
2	E	354	GLU	N-CA-C	5.02	120.91	109.81

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	818	0	774	8	0
1	D	820	0	773	9	0
2	B	3689	0	3660	35	0
2	E	3711	0	3700	30	0
3	C	24	0	22	2	0
3	H	24	0	22	2	0
4	F	22	0	19	6	0
4	G	22	0	19	5	0
5	A	1	0	0	0	0
5	B	1	0	0	1	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
6	B	1	0	0	0	0
6	E	1	0	0	0	0
7	B	56	0	52	5	0
7	E	56	0	52	6	0
8	B	43	0	30	8	0
8	E	43	0	30	10	0
9	B	24	0	0	1	0
9	E	24	0	0	0	0
10	B	11	0	10	7	0
10	E	11	0	10	4	0
11	A	55	0	0	0	0
11	B	156	0	0	1	0
11	D	51	0	0	0	0
11	E	170	0	0	1	0
All	All	9836	0	9173	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:94:ASP:OD2	8:E:607:HEC:CMD	1.76	1.31

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:ASP:OD2	8:B:604:HEC:HMD3	1.18	1.29
2:E:242:GLU:OE2	8:E:607:HEC:HMB3	1.31	1.28
7:B:607:NAG:O4	4:F:1:BMA:C1	1.90	1.19
1:A:94:ASP:OD2	8:B:604:HEC:CMD	1.99	1.09
1:D:94:ASP:OD2	8:E:607:HEC:HMD3	0.91	1.06
7:E:602:NAG:O4	4:G:1:BMA:C1	2.06	1.03
7:E:602:NAG:C1	3:C:1:NAG:O4	2.14	0.95
2:B:221:CYS:HG	2:B:232:CYS:HG	1.03	0.94
7:B:607:NAG:C1	3:H:1:NAG:O4	2.15	0.94
10:B:608:MAN:H2	4:F:1:BMA:O3	1.69	0.92
7:B:607:NAG:HO4	4:F:1:BMA:C1	1.77	0.91
2:E:242:GLU:OE2	8:E:607:HEC:CMB	2.20	0.89
2:E:221:CYS:HG	2:E:232:CYS:HG	0.94	0.87
2:E:440:CYS:HG	2:E:497:CYS:HG	1.12	0.83
2:B:440:CYS:HG	2:B:497:CYS:HG	1.26	0.77
1:D:94:ASP:CG	8:E:607:HEC:HMD3	2.04	0.76
2:B:242:GLU:OE2	8:B:604:HEC:HMB3	1.87	0.74
7:E:602:NAG:HO4	4:G:1:BMA:C1	2.06	0.69
1:D:90:GLY:C	8:E:607:HEC:HBC3	2.19	0.67
2:E:333:ARG:HH11	2:E:421:ASN:HD22	1.41	0.67
2:E:119:CYS:HG	2:E:143:CYS:HG	1.42	0.67
2:E:333:ARG:HH11	2:E:421:ASN:ND2	1.94	0.66
1:A:90:GLY:C	8:B:604:HEC:HBC3	2.21	0.66
2:B:333:ARG:HH11	2:B:421:ASN:HD22	1.41	0.66
2:B:333:ARG:HH11	2:B:421:ASN:ND2	1.95	0.64
2:E:150:CSO:SG	2:E:150:CSO:OD	2.55	0.64
2:B:308:LYS:HZ1	10:B:608:MAN:H62	1.66	0.60
2:E:308:LYS:HZ1	10:E:603:MAN:C1	2.16	0.59
10:E:603:MAN:H5	4:G:1:BMA:H2	1.85	0.58
2:B:242:GLU:OE2	8:B:604:HEC:CMB	2.51	0.58
5:B:609:CL:CL	11:B:764:HOH:O	2.54	0.57
10:E:603:MAN:H3	4:G:1:BMA:O3	2.04	0.57
10:B:608:MAN:C1	4:F:1:BMA:H3	2.36	0.55
7:B:607:NAG:C1	3:H:1:NAG:C4	2.84	0.55
7:E:602:NAG:C1	3:C:1:NAG:C4	2.84	0.55
2:E:363:ARG:O	2:E:370:ARG:NH1	2.40	0.55
2:E:308:LYS:NZ	10:E:603:MAN:C1	2.71	0.54
2:B:544:THR:HA	2:B:564:CYS:SG	2.48	0.53
7:E:602:NAG:C4	4:G:1:BMA:C1	2.87	0.52
2:B:128:LEU:HB2	2:B:144:ILE:HB	1.93	0.51
2:E:128:LEU:HB2	2:E:144:ILE:HB	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:94:ASP:CG	8:E:607:HEC:CMD	2.72	0.50
2:B:308:LYS:HZ1	10:B:608:MAN:C1	2.25	0.49
2:E:153:CYS:SG	2:E:156:SER:HB2	2.53	0.49
2:E:241:SER:O	2:E:366:PHE:HA	2.12	0.49
2:E:332:PHE:O	8:E:607:HEC:HAC	2.13	0.48
2:B:523:GLN:O	2:B:526:GLN:HG2	2.13	0.48
2:B:460:LEU:HD21	2:B:482:SER:HB3	1.95	0.48
1:A:91:GLN:HB2	8:B:604:HEC:HMC3	1.95	0.48
2:B:393:ARG:HB2	2:B:396:GLN:HB2	1.96	0.48
2:E:313:TYR:HD1	2:E:507:ARG:HD3	1.79	0.48
2:B:115:CYS:SG	2:B:147:PHE:CD2	3.04	0.47
2:E:244:PRO:HD3	2:E:364:VAL:O	2.15	0.47
2:E:393:ARG:HB2	2:E:396:GLN:HB2	1.95	0.47
2:B:287:MET:HG2	2:B:531:ILE:HD13	1.95	0.47
2:E:378:ASP:OD1	2:E:541:THR:HB	2.15	0.47
2:E:406:LEU:HB3	2:E:415:LEU:HB2	1.97	0.46
2:B:153:CYS:CB	2:E:153:CYS:HG	2.27	0.46
2:E:114:ASN:ND2	2:E:116:GLU:H	2.12	0.46
1:A:32:TRP:CE2	2:B:325:ALA:HB2	2.51	0.46
2:B:308:LYS:NZ	10:B:608:MAN:C1	2.79	0.46
1:D:91:GLN:HB2	8:E:607:HEC:HMC3	1.97	0.46
2:E:221:CYS:CB	2:E:232:CYS:HG	2.29	0.45
2:E:221:CYS:SG	2:E:366:PHE:O	2.74	0.45
2:B:406:LEU:HB3	2:B:415:LEU:HB2	1.98	0.45
2:B:153:CYS:SG	2:B:156:SER:HB2	2.57	0.45
2:B:332:PHE:O	8:B:604:HEC:HAC	2.17	0.44
2:E:507:ARG:HD3	2:E:508:ASP:OD1	2.17	0.44
2:B:356:ASN:N	2:B:357:PRO:HD3	2.32	0.44
2:B:221:CYS:CB	2:B:232:CYS:HG	2.27	0.43
2:B:411:MET:HE2	2:B:411:MET:HB3	1.86	0.43
2:B:242:GLU:HG3	9:B:605:UEY:N5	2.33	0.43
8:E:607:HEC:HBC2	8:E:607:HEC:HMC1	1.99	0.43
2:B:150:CSO:OD	2:B:150:CSO:SG	2.77	0.43
2:E:505:LYS:NZ	11:E:708:HOH:O	2.52	0.42
2:B:333:ARG:HD3	2:B:421:ASN:ND2	2.34	0.42
1:A:83:SER:HB3	2:B:554:SER:O	2.18	0.42
2:B:241:SER:O	2:B:366:PHE:HA	2.19	0.42
2:B:507:ARG:HG3	2:B:513:TRP:CE2	2.54	0.42
1:D:92:LEU:HD22	2:E:249:MET:HB3	2.02	0.42
2:E:333:ARG:HD3	2:E:421:ASN:ND2	2.34	0.42
10:B:608:MAN:C2	4:F:1:BMA:O3	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:83:SER:HB3	2:E:554:SER:O	2.19	0.42
7:E:605:NAG:O4	7:E:606:NAG:H2	2.19	0.41
7:B:602:NAG:O4	7:B:603:NAG:H2	2.20	0.41
1:D:81:GLU:HG2	2:E:553:MET:HE3	2.02	0.41
1:A:29:PHE:CZ	2:B:329:THR:HG21	2.56	0.41
8:B:604:HEC:HMC1	8:B:604:HEC:HBC2	2.01	0.41
2:B:336:HIS:CE1	2:B:417:LEU:HD21	2.56	0.41
1:A:22:LEU:HB3	2:B:322:PRO:HD2	2.03	0.41
2:B:169:SER:HB2	2:B:324:ILE:HG12	2.03	0.41
10:B:608:MAN:C1	4:F:1:BMA:C3	2.99	0.40
2:B:333:ARG:NH1	2:B:421:ASN:HD22	2.14	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	101/105 (96%)	99 (98%)	2 (2%)	0	100	100
1	D	101/105 (96%)	99 (98%)	2 (2%)	0	100	100
2	B	461/467 (99%)	449 (97%)	12 (3%)	0	100	100
2	E	462/467 (99%)	444 (96%)	17 (4%)	1 (0%)	43	50
All	All	1125/1144 (98%)	1091 (97%)	33 (3%)	1 (0%)	48	56

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	E	354	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	86/90 (96%)	83 (96%)	3 (4%)	32	41
1	D	86/90 (96%)	83 (96%)	3 (4%)	32	41
2	B	401/411 (98%)	393 (98%)	8 (2%)	48	63
2	E	405/411 (98%)	396 (98%)	9 (2%)	45	59
All	All	978/1002 (98%)	955 (98%)	23 (2%)	43	56

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	GLU
1	A	84	LEU
1	A	102	GLU
2	B	114	ASN
2	B	116	GLU
2	B	175	MET
2	B	270	ARG
2	B	359	VAL
2	B	361	LEU
2	B	531	ILE
2	B	547	SER
1	D	38	GLU
1	D	42	SER
1	D	84	LEU
2	E	116	GLU
2	E	159	THR
2	E	175	MET
2	E	356	ASN
2	E	361	LEU
2	E	507	ARG
2	E	531	ILE
2	E	547	SER
2	E	567	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	250	HIS
2	B	326	ASN
2	B	396	GLN
2	B	421	ASN
2	B	467	GLN
2	B	563	ASN
2	E	114	ASN
2	E	217	HIS
2	E	356	ASN
2	E	396	GLN
2	E	421	ASN
2	E	450	GLN
2	E	540	ASN
2	E	563	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CSO	E	150	2	3,6,7	0.49	0	1,6,8	0.32	0
2	CSO	B	150	2	3,6,7	0.94	0	1,6,8	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSO	E	150	2	-	0/1/5/7	-
2	CSO	B	150	2	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	150	CSO	1	0
2	B	150	CSO	1	0

5.5 Carbohydrates [i](#)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	C	1	3,2	14,14,15	0.34	0	17,19,21	0.89	2 (11%)
3	FUC	C	2	3	10,10,11	0.37	0	14,14,16	0.61	0
4	BMA	F	1	4	11,11,12	0.27	0	15,15,17	0.70	0
4	MAN	F	2	4	11,11,12	0.32	0	15,15,17	0.89	1 (6%)
4	BMA	G	1	4	11,11,12	0.25	0	15,15,17	0.73	0
4	MAN	G	2	4	11,11,12	0.30	0	15,15,17	0.93	1 (6%)
3	NAG	H	1	3,2	14,14,15	0.30	0	17,19,21	1.01	2 (11%)
3	FUC	H	2	3	10,10,11	0.37	0	14,14,16	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	3,2	-	0/6/23/26	0/1/1/1
3	FUC	C	2	3	-	-	0/1/1/1
4	BMA	F	1	4	-	0/2/19/22	0/1/1/1
4	MAN	F	2	4	-	0/2/19/22	0/1/1/1
4	BMA	G	1	4	-	0/2/19/22	0/1/1/1
4	MAN	G	2	4	-	0/2/19/22	0/1/1/1
3	NAG	H	1	3,2	-	0/6/23/26	0/1/1/1
3	FUC	H	2	3	-	-	0/1/1/1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	2	MAN	C1-O5-C5	3.34	116.66	112.19
4	F	2	MAN	C1-O5-C5	3.10	116.34	112.19
3	H	1	NAG	O4-C4-C3	-2.64	104.16	110.38
3	C	1	NAG	O5-C1-C2	-2.38	107.61	111.29
3	C	1	NAG	O4-C4-C3	-2.33	104.88	110.38
3	H	1	NAG	O5-C1-C2	-2.28	107.77	111.29

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

4 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	1	NAG	2	0
4	G	1	BMA	5	0
3	C	1	NAG	2	0
4	F	1	BMA	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 6 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	E	605	2	14,14,15	0.32	0	17,19,21	0.57	0
7	NAG	B	607	-	14,14,15	0.35	0	17,19,21	0.61	0
10	MAN	B	608	-	11,11,12	0.54	0	15,15,17	1.07	2 (13%)
7	NAG	E	604	2	14,14,15	0.33	0	17,19,21	0.70	1 (5%)
7	NAG	B	606	2	14,14,15	0.36	0	17,19,21	0.58	0
8	HEC	E	607	2	50,50,50	1.51	9 (18%)	68,82,82	1.92	20 (29%)
8	HEC	B	604	2	50,50,50	1.46	9 (18%)	68,82,82	1.92	23 (33%)
7	NAG	B	602	2	14,14,15	0.29	0	17,19,21	0.60	0
7	NAG	E	602	-	14,14,15	0.34	0	17,19,21	0.71	0
7	NAG	E	606	-	14,14,15	0.30	0	17,19,21	1.23	3 (17%)
9	UEY	B	605	-	27,27,27	0.18	0	30,37,37	1.58	2 (6%)
9	UEY	E	608	-	27,27,27	0.22	0	30,37,37	1.30	2 (6%)
10	MAN	E	603	-	11,11,12	0.26	0	15,15,17	0.48	0
7	NAG	B	603	-	14,14,15	0.31	0	17,19,21	1.26	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	E	605	2	-	2/6/23/26	0/1/1/1
7	NAG	B	607	-	-	0/6/23/26	0/1/1/1
10	MAN	B	608	-	-	1/2/19/22	0/1/1/1
7	NAG	E	604	2	-	0/6/23/26	0/1/1/1
7	NAG	B	606	2	-	0/6/23/26	0/1/1/1
8	HEC	E	607	2	1/1/3/7	8/14/54/54	-
8	HEC	B	604	2	1/1/3/7	8/14/54/54	-
7	NAG	B	602	2	-	2/6/23/26	0/1/1/1
7	NAG	E	602	-	-	0/6/23/26	0/1/1/1
7	NAG	E	606	-	-	0/6/23/26	0/1/1/1
9	UEY	B	605	-	-	0/12/12/12	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	UEY	E	608	-	-	2/12/12/12	0/4/4/4
10	MAN	E	603	-	-	1/2/19/22	0/1/1/1
7	NAG	B	603	-	-	0/6/23/26	0/1/1/1

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	E	607	HEC	CBB-CAB	-3.95	1.34	1.51
8	E	607	HEC	CBC-CAC	-3.87	1.35	1.51
8	B	604	HEC	CBB-CAB	-3.68	1.35	1.51
8	B	604	HEC	CBC-CAC	-3.58	1.36	1.51
8	E	607	HEC	C1D-ND	-3.46	1.34	1.40
8	B	604	HEC	C3D-C2D	-3.26	1.29	1.36
8	B	604	HEC	C1D-ND	-3.08	1.34	1.40
8	B	604	HEC	C4B-NB	-2.88	1.35	1.40
8	B	604	HEC	C1B-C2B	-2.57	1.39	1.44
8	E	607	HEC	C4B-NB	-2.50	1.35	1.40
8	B	604	HEC	CBA-CAA	2.29	1.59	1.51
8	B	604	HEC	C4D-ND	-2.25	1.34	1.38
8	E	607	HEC	C3D-C2D	-2.24	1.32	1.36
8	E	607	HEC	CHD-C4C	-2.15	1.34	1.39
8	B	604	HEC	C3B-C2B	-2.12	1.32	1.36
8	E	607	HEC	CAB-C3B	-2.12	1.45	1.51
8	E	607	HEC	C2A-C3A	2.02	1.41	1.36
8	E	607	HEC	C1B-C2B	-2.01	1.40	1.44

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	E	607	HEC	CBB-CAB-C3B	6.59	130.28	112.42
9	B	605	UEY	C3-C4-N5	-6.57	104.24	109.31
8	B	604	HEC	CBB-CAB-C3B	5.93	128.49	112.42
9	B	605	UEY	C3-N3-N4	-5.17	108.31	111.18
9	E	608	UEY	C3-C4-N5	-5.07	105.40	109.31
8	E	607	HEC	CBC-CAC-C3C	4.78	125.37	112.42
9	E	608	UEY	C3-N3-N4	-4.50	108.68	111.18
8	B	604	HEC	CBC-CAC-C3C	4.07	123.46	112.42
8	B	604	HEC	O2A-CGA-O1A	-3.95	113.18	123.33
8	B	604	HEC	CHA-C4D-ND	3.76	128.47	124.42
7	E	606	NAG	O5-C1-C2	-3.53	105.83	111.29
7	B	603	NAG	O5-C1-C2	-3.42	106.00	111.29
8	B	604	HEC	C4A-NA-C1A	-3.40	100.28	105.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	E	607	HEC	C2A-C1A-NA	3.31	113.52	110.32
8	E	607	HEC	CHB-C1B-C2B	-3.23	119.93	125.03
8	B	604	HEC	C2A-C1A-NA	3.21	113.42	110.32
8	B	604	HEC	CHD-C1D-ND	3.19	128.31	124.37
8	E	607	HEC	CHD-C1D-ND	3.17	128.29	124.37
8	B	604	HEC	CHB-C1B-C2B	-3.11	120.12	125.03
8	B	604	HEC	CHA-C4D-C3D	-3.07	120.30	124.77
8	E	607	HEC	CHA-C4D-C3D	-3.05	120.32	124.77
8	E	607	HEC	CHA-C4D-ND	3.02	127.67	124.42
8	B	604	HEC	C2B-C1B-NB	2.86	113.20	109.90
8	E	607	HEC	CHB-C1B-NB	2.84	127.48	124.42
8	E	607	HEC	C4A-CHB-C1B	-2.79	120.09	126.02
7	B	603	NAG	C1-C2-N2	2.79	114.82	110.43
8	E	607	HEC	O2A-CGA-O1A	-2.75	116.27	123.33
8	B	604	HEC	CHC-C4B-NB	2.73	127.75	124.37
8	B	604	HEC	O2D-CGD-O1D	-2.72	116.33	123.33
10	B	608	MAN	C1-O5-C5	2.69	115.80	112.19
8	E	607	HEC	CAA-CBA-CGA	2.66	120.72	113.67
8	E	607	HEC	O2D-CGD-CBD	2.63	122.31	114.00
7	E	606	NAG	C1-C2-N2	2.62	114.55	110.43
7	E	604	NAG	C1-O5-C5	2.58	115.64	112.19
8	E	607	HEC	C4A-NA-C1A	-2.56	101.64	105.82
8	B	604	HEC	O2D-CGD-CBD	2.52	121.97	114.00
8	B	604	HEC	O2A-CGA-CBA	2.48	121.84	114.00
8	E	607	HEC	CBA-CAA-C2A	-2.38	105.96	112.53
10	B	608	MAN	C1-C2-C3	2.37	113.10	109.64
7	B	603	NAG	C1-O5-C5	2.35	115.33	112.19
8	B	604	HEC	C4A-CHB-C1B	-2.34	121.04	126.02
8	E	607	HEC	CMC-C2C-C3C	2.34	130.58	125.62
8	B	604	HEC	CAC-C3C-C2C	2.28	130.50	126.89
8	B	604	HEC	CBA-CAA-C2A	-2.25	106.30	112.53
8	B	604	HEC	CBD-CAD-C3D	-2.25	106.31	112.53
8	B	604	HEC	C1C-CHC-C4B	-2.24	120.98	126.25
8	E	607	HEC	CHC-C4B-NB	2.21	127.10	124.37
8	B	604	HEC	C4C-CHD-C1D	-2.21	121.05	126.25
8	E	607	HEC	C2B-C1B-NB	2.21	112.46	109.90
7	E	606	NAG	C1-O5-C5	2.17	115.09	112.19
8	B	604	HEC	CMC-C2C-C3C	2.14	130.16	125.62
8	B	604	HEC	C3A-C4A-NA	2.08	113.48	109.64
8	E	607	HEC	CMC-C2C-C1C	-2.05	122.30	125.42
8	E	607	HEC	C4C-CHD-C1D	-2.04	121.44	126.25
8	E	607	HEC	CHC-C4B-C3B	-2.02	121.51	125.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	604	HEC	CHC-C4B-C3B	-2.01	121.52	125.23

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	B	604	HEC	NA
8	E	607	HEC	NA

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	604	HEC	C4B-C3B-CAB-CBB
8	E	607	HEC	C4B-C3B-CAB-CBB
8	E	607	HEC	C2C-C3C-CAC-CBC
8	B	604	HEC	C2C-C3C-CAC-CBC
8	E	607	HEC	C4C-C3C-CAC-CBC
8	B	604	HEC	C4C-C3C-CAC-CBC
8	E	607	HEC	C2B-C3B-CAB-CBB
8	B	604	HEC	C2B-C3B-CAB-CBB
7	B	602	NAG	C4-C5-C6-O6
7	E	605	NAG	C4-C5-C6-O6
7	B	602	NAG	O5-C5-C6-O6
10	E	603	MAN	O5-C5-C6-O6
9	E	608	UEY	C6-C8-C9-C10
7	E	605	NAG	O5-C5-C6-O6
10	B	608	MAN	O5-C5-C6-O6
9	E	608	UEY	C6-C8-C9-C14
8	E	607	HEC	CAA-CBA-CGA-O2A
8	E	607	HEC	CAD-CBD-CGD-O1D
8	B	604	HEC	CAD-CBD-CGD-O1D
8	B	604	HEC	CAD-CBD-CGD-O2D
8	E	607	HEC	CAA-CBA-CGA-O1A
8	E	607	HEC	CAD-CBD-CGD-O2D
8	B	604	HEC	CAA-CBA-CGA-O2A
8	B	604	HEC	CAA-CBA-CGA-O1A

There are no ring outliers.

11 monomers are involved in 41 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	E	605	NAG	1	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	607	NAG	4	0
10	B	608	MAN	7	0
8	E	607	HEC	10	0
8	B	604	HEC	8	0
7	B	602	NAG	1	0
7	E	602	NAG	5	0
7	E	606	NAG	1	0
9	B	605	UEY	1	0
10	E	603	MAN	4	0
7	B	603	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand HEC E 607




Bond lengths



Bond angles




Torsions




Rings


Ligand HEC B 604




Bond lengths




Bond angles




Torsions



Rings





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	103/105 (98%)	0.51	6 (5%) 29 26	38, 50, 79, 82	0
1	D	103/105 (98%)	0.10	0 100 100	35, 50, 71, 76	0
2	B	463/467 (99%)	0.81	36 (7%) 19 16	28, 62, 89, 102	5 (1%)
2	E	464/467 (99%)	0.33	9 (1%) 66 64	34, 55, 77, 100	10 (2%)
All	All	1133/1144 (99%)	0.52	51 (4%) 38 35	28, 57, 81, 102	15 (1%)

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	418	PRO	3.2
2	E	157	ASN	3.2
2	B	402	ILE	3.2
1	A	4	GLN	3.1
2	B	371	VAL	3.1
2	E	218	ASP	3.1
2	B	348	ASN	2.9
2	B	331	ALA	2.8
2	B	541	THR	2.8
2	B	226	ARG	2.7
1	A	1	CYS	2.7
2	B	230	ILE	2.7
1	A	72	PRO	2.7
2	B	373	LEU	2.5
2	B	305	ALA	2.5
2	B	253	LEU	2.5
2	E	156	SER	2.4
2	B	562	VAL	2.4
1	A	76	LEU	2.4
1	A	84	LEU	2.4
2	B	263	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	355	PRO	2.3
2	E	355	PRO	2.3
2	B	302	GLY	2.3
2	B	567	LEU	2.3
2	E	393	ARG	2.3
2	E	116	GLU	2.3
2	B	384	LEU	2.2
2	B	218	ASP	2.2
2	B	421	ASN	2.2
2	B	157	ASN	2.2
2	B	221	CYS	2.2
2	B	232	CYS	2.2
2	B	203	PHE	2.2
2	E	348	ASN	2.2
2	E	522	MET	2.2
2	B	497	CYS	2.2
2	B	229	ARG	2.1
2	B	187	LEU	2.1
2	E	523	GLN	2.1
2	B	264	LEU	2.1
2	B	546	VAL	2.1
2	B	380	ILE	2.1
2	B	536	ILE	2.1
1	A	93	LEU	2.1
2	B	114	ASN	2.1
2	B	561	PHE	2.1
2	B	336	HIS	2.0
2	B	210	LEU	2.0
2	B	575	TRP	2.0
2	B	202	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CSO	B	150	7/8	0.90	0.11	41,41,49,90	0
2	CSO	E	150	7/8	0.96	0.07	39,39,40,46	0

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	C	1	14/15	-	-	54,56,58,59	0
3	FUC	C	2	10/11	-	-	52,53,53,54	0
4	BMA	F	1	11/12	0.83	0.13	61,64,66,67	0
4	MAN	F	2	11/12	0.83	0.14	58,59,60,60	0
4	BMA	G	1	11/12	0.87	0.12	59,59,59,60	0
3	FUC	H	2	10/11	0.93	0.09	53,54,55,55	0
3	NAG	H	1	14/15	0.95	0.08	46,47,49,50	0
4	MAN	G	2	11/12	0.96	0.06	50,51,51,51	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
10	MAN	E	603	11/12	0.48	0.21	138,138,139,139	0
10	MAN	B	608	11/12	0.67	0.16	97,98,98,99	0
7	NAG	B	603	14/15	0.71	0.13	118,118,118,119	0
7	NAG	B	606	14/15	0.73	0.13	78,80,81,82	0
7	NAG	B	602	14/15	0.76	0.14	84,85,86,86	0
7	NAG	E	606	14/15	0.79	0.12	110,112,113,113	0
9	UEY	B	605	24/24	0.85	0.14	54,56,58,58	0
7	NAG	E	604	14/15	0.87	0.10	67,72,73,74	0
7	NAG	E	605	14/15	0.87	0.12	81,83,84,85	0
5	CL	B	609	1/1	0.89	0.23	76,76,76,76	0
9	UEY	E	608	24/24	0.90	0.10	44,47,57,57	0
8	HEC	B	604	43/43	0.94	0.10	45,49,50,52	0
7	NAG	E	602	14/15	0.95	0.08	45,49,51,52	0
5	CL	E	609	1/1	0.95	0.31	67,67,67,67	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	NAG	B	607	14/15	0.95	0.08	46,49,49,50	0
5	CL	A	201	1/1	0.97	0.07	38,38,38,38	0
8	HEC	E	607	43/43	0.97	0.08	40,45,47,49	0
5	CL	D	201	1/1	0.98	0.09	36,36,36,36	0
6	CA	E	601	1/1	0.98	0.03	38,38,38,38	0
6	CA	B	601	1/1	0.99	0.02	50,50,50,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around UEY E 608:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC B 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.