



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 08:49 AM UTC

PDB ID : 1X3Z / pdb_00001x3z
Title : Structure of a peptide:N-glycanase-Rad23 complex
Authors : Lee, J.-H.; Choi, J.M.; Lee, C.; Yi, K.J.; Cho, Y.
Deposited on : 2005-05-11
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	335	2% 42% 40% 12% ••
2	B	72	% 25% 42% 12% 21%
3	I	5	40% 40% 20%
4	C	2	50% 50%
4	D	2	50% 50%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3197 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called peptide: N-glycanase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	320	Total	C	N	O	S	0	0	0
			2665	1698	456	494	17			


- Molecule 2 is a protein called UV excision repair protein RAD23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	57	Total	C	N	O	S	0	0	0
			435	276	73	84	2			

- Molecule 3 is a protein called peptide PHQ-Val-Ala-Asp-CF0.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	I	4	Total	C	N	O	0	0	1
			21	13	3	5			

- Molecule 4 is an oligosaccharide called beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	C	2	Total	C	O	0	0	0
			23	12	11			
4	D	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total 1	Zn 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	26	Total 26	O 26	0	0
6	B	3	Total 3	O 3	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: peptide: N-glycanase



Chain C:  50% 50%

GLC1
FRU2

- Molecule 4: beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose

Chain D:  50% 50%

GLC1
FRU2

4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	128.80Å 128.80Å 128.38Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.5 (20.00-2.80) 97.1 (20.00-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.79Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.236 , 0.270 0.238 , 0.233	Depositor DCC
R_{free} test set	1492 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	47.5	Xtriage
Anisotropy	0.110	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.056 for -h,-k,l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3197	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CF0, FRU, GLC, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	1/2729 (0.0%)	1.10	7/3683 (0.2%)
2	B	0.88	0/441	0.98	0/599
3	I	1.01	0/19	0.87	0/25
All	All	0.85	1/3189 (0.0%)	1.08	7/4307 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	15	ILE	CA-CB	6.20	1.62	1.54

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	238	GLU	N-CA-C	-7.07	99.57	110.10
1	A	10	ILE	N-CA-C	6.62	123.10	109.34
1	A	308	GLU	N-CA-C	-6.11	104.54	111.14
1	A	65	VAL	CB-CA-C	-5.69	101.96	111.29
1	A	221	CYS	N-CA-C	5.49	117.32	109.14
1	A	11	ASP	N-CA-C	5.44	122.39	110.80
1	A	126	LYS	N-CA-C	-5.01	102.44	110.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	11	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2665	0	2575	132	0
2	B	435	0	446	38	0
3	I	21	0	20	3	0
4	C	23	0	21	0	0
4	D	23	0	21	1	0
5	A	1	0	0	0	0
6	A	26	0	0	2	0
6	B	3	0	0	0	0
All	All	3197	0	3083	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:ARG:HH11	1:A:187:ARG:HG2	1.08	1.13
1:A:176:ARG:HH11	1:A:176:ARG:HG2	1.09	1.10
1:A:189:GLY:HA3	1:A:193:GLU:HG3	1.33	1.09
1:A:281:ARG:HH11	1:A:281:ARG:HG2	1.18	1.04
1:A:70:SER:O	1:A:74:ILE:HD13	1.58	1.01
1:A:254:LYS:HB3	1:A:279:LEU:HD21	1.48	0.95
1:A:299:ARG:HH11	1:A:299:ARG:HG3	1.33	0.92
1:A:216:GLU:OE1	1:A:256:SER:N	2.03	0.91
1:A:176:ARG:HG2	1:A:176:ARG:NH1	1.82	0.91
1:A:189:GLY:HA3	1:A:193:GLU:CG	2.03	0.88
1:A:281:ARG:HG2	1:A:281:ARG:NH1	1.85	0.86
1:A:176:ARG:HB3	3:I:1:VAL:HG11	1.56	0.86
1:A:249:ILE:HG13	1:A:250:ASN:HD22	1.45	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:ARG:HH11	1:A:187:ARG:CG	1.92	0.76
1:A:176:ARG:HB3	3:I:1:VAL:CG1	2.16	0.75
1:A:299:ARG:HH11	1:A:299:ARG:CG	1.98	0.75
1:A:19:LEU:HD13	2:B:302:VAL:HG23	1.67	0.74
1:A:187:ARG:HG2	1:A:187:ARG:NH1	1.88	0.73
1:A:274:ILE:HG22	1:A:274:ILE:O	1.88	0.72
1:A:157:CYS:HB2	1:A:177:TYR:HD1	1.54	0.72
1:A:12:PHE:HA	1:A:15:ILE:HG23	1.71	0.71
1:A:138:GLU:C	1:A:140:MET:H	1.96	0.70
2:B:268:VAL:HG11	2:B:279:LEU:HD12	1.73	0.70
1:A:36:PRO:HA	1:A:39:ASN:HB2	1.72	0.69
1:A:254:LYS:HB3	1:A:279:LEU:CD2	2.21	0.69
1:A:68:ASN:ND2	1:A:68:ASN:C	2.50	0.68
1:A:68:ASN:C	1:A:68:ASN:HD22	2.02	0.68
2:B:255:ILE:HG23	2:B:256:GLY:N	2.09	0.68
2:B:264:SER:O	2:B:268:VAL:HG12	1.93	0.68
1:A:98:ALA:O	1:A:101:GLU:HB2	1.94	0.66
1:A:68:ASN:O	1:A:72:HIS:HD2	1.79	0.66
1:A:26:PHE:O	1:A:29:SER:OG	2.14	0.65
1:A:157:CYS:HB2	1:A:177:TYR:CD1	2.31	0.65
2:B:258:THR:HG23	2:B:261:ASP:H	1.62	0.65
1:A:301:ARG:NH2	1:A:312:LEU:HB3	2.12	0.65
2:B:260:GLU:N	2:B:260:GLU:OE2	2.30	0.64
1:A:239:GLN:N	4:D:2:FRU:O4	2.32	0.63
2:B:296:ALA:O	2:B:297:ASN:HB2	1.99	0.63
1:A:249:ILE:HG13	1:A:250:ASN:ND2	2.14	0.62
2:B:258:THR:HG22	2:B:261:ASP:HB2	1.81	0.62
1:A:176:ARG:HH11	1:A:176:ARG:CG	1.96	0.61
1:A:99:GLU:HB2	6:A:1006:HOH:O	2.01	0.61
1:A:156:ASN:HB3	1:A:178:ASN:HB2	1.84	0.60
1:A:299:ARG:HG3	1:A:299:ARG:NH1	2.07	0.60
1:A:263:LYS:O	1:A:300:LEU:HD22	2.02	0.59
1:A:70:SER:O	1:A:74:ILE:CD1	2.42	0.59
2:B:296:ALA:O	2:B:297:ASN:CB	2.49	0.59
1:A:46:VAL:O	1:A:53:GLN:HG2	2.02	0.59
2:B:255:ILE:HG23	2:B:256:GLY:H	1.68	0.59
1:A:61:HIS:HE1	6:A:1003:HOH:O	1.85	0.58
1:A:13:ASP:OD1	1:A:13:ASP:N	2.34	0.58
1:A:264:ASP:O	1:A:301:ARG:HD2	2.04	0.58
1:A:84:ILE:O	1:A:88:VAL:HG23	2.05	0.57
1:A:101:GLU:CD	1:A:102:ASN:H	2.13	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:PHE:CD2	1:A:26:PHE:C	2.82	0.56
1:A:113:LEU:HD13	1:A:198:PHE:CZ	2.40	0.56
1:A:138:GLU:C	1:A:140:MET:N	2.64	0.56
1:A:259:ILE:HD12	1:A:260:ALA:N	2.19	0.56
1:A:249:ILE:HG13	1:A:250:ASN:N	2.21	0.56
1:A:71:TRP:O	1:A:75:VAL:HG12	2.06	0.55
1:A:250:ASN:HD22	1:A:250:ASN:N	2.04	0.55
1:A:274:ILE:O	1:A:274:ILE:CG2	2.55	0.54
1:A:126:LYS:NZ	1:A:138:GLU:HA	2.22	0.54
2:B:300:VAL:O	2:B:304:MET:HG3	2.08	0.54
1:A:155:PHE:N	1:A:155:PHE:CD1	2.77	0.53
1:A:76:LEU:HD22	1:A:81:LEU:HD21	1.91	0.53
1:A:235:ASP:O	1:A:238:GLU:O	2.26	0.52
1:A:215:ARG:NH1	1:A:256:SER:OG	2.42	0.52
1:A:12:PHE:O	1:A:16:ALA:N	2.29	0.52
1:A:54:GLY:O	1:A:58:GLN:HG3	2.10	0.52
1:A:12:PHE:HA	1:A:15:ILE:CG2	2.37	0.52
1:A:257:TYR:CZ	1:A:281:ARG:HG3	2.44	0.52
1:A:39:ASN:O	1:A:43:GLN:HB2	2.10	0.51
1:A:75:VAL:HG11	1:A:200:LEU:HD21	1.92	0.51
1:A:16:ALA:O	1:A:19:LEU:HB3	2.10	0.51
1:A:168:CYS:SG	1:A:170:ASN:HB2	2.51	0.51
1:A:110:LYS:HE2	1:A:241:PHE:CD2	2.46	0.51
1:A:245:TYR:O	1:A:246:ILE:C	2.54	0.51
1:A:247:TYR:HB2	1:A:255:MET:HE1	1.93	0.51
1:A:26:PHE:C	1:A:26:PHE:HD2	2.19	0.50
2:B:255:ILE:HG12	2:B:257:LEU:HD12	1.94	0.50
1:A:8:ASN:HD22	1:A:9:ASN:H	1.58	0.50
1:A:61:HIS:O	1:A:65:VAL:CG2	2.60	0.50
1:A:79:LEU:HD11	1:A:201:ILE:HG23	1.93	0.50
1:A:165:CYS:O	1:A:169:GLY:HA2	2.11	0.50
2:B:268:VAL:CG1	2:B:279:LEU:HD12	2.41	0.50
1:A:143:LEU:CD2	1:A:164:LYS:HB2	2.42	0.49
1:A:139:ASN:OD1	1:A:139:ASN:N	2.34	0.49
1:A:248:SER:HB3	1:A:275:LEU:HD12	1.95	0.49
2:B:304:MET:O	2:B:307:GLU:HB2	2.12	0.49
2:B:261:ASP:OD2	2:B:286:ARG:NH1	2.42	0.49
1:A:75:VAL:HG11	1:A:200:LEU:CD2	2.43	0.48
1:A:61:HIS:O	1:A:65:VAL:HG22	2.14	0.48
1:A:66:TYR:HB3	1:A:203:LYS:HD3	1.95	0.48
1:A:258:CYS:HB2	1:A:270:SER:HA	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:ASP:HA	1:A:16:ALA:HB3	1.94	0.48
2:B:255:ILE:CG2	2:B:256:GLY:N	2.76	0.48
1:A:320:GLN:O	1:A:324:ILE:HG23	2.14	0.48
1:A:245:TYR:CD1	1:A:246:ILE:N	2.81	0.48
1:A:24:LYS:O	1:A:28:LEU:HD12	2.13	0.48
1:A:26:PHE:O	1:A:26:PHE:HD2	1.96	0.48
1:A:111:GLU:OE2	1:A:114:ARG:NH1	2.47	0.47
2:B:284:SER:C	2:B:286:ARG:H	2.21	0.47
2:B:263:LEU:O	2:B:266:ARG:HG2	2.15	0.47
2:B:280:LEU:C	2:B:283:ILE:HG22	2.39	0.47
2:B:277:ALA:HB3	2:B:278:PRO:CD	2.45	0.47
1:A:95:ASP:OD2	1:A:97:HIS:HB2	2.15	0.47
1:A:152:GLU:O	1:A:157:CYS:HB3	2.15	0.47
2:B:258:THR:HG22	2:B:261:ASP:CB	2.45	0.47
2:B:257:LEU:HD23	2:B:287:TYR:CZ	2.50	0.47
1:A:143:LEU:HD21	1:A:164:LYS:HB2	1.96	0.46
1:A:190:ARG:HD2	3:I:3:ASP:OD2	2.15	0.46
2:B:265:LEU:HA	2:B:279:LEU:HD11	1.98	0.46
2:B:282:ASN:OD1	2:B:282:ASN:C	2.58	0.46
1:A:68:ASN:H	1:A:72:HIS:HE2	1.64	0.46
1:A:224:PHE:CD2	1:A:224:PHE:C	2.94	0.46
1:A:68:ASN:O	1:A:72:HIS:CD2	2.66	0.46
1:A:114:ARG:NH2	1:A:119:ASP:OD1	2.48	0.46
1:A:259:ILE:HD12	1:A:259:ILE:C	2.41	0.46
1:A:197:LEU:O	1:A:201:ILE:HG12	2.16	0.45
1:A:160:VAL:HG22	1:A:175:PRO:HB3	1.98	0.45
1:A:325:ARG:O	1:A:326:GLY:C	2.59	0.45
1:A:325:ARG:NH1	2:B:263:LEU:HD23	2.31	0.45
2:B:273:PRO:HD2	2:B:274:GLU:OE2	2.17	0.45
1:A:92:PHE:HE2	1:A:103:ILE:HG23	1.82	0.45
1:A:281:ARG:O	1:A:282:ASP:HB3	2.16	0.45
2:B:301:PHE:HA	2:B:304:MET:HE2	1.98	0.45
2:B:257:LEU:HD21	2:B:283:ILE:HD11	1.98	0.44
2:B:261:ASP:C	2:B:263:LEU:N	2.72	0.44
1:A:126:LYS:HZ2	1:A:138:GLU:HA	1.82	0.44
1:A:8:ASN:ND2	1:A:9:ASN:H	2.16	0.44
1:A:69:PRO:HA	1:A:72:HIS:CD2	2.53	0.44
1:A:134:GLN:HE21	1:A:135:ASN:N	2.14	0.44
2:B:297:ASN:HA	2:B:298:PRO:HD2	1.85	0.44
1:A:17:LYS:O	1:A:21:ILE:HD12	2.18	0.44
1:A:248:SER:HB3	1:A:275:LEU:CD1	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:276:LEU:O	2:B:276:LEU:HG	2.17	0.43
1:A:38:GLU:O	1:A:39:ASN:C	2.61	0.43
2:B:280:LEU:HA	2:B:280:LEU:HD13	1.74	0.43
2:B:290:LEU:C	2:B:292:GLU:N	2.76	0.43
2:B:255:ILE:CG2	2:B:256:GLY:H	2.30	0.43
1:A:68:ASN:C	1:A:72:HIS:HD2	2.27	0.43
1:A:59:SER:O	1:A:63:CYS:HB2	2.18	0.43
1:A:162:ILE:HD12	1:A:163:TYR:N	2.35	0.42
2:B:274:GLU:H	2:B:274:GLU:CD	2.25	0.42
1:A:290:LYS:O	1:A:291:PHE:C	2.63	0.42
1:A:176:ARG:HH12	1:A:193:GLU:CD	2.27	0.41
1:A:281:ARG:NH1	1:A:286:GLU:OE2	2.53	0.41
1:A:72:HIS:O	1:A:75:VAL:HG13	2.20	0.41
2:B:278:PRO:O	2:B:281:GLU:HB3	2.21	0.41
1:A:37:VAL:O	1:A:40:ILE:HG13	2.19	0.41
1:A:101:GLU:OE2	1:A:102:ASN:N	2.48	0.41
1:A:152:GLU:OE1	1:A:160:VAL:HG21	2.21	0.41
1:A:179:ASP:OD2	1:A:179:ASP:C	2.64	0.41
1:A:324:ILE:HG13	1:A:325:ARG:N	2.31	0.41
1:A:18:MET:CG	1:A:22:LYS:NZ	2.84	0.41
1:A:66:TYR:CD2	1:A:200:LEU:HB2	2.56	0.41
1:A:23:TYR:CZ	1:A:27:ILE:HD11	2.56	0.41
1:A:210:ARG:NH2	1:A:231:TRP:NE1	2.69	0.41
1:A:301:ARG:NH2	1:A:312:LEU:CB	2.82	0.41
2:B:276:LEU:HD21	2:B:280:LEU:HD23	2.03	0.41
1:A:237:CYS:HB2	1:A:238:GLU:H	1.67	0.41
1:A:200:LEU:O	1:A:201:ILE:C	2.62	0.40
2:B:276:LEU:CD2	2:B:280:LEU:HD23	2.52	0.40
1:A:12:PHE:O	1:A:15:ILE:HG23	2.21	0.40
1:A:279:LEU:HB3	1:A:280:PRO:CD	2.50	0.40
1:A:254:LYS:HA	1:A:277:ASN:HB3	2.02	0.40
1:A:68:ASN:HA	1:A:69:PRO:HD3	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	318/335 (95%)	257 (81%)	50 (16%)	11 (4%)	3	10
2	B	55/72 (76%)	39 (71%)	11 (20%)	5 (9%)	0	1
3	I	1/5 (20%)	1 (100%)	0	0	100	100
All	All	374/412 (91%)	297 (79%)	61 (16%)	16 (4%)	2	7

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	10	ILE
1	A	11	ASP
1	A	99	GLU
1	A	282	ASP
2	B	297	ASN
1	A	33	LYS
1	A	246	ILE
2	B	291	ARG
1	A	132	CYS
1	A	133	GLY
2	B	262	LEU
1	A	290	LYS
2	B	285	ALA
2	B	288	PRO
1	A	326	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	296/309 (96%)	219 (74%)	77 (26%)	0	2
2	B	49/56 (88%)	40 (82%)	9 (18%)	1	6

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	I	2/2 (100%)	2 (100%)	0	100	100
All	All	347/367 (95%)	261 (75%)	86 (25%)	1	2

All (86) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	13	ASP
1	A	14	SER
1	A	15	ILE
1	A	28	LEU
1	A	37	VAL
1	A	44	ASN
1	A	45	LEU
1	A	46	VAL
1	A	48	THR
1	A	49	ASN
1	A	53	GLN
1	A	55	VAL
1	A	56	LEU
1	A	60	GLN
1	A	65	VAL
1	A	68	ASN
1	A	70	SER
1	A	75	VAL
1	A	77	GLU
1	A	78	THR
1	A	86	LYS
1	A	99	GLU
1	A	101	GLU
1	A	105	THR
1	A	112	LEU
1	A	113	LEU
1	A	114	ARG
1	A	118	GLN
1	A	130	ASN
1	A	134	GLN
1	A	135	ASN
1	A	136	THR
1	A	137	SER
1	A	138	GLU
1	A	139	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	159	THR
1	A	162	ILE
1	A	173	ARG
1	A	176	ARG
1	A	183	LEU
1	A	184	LEU
1	A	187	ARG
1	A	193	GLU
1	A	197	LEU
1	A	207	LEU
1	A	208	ASP
1	A	212	VAL
1	A	216	GLU
1	A	223	TYR
1	A	226	ASN
1	A	228	LEU
1	A	232	VAL
1	A	234	VAL
1	A	238	GLU
1	A	240	SER
1	A	243	GLN
1	A	249	ILE
1	A	252	ASN
1	A	254	LYS
1	A	258	CYS
1	A	259	ILE
1	A	267	VAL
1	A	275	LEU
1	A	281	ARG
1	A	286	GLU
1	A	287	GLU
1	A	292	LEU
1	A	299	ARG
1	A	300	LEU
1	A	301	ARG
1	A	309	ILE
1	A	311	GLN
1	A	315	ARG
1	A	320	GLN
1	A	321	ILE
1	A	324	ILE
2	B	260	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	279	LEU
2	B	280	LEU
2	B	281	GLU
2	B	282	ASN
2	B	283	ILE
2	B	286	ARG
2	B	289	GLN
2	B	307	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	GLN
1	A	60	GLN
1	A	61	HIS
1	A	68	ASN
1	A	72	HIS
1	A	134	GLN
1	A	170	ASN
1	A	178	ASN
1	A	229	ASN
1	A	250	ASN
1	A	252	ASN
1	A	277	ASN
1	A	283	GLN
1	A	311	GLN
1	A	320	GLN
2	B	267	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GLC	C	1	4	11,11,12	0.41	0	15,15,17	1.88	1 (6%)
4	FRU	C	2	4	11,12,12	0.47	0	10,18,18	0.70	0
4	GLC	D	1	4	11,11,12	1.55	2 (18%)	15,15,17	1.56	3 (20%)
4	FRU	D	2	4	11,12,12	1.07	1 (9%)	10,18,18	1.00	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLC	C	1	4	-	2/2/19/22	0/1/1/1
4	FRU	C	2	4	-	5/5/24/24	0/1/1/1
4	GLC	D	1	4	-	2/2/19/22	0/1/1/1
4	FRU	D	2	4	-	1/5/24/24	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1	GLC	O5-C5	3.24	1.49	1.43
4	D	1	GLC	O5-C1	3.22	1.49	1.43
4	D	2	FRU	O2-C2	3.04	1.46	1.40

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1	GLC	C1-O5-C5	6.33	120.68	112.19
4	D	1	GLC	O5-C5-C6	3.18	113.85	107.66
4	D	1	GLC	C1-O5-C5	2.79	115.93	112.19
4	D	1	GLC	C6-C5-C4	-2.48	106.93	113.02

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	C	2	FRU	O1-C1-C2-C3
4	C	2	FRU	O1-C1-C2-O2
4	C	2	FRU	O1-C1-C2-O5
4	C	2	FRU	C4-C5-C6-O6
4	C	2	FRU	O5-C5-C6-O6
4	D	1	GLC	O5-C5-C6-O6
4	D	1	GLC	C4-C5-C6-O6
4	C	1	GLC	O5-C5-C6-O6
4	C	1	GLC	C4-C5-C6-O6
4	D	2	FRU	C4-C5-C6-O6


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	2	FRU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	320/335 (95%)	-0.29	7 (2%) 62 52	30, 57, 93, 110	0
2	B	57/72 (79%)	-0.10	1 (1%) 67 58	49, 70, 106, 109	0
3	I	3/5 (60%)	-0.36	0 100 100	50, 50, 51, 54	0
All	All	380/412 (92%)	-0.27	8 (2%) 63 54	30, 58, 102, 110	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	98	ALA	3.1
1	A	34	ALA	2.8
1	A	136	THR	2.7
1	A	99	GLU	2.3
1	A	133	GLY	2.2
1	A	11	ASP	2.2
1	A	302	TYR	2.1
2	B	309	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.


6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GLC	C	1	11/12	-	-	66,69,70,70	11
4	FRU	C	2	12/12	-	-	69,73,74,74	12
4	GLC	D	1	11/12	0.94	0.12	107,110,110,110	11
4	FRU	D	2	12/12	0.96	0.15	108,110,110,110	12

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ZN	A	999	1/1	0.98	0.03	62,62,62,62	0

6.5 Other polymers [i](#)

There are no such residues in this entry.