



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 8, 2026 – 04:27 PM EDT

PDB ID : 9Y7Y / pdb_00009y7y
Title : KRAS-specific 24-246 TCR in complex with HLA-C*01:02 presenting KRAS G12V 9mer peptide (11-AVGVGKSAL-19)
Authors : Miller, H.A.; Palowitch, G.M.; Dulberger, C.L.
Deposited on : 2025-09-11
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	252	26% 92% 5%
2	C	302	22% 86% 13%
3	D	100	28% 100%
4	P	9	100%
5	A	216	35% 84% 5% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	NAG	A	300	-	-	X	-
6	NAG	A	301	-	-	X	-
7	BMA	A	302	-	-	X	-
8	MAN	A	304	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 6349 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 24-246 TCR beta chain (TRBV6-5*01).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	239	Total	C	N	O	S	0	0	0
			1821	1151	310	351	9			

- Molecule 2 is a protein called MHC class I antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	264	Total	C	N	O	S	0	1	0
			2120	1328	381	404	7			

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	MET	-	expression tag	UNP F6IQ93
C	1	GLY	-	expression tag	UNP F6IQ93
C	277	GLY	-	expression tag	UNP F6IQ93
C	278	SER	-	expression tag	UNP F6IQ93
C	279	GLY	-	expression tag	UNP F6IQ93
C	280	GLY	-	expression tag	UNP F6IQ93
C	281	SER	-	expression tag	UNP F6IQ93
C	282	GLY	-	expression tag	UNP F6IQ93
C	283	GLY	-	expression tag	UNP F6IQ93
C	284	SER	-	expression tag	UNP F6IQ93
C	285	ALA	-	expression tag	UNP F6IQ93
C	286	GLY	-	expression tag	UNP F6IQ93
C	287	GLY	-	expression tag	UNP F6IQ93
C	288	GLY	-	expression tag	UNP F6IQ93
C	289	LEU	-	expression tag	UNP F6IQ93
C	290	ASN	-	expression tag	UNP F6IQ93
C	291	ASP	-	expression tag	UNP F6IQ93
C	292	ILE	-	expression tag	UNP F6IQ93
C	293	PHE	-	expression tag	UNP F6IQ93
C	294	GLU	-	expression tag	UNP F6IQ93

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	295	ALA	-	expression tag	UNP F6IQ93
C	296	GLN	-	expression tag	UNP F6IQ93
C	297	LYS	-	expression tag	UNP F6IQ93
C	298	ILE	-	expression tag	UNP F6IQ93
C	299	GLU	-	expression tag	UNP F6IQ93
C	300	TRP	-	expression tag	UNP F6IQ93
C	301	HIS	-	expression tag	UNP F6IQ93

- Molecule 3 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	100	Total	C	N	O	S	0	0	0
			797	508	136	150	3			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	0	MET	-	initiating methionine	UNP P61769


- Molecule 4 is a protein called KRAS G12V 9mer peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	P	9	Total	C	N	O	0	0	0
			56	35	10	11			

- Molecule 5 is a protein called 24-246 TCR alpha chain (TRAV12-1*01).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	A	191	Total	C	N	O	S	0	0	0
			1405	883	228	285	9			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is beta-D-mannopyranose (CCD ID: BMA) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 8 is alpha-D-mannopyranose (CCD ID: MAN) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			11	6	5		
8	A	1	Total	C	O	0	0
			11	6	5		
8	A	1	Total	C	O	0	0
			11	6	5		
8	A	1	Total	C	O	0	0
			11	6	5		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	14	Total	O	0	0
			14	14		
9	C	28	Total	O	0	0
			28	28		
9	D	7	Total	O	0	0
			7	7		
9	P	3	Total	O	0	0
			3	3		
9	A	15	Total	O	0	0
			15	15		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 24-246 TCR beta chain (TRBV6-5*01)



- Molecule 2: MHC class I antigen



- Molecule 3: Beta-2-microglobulin




- Molecule 4: KRAS G12V 9mer peptide



There are no outlier residues recorded for this chain.

- Molecule 5: 24-246 TCR alpha chain (TRAV12-1*01)



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.01Å 62.71Å 127.01Å 90.00° 103.97° 90.00°	Depositor
Resolution (Å)	44.81 – 1.98 44.81 – 1.98	Depositor EDS
% Data completeness (in resolution range)	98.9 (44.81-1.98) 99.2 (44.81-1.98)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 1.98Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.260 , 0.288 0.245 , 0.271	Depositor DCC
R_{free} test set	3554 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	30.9	Xtriage
Anisotropy	0.058	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 29.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.020 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6349	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	B	0.46	0/1872	0.76	0/2563
2	C	0.46	0/2181	0.81	0/2970
3	D	0.45	0/820	0.74	0/1119
4	P	0.52	0/55	0.71	0/71
5	A	0.47	0/1435	0.78	0/1959
All	All	0.46	0/6363	0.78	0/8682

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1821	0	1679	4	0
2	C	2120	0	1942	2	0
3	D	797	0	727	0	0
4	P	56	0	65	0	0
5	A	1405	0	1242	9	0
6	A	28	0	26	13	0
7	A	11	0	10	11	0
8	A	44	0	40	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	A	15	0	0	0	0
9	B	14	0	0	0	0
9	C	28	0	0	0	0
9	D	7	0	0	0	0
9	P	3	0	0	0	0
All	All	6349	0	5731	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:301:NAG:O4	7:A:302:BMA:C1	1.70	1.38
6:A:300:NAG:O4	6:A:301:NAG:C1	1.72	1.34
8:A:304:MAN:O3	8:A:306:MAN:C1	1.87	1.23
7:A:302:BMA:O3	8:A:303:MAN:C1	1.88	1.22
7:A:302:BMA:O6	8:A:304:MAN:C1	1.89	1.19
8:A:304:MAN:O6	8:A:305:MAN:C1	1.96	1.11
5:A:22:ASN:HD21	6:A:300:NAG:C1	1.78	0.96
6:A:301:NAG:HO4	7:A:302:BMA:C1	1.78	0.95
6:A:301:NAG:C4	7:A:302:BMA:C1	2.47	0.91
6:A:300:NAG:C4	6:A:301:NAG:C1	2.50	0.90
7:A:302:BMA:C3	8:A:303:MAN:C1	2.54	0.85
6:A:300:NAG:HO4	6:A:301:NAG:C1	1.89	0.83
7:A:302:BMA:C6	8:A:304:MAN:C1	2.67	0.72
5:A:22:ASN:ND2	6:A:300:NAG:C1	2.52	0.71
1:B:11:GLN:HG2	1:B:19:MET:SD	2.35	0.67
8:A:304:MAN:C3	8:A:306:MAN:C1	2.76	0.62
1:B:20:THR:HG22	1:B:77:ARG:HD3	1.87	0.57
7:A:302:BMA:H3	8:A:303:MAN:C1	2.34	0.55
6:A:301:NAG:H4	7:A:302:BMA:C1	2.37	0.53
6:A:301:NAG:O4	7:A:302:BMA:C2	2.54	0.51
1:B:19:MET:HE3	1:B:21:LEU:HD11	1.91	0.51
5:A:134:CYS:SG	5:A:184:CYS:HA	2.51	0.50
7:A:302:BMA:O6	8:A:304:MAN:C2	2.54	0.50
5:A:134:CYS:HG	5:A:184:CYS:HG	1.58	0.49
6:A:300:NAG:H4	6:A:301:NAG:C1	2.42	0.49
2:C:103:LEU:HG	2:C:168:LEU:HD23	1.94	0.48
2:C:35:ARG:HD3	2:C:48:ARG:NH2	2.29	0.48
8:A:304:MAN:O3	8:A:306:MAN:C2	2.60	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:PHE:CD1	1:B:184:ARG:HD3	2.51	0.46
8:A:304:MAN:HO3	8:A:306:MAN:C1	2.18	0.45
5:A:71:ILE:HD11	5:A:88:CYS:HB2	1.98	0.45
5:A:35:TRP:CE2	5:A:73:LEU:HB2	2.53	0.44
5:A:22:ASN:OD1	6:A:300:NAG:C1	2.66	0.43
5:A:22:ASN:CG	6:A:300:NAG:C1	2.93	0.42
5:A:55:ASN:HB2	5:A:62:ALA:O	2.19	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	237/252 (94%)	229 (97%)	8 (3%)	0	100	100
2	C	261/302 (86%)	253 (97%)	8 (3%)	0	100	100
3	D	98/100 (98%)	95 (97%)	3 (3%)	0	100	100
4	P	7/9 (78%)	7 (100%)	0	0	100	100
5	A	189/216 (88%)	179 (95%)	9 (5%)	1 (0%)	24	14
All	All	792/879 (90%)	763 (96%)	28 (4%)	1 (0%)	48	41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	A	95	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	190/217 (88%)	190 (100%)	0	100	100
2	C	212/249 (85%)	211 (100%)	1 (0%)	81	79
3	D	85/95 (90%)	85 (100%)	0	100	100
4	P	5/5 (100%)	5 (100%)	0	100	100
5	A	145/195 (74%)	145 (100%)	0	100	100
All	All	637/761 (84%)	636 (100%)	1 (0%)	87	88

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	C	39	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	11	GLN
1	B	37	GLN
1	B	116	ASN
1	B	230	GLN
2	C	72	GLN
2	C	188	HIS
2	C	191	HIS
2	C	262	GLN
5	A	38	GLN
5	A	97	ASN
5	A	98	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	300	-	14,14,15	0.34	0	17,19,21	1.39	3 (17%)
8	MAN	A	304	-	11,11,12	0.31	0	15,15,17	1.18	2 (13%)
8	MAN	A	305	-	11,11,12	0.38	0	15,15,17	0.63	0
8	MAN	A	303	-	11,11,12	0.23	0	15,15,17	1.03	2 (13%)
7	BMA	A	302	-	11,11,12	0.50	0	15,15,17	0.69	0
6	NAG	A	301	-	14,14,15	0.34	0	17,19,21	0.68	0
8	MAN	A	306	-	11,11,12	0.24	0	15,15,17	0.98	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	300	-	-	0/6/23/26	0/1/1/1
8	MAN	A	304	-	-	2/2/19/22	0/1/1/1
8	MAN	A	305	-	-	2/2/19/22	1/1/1/1
8	MAN	A	303	-	-	0/2/19/22	0/1/1/1
7	BMA	A	302	-	-	0/2/19/22	0/1/1/1
6	NAG	A	301	-	-	0/6/23/26	0/1/1/1
8	MAN	A	306	-	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	300	NAG	O5-C1-C2	-3.06	106.56	111.29
6	A	300	NAG	C1-O5-C5	-2.96	108.22	112.19
8	A	304	MAN	C1-C2-C3	2.71	113.59	109.64
8	A	306	MAN	C1-O5-C5	2.51	115.55	112.19
8	A	304	MAN	C1-O5-C5	2.46	115.48	112.19
8	A	303	MAN	C1-C2-C3	2.20	112.84	109.64
8	A	303	MAN	C1-O5-C5	2.20	115.13	112.19
6	A	300	NAG	O4-C4-C3	-2.11	105.39	110.38
8	A	306	MAN	C1-C2-C3	2.09	112.69	109.64

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	304	MAN	O5-C5-C6-O6
8	A	304	MAN	C4-C5-C6-O6
8	A	305	MAN	C4-C5-C6-O6
8	A	305	MAN	O5-C5-C6-O6

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	305	MAN	C1-C2-C3-C4-C5-O5

7 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	300	NAG	8	0
8	A	304	MAN	8	0
8	A	305	MAN	1	0
8	A	303	MAN	3	0
7	A	302	BMA	11	0
6	A	301	NAG	9	0
8	A	306	MAN	4	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	B	239/252 (94%)	1.39	65 (27%)	1 1	21, 39, 59, 68	0
2	C	264/302 (87%)	1.31	66 (25%)	2 2	18, 34, 60, 69	1 (0%)
3	D	100/100 (100%)	1.50	28 (28%)	1 1	24, 40, 58, 62	0
4	P	9/9 (100%)	0.26	0 100 100		19, 21, 23, 24	0
5	A	191/216 (88%)	1.69	75 (39%)	1 0	22, 36, 66, 78	0
All	All	803/879 (91%)	1.44	234 (29%)	1 1	18, 37, 62, 78	1 (0%)

All (234) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	A	128	SER	8.2
5	A	193	ILE	7.3
2	C	274	TRP	6.7
2	C	40	ALA	6.4
2	C	272	LEU	6.0
1	B	237	TRP	5.8
2	C	248	MET	5.2
5	A	192	ILE	5.0
5	A	129	SER	5.0
2	C	249	VAL	5.0
1	B	238	GLY	5.0
2	C	41	ALA	4.9
3	D	71	THR	4.9
2	C	105	PRO	4.8
5	A	40	CYS	4.8
1	B	182	ASP	4.7
1	B	223	ASP	4.7
5	A	130	ASP	4.7
2	C	104	GLY	4.6
5	A	181	ASP	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	A	143	ILE	4.5
2	C	194	VAL	4.5
5	A	147	GLN	4.3
2	C	250	PRO	4.3
1	B	132	ILE	4.2
5	A	149	LYS	4.2
5	A	150	ASP	4.2
2	C	106	ASP	4.2
3	D	18	GLY	4.1
1	B	197	PHE	4.0
1	B	202	ARG	4.0
2	C	197	HIS	4.0
5	A	188	PHE	4.0
1	B	180	LEU	4.0
2	C	228	THR	4.0
2	C	103	LEU	4.0
5	A	88	CYS	4.0
5	A	136	PHE	3.9
5	A	112	TYR	3.8
5	A	148	SER	3.8
3	D	47	GLU	3.8
2	C	200	THR	3.8
1	B	236	ALA	3.8
5	A	165	SER	3.8
5	A	182	PHE	3.8
2	C	196	ASP	3.7
5	A	186	ASN	3.7
5	A	190	ASN	3.7
5	A	179	LYS	3.7
5	A	94	SER	3.7
1	B	217	ASN	3.7
1	B	179	ALA	3.6
5	A	184	CYS	3.6
2	C	108	ARG	3.6
2	C	54	GLN	3.6
2	C	39	ASP	3.5
5	A	153	VAL	3.5
5	A	119	ALA	3.5
3	D	77	GLU	3.5
2	C	52	VAL	3.5
1	B	160	GLY	3.5
3	D	48	LYS	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	20	THR	3.4
5	A	132	PHE	3.4
5	A	140	ASP	3.4
1	B	221	THR	3.4
2	C	195	SER	3.4
2	C	230	LEU	3.4
1	B	201	PRO	3.4
2	C	258	THR	3.4
2	C	271	THR	3.4
1	B	199	GLN	3.3
5	A	144	GLN	3.3
5	A	172	SER	3.3
5	A	124	ARG	3.3
3	D	46	ILE	3.3
1	B	239	ARG	3.2
3	D	20	SER	3.2
5	A	127	LYS	3.2
2	C	257	TYR	3.2
2	C	270	LEU	3.2
5	A	155	ILE	3.2
5	A	120	VAL	3.2
5	A	180	SER	3.2
5	A	183	THR	3.1
1	B	193	VAL	3.1
1	B	220	TRP	3.1
5	A	135	LEU	3.1
5	A	145	VAL	3.1
5	A	161	LEU	3.0
3	D	49	VAL	3.0
1	B	133	SER	3.0
2	C	42	SER	3.0
2	C	18	GLY	3.0
2	C	269	PRO	3.0
1	B	130	ALA	3.0
5	A	185	ALA	3.0
1	B	198	TRP	3.0
5	A	178	GLN	3.0
2	C	247	VAL	2.9
2	C	107	GLY	2.9
5	A	189	GLN	2.9
1	B	135	THR	2.9
3	D	73	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	A	175	ALA	2.9
3	D	99	MET	2.9
3	D	80	CYS	2.9
1	B	19	MET	2.9
5	A	151	SER	2.8
5	A	131	LYS	2.8
5	A	187	ALA	2.8
5	A	139	PHE	2.8
3	D	19	LYS	2.8
5	A	108	THR	2.8
1	B	216	GLU	2.8
1	B	174	LEU	2.8
2	C	2	SER	2.7
2	C	199	ALA	2.7
5	A	142	GLN	2.7
5	A	168	PHE	2.7
1	B	219	GLU	2.7
2	C	273	ARG	2.7
2	C	109	LEU	2.7
5	A	126	SER	2.7
5	A	115	ASN	2.7
1	B	118	PHE	2.7
1	B	214	LEU	2.7
2	C	251	SER	2.7
3	D	74	GLU	2.7
5	A	158	LYS	2.7
2	C	90	ALA	2.6
1	B	181	GLN	2.6
1	B	157	TRP	2.6
5	A	164	ARG	2.6
5	A	111	PRO	2.6
1	B	79	LEU	2.6
2	C	256	ARG	2.6
2	C	218	GLN	2.6
2	C	268	GLU	2.6
1	B	195	ALA	2.6
1	B	227	PRO	2.5
5	A	166	MET	2.5
2	C	183	GLU	2.5
2	C	215	LEU	2.5
5	A	123	LEU	2.5
1	B	124	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	70	PHE	2.5
2	C	266	LEU	2.5
1	B	224	ARG	2.5
1	B	178	PRO	2.5
1	B	113	ASP	2.5
1	B	151	HIS	2.5
2	C	193	PRO	2.5
1	B	69	SER	2.4
5	A	191	SER	2.4
3	D	15	ALA	2.4
5	A	156	THR	2.4
2	C	217	TRP	2.4
5	A	176	TRP	2.4
5	A	160	VAL	2.4
5	A	174	VAL	2.4
1	B	207	CYS	2.4
5	A	114	GLN	2.4
1	B	140	LEU	2.4
3	D	76	ASP	2.4
1	B	196	THR	2.4
2	C	17	ARG	2.4
2	C	198	GLU	2.4
3	D	43	GLY	2.4
5	A	51	TYR	2.4
2	C	267	PRO	2.4
5	A	122	GLN	2.4
1	B	232	VAL	2.4
2	C	252	GLY	2.4
1	B	41	MET	2.4
2	C	259	CYS	2.4
5	A	125	ASP	2.3
5	A	154	TYR	2.3
2	C	182	ALA	2.3
5	A	110	ILE	2.3
1	B	215	SER	2.3
2	C	207	GLY	2.3
5	A	141	SER	2.3
5	A	133	VAL	2.3
5	A	80	LEU	2.3
1	B	28	ASN	2.3
5	A	116	PRO	2.3
5	A	157	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	191	HIS	2.3
1	B	78	LEU	2.3
3	D	16	GLU	2.2
3	D	88	SER	2.2
1	B	222	GLN	2.2
3	D	91	LYS	2.2
2	C	190	THR	2.2
1	B	128	SER	2.2
2	C	56	GLY	2.2
2	C	204	TRP	2.2
1	B	231	ILE	2.2
1	B	134	ARG	2.2
1	B	183	SER	2.2
1	B	125	PHE	2.2
1	B	205	PHE	2.2
3	D	0	MET	2.2
2	C	89	GLU	2.2
2	C	189	VAL	2.2
1	B	67	SER	2.2
2	C	188	HIS	2.1
1	B	177	GLN	2.1
2	C	179	LEU	2.1
1	B	185	TYR	2.1
1	B	194	SER	2.1
2	C	138	THR	2.1
1	B	115	LYS	2.1
5	A	79	LYS	2.1
2	C	201	LEU	2.1
3	D	40	LEU	2.1
5	A	14	PRO	2.1
1	B	2	ALA	2.1
5	A	113	ILE	2.1
3	D	3	ARG	2.1
2	C	187	THR	2.1
1	B	152	VAL	2.1
3	D	42	ASN	2.1
1	B	200	ASP	2.1
2	C	186	LYS	2.0
3	D	7	ILE	2.0
1	B	116	ASN	2.0
1	B	187	LEU	2.0
3	D	34	ASP	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	16	GLY	2.0
3	D	14	PRO	2.0
3	D	72	PRO	2.0
2	C	169	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	MAN	A	305	11/12	0.62	0.25	65,66,67,67	0
8	MAN	A	306	11/12	0.76	0.15	38,39,40,40	0
8	MAN	A	304	11/12	0.81	0.14	33,35,35,36	0
6	NAG	A	300	14/15	0.89	0.11	23,25,26,26	0
8	MAN	A	303	11/12	0.90	0.10	26,27,27,28	0
6	NAG	A	301	14/15	0.90	0.10	27,28,28,29	0
7	BMA	A	302	11/12	0.91	0.08	27,27,28,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.