



Full wwPDB EM Validation Report ⓘ

Aug 6, 2026 – 04:23 PM JST

PDB ID : 7Y8R / pdb_00007y8r
EMDB ID : EMD-33684
Title : The nucleosome-bound human PBAF complex
Authors : Wang, L.; Yu, J.; Yu, Z.; Wang, Q.; He, S.; Xu, Y.
Deposited on : 2022-06-24
Resolution : 4.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	3132 (3.91 - 4.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	135	
1	E	135	
2	B	102	
2	F	102	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	129	
3	G	129	
4	D	125	
4	H	125	
5	Z	29	
6	I	1647	
7	J	375	
8	K	429	
9	L	1835	
10	M	385	
11	N	1214	
11	O	1214	
12	a	12	
13	P	515	
14	Q	411	
15	R	498	
16	S	651	
17	T	22	
18	U	1597	
19	V	102	
20	X	213	
21	Y	213	
22	W	24	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
23	ADP	I	1701	-	-	X	-

2 Entry composition

There are 25 unique types of molecules in this entry. The entry contains 43109 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	99	Total	C	N	O	S	0	0
			815	514	158	139	4		
1	E	98	Total	C	N	O	S	0	0
			806	508	156	138	4		

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	94	Total	C	N	O	S	0	0
			741	465	150	125	1		
2	F	87	Total	C	N	O	S	0	0
			702	442	142	117	1		

- Molecule 3 is a protein called Histone H2A type 1-C.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	104	Total	C	N	O	0	0
			799	504	156	139		
3	G	108	Total	C	N	O	0	0
			833	525	165	143		

- Molecule 4 is a protein called Histone H2B.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	96	Total	C	N	O	S	0	0
			755	473	138	142	2		
4	H	94	Total	C	N	O	S	0	0
			736	461	134	139	2		

- Molecule 5 is a protein called Unknown.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	Z	29	Total	C	N	O	0	0
			141	83	29	29		

- Molecule 6 is a protein called Transcription activator BRG1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	I	732	Total	C	N	O	S	0	0
			6051	3831	1104	1087	29		

- Molecule 7 is a protein called ACTB protein (Fragment).

Mol	Chain	Residues	Atoms					AltConf	Trace
7	J	360	Total	C	N	O	S	0	0
			2821	1786	474	543	18		

- Molecule 8 is a protein called Actin-like protein 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	K	356	Total	C	N	O	S	0	0
			2787	1767	470	529	21		

- Molecule 9 is a protein called AT-rich interactive domain-containing protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	L	521	Total	C	N	O	S	0	0
			4151	2642	708	777	24		

- Molecule 10 is a protein called SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily B member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	M	362	Total	C	N	O	S	0	0
			2918	1828	511	564	15		

- Molecule 11 is a protein called SWI/SNF complex subunit SMARCC2.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	N	255	Total	C	N	O	S	0	0
			2085	1324	366	384	11		
11	O	297	Total	C	N	O	S	0	0
			2354	1489	418	434	13		

- Molecule 12 is a protein called Unknown.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	a	12	Total	C	N	O	0	0
			58	34	12	12		

- Molecule 13 is a protein called SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily D member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	P	385	Total	C	N	O	S	0	0
			3174	2006	562	592	14		

- Molecule 14 is a protein called SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily E member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	Q	91	Total	C	N	O	S	0	0
			739	456	145	135	3		

- Molecule 15 is a protein called PHD finger protein 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	R	44	Total	C	N	O	S	0	0
			366	230	69	66	1		

- Molecule 16 is a protein called Bromodomain-containing protein 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	S	213	Total	C	N	O	S	0	0
			1738	1102	288	337	11		

- Molecule 17 is a protein called Unknown.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	T	22	Total	C	N	O	0	0
			110	66	22	22		

- Molecule 18 is a protein called Protein polybromo-1.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	U	11	Total	C	N	O	0	0
			92	60	14	18		

- | Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 19 | V | 84 | Total | C | N | O | 0 | 0 |
| | | | 420 | 252 | 84 | 84 | | |

- | Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 20 | X | 165 | Total | C | N | O | P | 0 | 0 |
| | | | 3360 | 1596 | 606 | 993 | 165 | | |

- | Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 21 | Y | 165 | Total | C | N | O | P | 0 | 0 |
| | | | 3405 | 1610 | 643 | 987 | 165 | | |

- | Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---------|-------|
| 22 | W | 24 | Total | C | N | O | 0 | 0 |
| | | | 120 | 72 | 24 | 24 | | |


- # ADP

Mol	Chain	Residues	Atoms					AltConf
23	I	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 24 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
24	I	1	Total	Mg	0
			1	1	

- Molecule 25 is BERYLLIUM TRIFLUORIDE ION (CCD ID: BEF) (formula: BeF₃).




Mol	Chain	Residues	Atoms			AltConf
25	I	1	Total	Be	F	0
			4	1	3	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone H3




- Molecule 1: Histone H3




- Molecule 2: Histone H4












- Molecule 2: Histone H4




- Molecule 3: Histone H2A type 1-C





- Molecule 3: Histone H2A type 1-C







• Molecule 7: ACTB protein (Fragment)



Chain K:




Chain L: 24% 72%



ARG	G1747	R1754	I1764	A1772	L1776	G1786	R1787	L1790	K1791	H1792	H1793	L1797	I1802	L1815	L1818	T1821	VAL	GLN	SER	GLN	SER	LYS	LYS	GLU	GLN	GLN	GLU	LYS	ASP	SER	SER	GLU	MET	LEU	GLN
-----	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Chain M: 





[illegible]


- Molecule 11: SWI/SNF complex subunit SMARCC2



GLU	ARG	A867	GLU	GLU	VAL	GLU	PHE	THR	HIS	VAL	ARG	TRP	VAL	VAL	GLU	MET
ARG	LYS	A868	GLU	LYS	THR	SER	GLY	H493	GLU	THR	ASN	SER	PRO	PRO	GLU	ALA
THR	THR	A869	GLU	LYS	GLY	GLU	ARG	S437	GLU	LYS	LYS	THR	ASP	ASP	PHE	ARG
VAL	GLU	A870	THR	LYS	ALA	LEU	MET	V438	ASP	ASP	PRO	THR	GLU	GLU	LYS	LYS
ARG	ARG	A871	SER	THR	ASP	GLY	THR	E460	LEU	GLU	SER	PHE	GLU	VAL	HIS	ASP
ASP	ASP	A872	GLU	ALA	PRO	PRO	THR	F468	PRO	SER	PRO	ASN	GLU	GLY	GLY	GLY
ILE	ILE	A873	ALA	PHE	GLY	LEU	LYS	Y473	ALA	ALA	GLU	GLU	TRP	SER	ASN	PRO
GLU	GLU	A874	PRO	GLY	LEU	ALA	ASN	Y473	PRO	PRO	ALA	TRP	VAL	ARG	ALA	ASN
GLU	GLY	A875	LYS	LEU	GLY	GLN	VAL	C436	LYS	LYS	LYS	MET	PRO	VAL	PRO	VAL
ASN	ASN	A876	ASP	SER	SER	PRO	PRO	C436	GLY	LYS	LYS	GLU	VAL	ASN	THR	THR
LEU	LEU	A877	GLU	SER	ILE	ILE	SER	L490	GLY	GLY	ASN	GLU	MET	LYS	LYS	GLY
SER	SER	A878	GLU	GLY	GLY	PHE	LYS	L490	THR	THR	ALA	ASP	GLY	LEU	GLU	THR
THR	THR	A879	LYS	ILE	ALA	THR	SER	D515	MET	LYS	LYS	TYR	ARG	PRO	PRO	ALA
ALA	ALA	A880	GLY	ALA	GLY	GLN	LYS	D515	THR	GLY	GLY	GLU	ASP	ILE	ILE	ALA
ALA	ALA	A881	GLY	THR	THR	ALA	ALA	L534	ASP	LEU	PRO	VAL	GLN	PRO	CYS	THR
ALA	ALA	A882	GLY	THR	THR	GLU	ALA	L534	ASP	GLU	ASP	ASP	VAL	VAL	VAL	VAL
ALA	ALA	A883	GLY	THR	THR	SER	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A884	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A885	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A886	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A887	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A888	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A889	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A890	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A891	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A892	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A893	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A894	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A895	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A896	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A897	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A898	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A899	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A900	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A901	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A902	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A903	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A904	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A905	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A906	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A907	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A908	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A909	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A910	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A911	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A912	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A913	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A914	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A915	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A916	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A917	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A918	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A919	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A920	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A921	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A922	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A923	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A924	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A925	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A926	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A927	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A928	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A929	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A930	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A931	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A932	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A933	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A934	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A935	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A936	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A937	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A938	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A939	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A940	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A941	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A942	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A943	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A944	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A945	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A946	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A947	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A948	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A949	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A950	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A951	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A952	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A953	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A954	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A955	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A956	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A957	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A958	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A959	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A960	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A961	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A962	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A963	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A964	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A965	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A966	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A967	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A968	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A969	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A970	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A971	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN
ALA	ALA	A972	GLY	THR	THR	GLU	ALA	L534	GLU	GLN	THR	ASP	VAL	LEU	LEU	GLN

[illegible]

- Molecule 12: Unknown



● Molecule 13: SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily D member 1




D380	D381	N382	D383	Q384	K385	K386	T387	A388	V396	D397	A418	T419	L420	N422	Q433	L434	K435	T436	Q437	R438	V469	V470	G471	Y482	F483	Q484	P485	W486	A487	G511	ILE	ARG	ASN	THR										
Y249	G250	P251	D252	N253	H254	L255	V256	E257	W258	A262	T263	T264	Q265	E266	V272	K273	R274	P275	G276	D277	V278	L295	Q291	P292	P299	H320	Q321	I323	H326	K327	K341	Y342	E348	R351	Q359	H362	A363	E369	M374	H375	V376	I377	V378	
HIS	ASN	ALA	LYS	LYS	K127	K131	F153	L157	I161	Q178	K179	R180	I186	N191	P192	A193	K194	S195	D196	A197	E198	D199	G200	E201	G202	T203	V204	A205	V211	R214	D218	S219	S222	K223	Y224	D225	A226	T227	K228	Q229	K230	F233	S234	E243
PRO	GLY	MET	LEU	PRO	GLY	SER	PHE	GLN	SER	VAL	THR	PRO	ALA	GLN	ASN	ALA	SER	VAL	ARG	PRO	GLY	LEU	GLY	ASP	GLN	SER	ARG	LYS	ARG	PRO	ALA	PRO	GLN	ILE	LEU	GLN	VAL	ALA	GLN	ASN	TYR	PRO	ARG	


● Molecule 14: SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily E member 1

[illegible]






• Molecule 17: Unkown



• Molecule 18: Protein polybromo-1





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	37528	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.472	Depositor
Minimum map value	-0.644	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.053	Depositor
Recommended contour level	0.28	Depositor
Map size (Å)	480.24, 480.24, 480.24	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.334, 1.334, 1.334	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, BEF, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.13	0/827	0.26	0/1109
1	E	0.10	0/818	0.25	0/1097
2	B	0.15	0/749	0.30	0/997
2	F	0.15	0/710	0.32	0/948
3	C	0.12	0/809	0.23	0/1093
3	G	0.14	0/843	0.32	0/1136
4	D	0.10	0/766	0.21	0/1026
4	H	0.11	0/747	0.24	0/1004
6	I	0.12	0/6152	0.30	0/8268
7	J	0.13	0/2881	0.33	0/3904
8	K	0.12	0/2849	0.31	0/3866
9	L	0.12	0/4229	0.31	0/5705
10	M	0.13	0/2976	0.35	0/4025
11	N	0.12	0/2125	0.28	0/2870
11	O	0.15	0/2401	0.44	3/3244 (0.1%)
13	P	0.13	0/3237	0.32	0/4369
14	Q	0.13	0/746	0.33	0/999
15	R	0.18	0/372	0.47	0/497
16	S	0.11	0/1773	0.26	0/2390
18	U	0.19	0/94	0.20	0/125
20	X	0.19	0/3763	0.42	0/5800
21	Y	0.18	0/3825	0.40	0/5907
All	All	0.14	0/43692	0.34	3/60379 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	O	543	PRO	N-CA-CB	8.02	111.67	103.25
11	O	643	PRO	N-CA-CB	7.21	110.82	103.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	O	647	PRO	N-CA-CB	6.89	110.49	103.25

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	815	0	856	7	0
1	E	806	0	844	7	0
2	B	741	0	796	3	0
2	F	702	0	755	2	0
3	C	799	0	851	5	0
3	G	833	0	895	14	0
4	D	755	0	782	4	0
4	H	736	0	756	8	0
5	Z	141	0	27	0	0
6	I	6051	0	6176	57	0
7	J	2821	0	2780	32	0
8	K	2787	0	2725	37	0
9	L	4151	0	4161	48	0
10	M	2918	0	2870	31	0
11	N	2085	0	2068	25	0
11	O	2354	0	2282	19	0
12	a	58	0	14	0	0
13	P	3174	0	3173	29	0
14	Q	739	0	755	7	0
15	R	366	0	369	6	0
16	S	1738	0	1718	12	0
17	T	110	0	31	0	0
18	U	92	0	84	0	0
19	V	420	0	98	0	0
20	X	3360	0	1853	47	0
21	Y	3405	0	1850	30	0
22	W	120	0	28	0	0
23	I	27	0	12	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
24	I	1	0	0	0	0
25	I	4	0	0	1	0
All	All	43109	0	39609	377	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (377) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:I:1192:ARG:NH1	23:I:1701:ADP:O2A	1.94	0.99
6:I:1192:ARG:HD3	23:I:1701:ADP:H5'1	1.54	0.88
7:J:186:THR:OG1	7:J:206:ARG:O	1.92	0.85
6:I:1166:GLN:OE1	23:I:1701:ADP:H4'	1.78	0.82
6:I:365:GLU:OE1	14:Q:191:THR:OG1	1.97	0.82
11:O:473:TYR:OH	11:O:515:ASP:OD2	2.00	0.79
6:I:758:GLN:HE22	23:I:1701:ADP:HN61	1.30	0.76
6:I:1200:ARG:NH1	6:I:1306:ILE:O	2.19	0.76
1:A:62:ILE:O	1:A:93:GLN:NE2	2.21	0.74
3:G:39:TYR:OH	4:H:71:GLU:OE1	2.05	0.73
9:L:373:ARG:NH2	9:L:376:GLU:OE1	2.21	0.73
9:L:444:ASP:OD1	9:L:1793:HIS:NE2	2.22	0.71
10:M:158:ARG:NH1	10:M:158:ARG:O	2.24	0.71
6:I:1106:THR:OG1	6:I:1125:ARG:NH2	2.24	0.71
13:P:180:ARG:NH2	13:P:397:ASP:OD2	2.23	0.71
1:A:99:TYR:OH	1:A:133:GLU:OE1	2.09	0.70
3:G:64:GLU:OE1	10:M:376:ARG:NH1	2.23	0.70
1:A:73:GLU:OE1	1:A:76:GLN:NE2	2.24	0.70
7:J:149:THR:OG1	7:J:292:ASP:OD2	2.07	0.69
13:P:178:GLN:OE1	13:P:180:ARG:NH1	2.25	0.69
11:N:946:ALA:O	11:N:950:HIS:ND1	2.27	0.68
6:I:788:GLN:OE1	6:I:979:ARG:NH1	2.27	0.68
13:P:433:GLN:O	13:P:436:THR:OG1	2.09	0.68
3:C:17:ARG:NE	20:X:31:DT:OP1	2.27	0.67
11:N:909:LEU:HD22	13:P:161:ILE:CD1	2.25	0.67
1:E:72:ARG:NH1	20:X:51:DC:OP1	2.28	0.67
10:M:55:ALA:HB2	10:M:90:LEU:HD21	1.76	0.67
6:I:772:ASN:OD1	6:I:905:ARG:NH2	2.29	0.66
11:N:429:TYR:N	11:O:536:ASP:OD2	2.29	0.66
15:R:228:LEU:O	15:R:228:LEU:HD23	1.96	0.66
13:P:234:SER:OG	13:P:266:GLU:OE1	2.15	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:K:334:GLY:O	8:K:341:ARG:NH2	2.30	0.65
11:N:884:ILE:HG22	13:P:434:LEU:HD23	1.79	0.65
6:I:758:GLN:NE2	23:I:1701:ADP:HN61	1.93	0.65
8:K:298:GLY:O	8:K:301:ARG:NH1	2.30	0.65
2:B:92:ARG:NH2	4:H:100:LEU:O	2.30	0.64
3:C:20:ARG:NH1	20:X:32:DT:OP1	2.31	0.64
6:I:1192:ARG:CZ	23:I:1701:ADP:O2A	2.45	0.64
1:E:72:ARG:NH2	20:X:51:DC:OP2	2.31	0.64
8:K:155:ALA:HB2	8:K:180:ILE:HD12	1.80	0.63
9:L:164:SER:O	9:L:167:SER:OG	2.12	0.63
4:D:56:SER:OG	20:X:20:DA:OP2	2.13	0.63
11:O:534:LEU:HD23	11:O:542:VAL:HA	1.81	0.63
6:I:1198:GLU:N	6:I:1198:GLU:OE1	2.31	0.63
8:K:415:GLU:OE1	8:K:417:GLU:N	2.32	0.63
8:K:407:GLN:OE1	8:K:408:GLN:NE2	2.31	0.62
2:F:48:GLY:N	21:Y:81:DC:OP1	2.30	0.62
8:K:120:VAL:HG12	8:K:122:MET:HE3	1.81	0.62
6:I:381:ARG:NH2	11:N:646:ASP:O	2.33	0.62
9:L:408:THR:O	16:S:410:TYR:OH	2.15	0.61
13:P:418:ALA:O	13:P:422:ASN:ND2	2.33	0.61
11:O:923:GLN:OE1	11:O:926:GLN:NE2	2.32	0.61
11:N:909:LEU:HD22	13:P:161:ILE:HD13	1.83	0.61
9:L:65:GLU:OE1	9:L:65:GLU:N	2.34	0.60
15:R:216:ARG:NH1	15:R:220:GLU:OE1	2.34	0.60
8:K:166:THR:OG1	8:K:182:VAL:O	2.19	0.60
10:M:368:GLN:O	10:M:372:THR:HG23	2.01	0.60
6:I:1135:ARG:NH2	20:X:56:DC:OP2	2.36	0.59
9:L:156:ASN:OD1	9:L:159:ASN:ND2	2.34	0.59
7:J:287:VAL:HG22	7:J:288:ASP:H	1.67	0.59
6:I:1192:ARG:CD	23:I:1701:ADP:H5'1	2.31	0.59
9:L:172:GLU:OE1	9:L:172:GLU:N	2.36	0.59
21:Y:127:DC:H2'	21:Y:128:DT:H72	1.83	0.59
3:C:29:ARG:NH1	4:D:36:SER:O	2.36	0.59
21:Y:44:DA:H2''	21:Y:45:DT:H71	1.85	0.58
6:I:785:LYS:N	23:I:1701:ADP:O1B	2.36	0.58
1:A:113:HIS:NE2	1:E:123:ASP:OD1	2.33	0.58
16:S:544:LYS:NZ	16:S:548:GLU:OE2	2.37	0.58
9:L:349:PHE:O	9:L:352:THR:N	2.31	0.58
20:X:56:DC:C2'	20:X:57:DT:H71	2.34	0.58
3:G:29:ARG:NH1	4:H:36:SER:O	2.37	0.57
10:M:223:CYS:O	10:M:227:ASP:N	2.38	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:P:369:GLU:N	13:P:369:GLU:OE1	2.36	0.57
21:Y:127:DC:C2'	21:Y:128:DT:H72	2.34	0.57
6:I:1103:CYS:SG	6:I:1104:GLN:N	2.78	0.57
6:I:819:ALA:O	6:I:831:LYS:NZ	2.38	0.57
1:A:123:ASP:OD1	1:E:113:HIS:NE2	2.36	0.56
6:I:498:GLN:O	6:I:501:THR:OG1	2.20	0.56
7:J:93:GLU:O	7:J:97:ALA:N	2.33	0.56
9:L:90:LYS:O	9:L:94:LEU:HD23	2.05	0.56
4:H:63:ASN:OD1	4:H:67:ASN:ND2	2.38	0.56
6:I:1192:ARG:NH1	25:I:1703:BEF:F2	2.28	0.56
7:J:271:SER:OG	8:K:73:ASN:OD1	2.19	0.56
11:O:936:MET:SD	11:O:940:LYS:NZ	2.74	0.56
3:G:92:GLU:OE2	10:M:370:ARG:NH2	2.39	0.56
3:C:39:TYR:OH	4:D:71:GLU:OE1	2.23	0.56
9:L:398:ASP:OD1	9:L:399:SER:N	2.39	0.55
8:K:384:ASN:OD1	8:K:389:ARG:NH1	2.39	0.55
16:S:552:LEU:HD22	16:S:585:LEU:HD22	1.88	0.55
14:Q:200:HIS:HA	14:Q:203:ILE:HG22	1.86	0.55
7:J:75:ILE:HG22	7:J:77:THR:H	1.72	0.55
14:Q:191:THR:HG21	16:S:429:ILE:HD13	1.89	0.55
9:L:228:LYS:O	9:L:229:THR:OG1	2.23	0.55
13:P:323:ILE:O	13:P:327:LYS:N	2.39	0.55
20:X:56:DC:H2'	20:X:57:DT:H71	1.89	0.55
8:K:164:ARG:NH1	8:K:347:SER:OG	2.39	0.54
21:Y:34:DC:C2'	21:Y:35:DT:H71	2.38	0.54
9:L:414:LEU:HD11	16:S:412:PRO:HG3	1.90	0.54
11:O:936:MET:HE3	13:P:326:HIS:CE1	2.43	0.53
11:O:620:TRP:CZ3	11:O:636:ILE:HD11	2.43	0.53
9:L:386:ASP:OD1	9:L:387:ASN:N	2.40	0.53
6:I:995:VAL:O	6:I:995:VAL:HG13	2.07	0.53
8:K:353:GLY:O	8:K:390:ARG:NH2	2.41	0.53
10:M:95:GLU:N	10:M:95:GLU:OE1	2.41	0.53
13:P:211:VAL:HG22	13:P:233:PHE:CZ	2.43	0.53
13:P:482:TYR:O	13:P:486:TRP:NE1	2.39	0.53
3:G:33:LEU:O	3:G:37:GLY:N	2.43	0.52
8:K:249:SER:O	8:K:252:ASN:ND2	2.42	0.52
6:I:442:SER:CB	9:L:467:LEU:HD12	2.39	0.52
10:M:40:ARG:NH1	21:Y:8:DG:O6	2.43	0.52
21:Y:134:DC:N3	21:Y:135:DC:N4	2.57	0.52
10:M:149:THR:O	10:M:150:THR:OG1	2.23	0.51
8:K:89:LYS:NZ	8:K:90:ASN:OD1	2.33	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:N:872:LYS:NZ	14:Q:208:SER:O	2.26	0.51
11:O:534:LEU:CD2	11:O:542:VAL:HA	2.40	0.51
8:K:83:GLU:OE1	8:K:83:GLU:N	2.43	0.51
2:B:10:LEU:HD23	2:B:10:LEU:H	1.76	0.51
7:J:124:PHE:O	7:J:128:ASN:N	2.43	0.51
6:I:395:ASP:O	6:I:398:THR:OG1	2.27	0.51
10:M:154:ASN:ND2	10:M:227:ASP:OD2	2.44	0.51
13:P:483:PHE:O	13:P:487:ALA:HB2	2.11	0.50
21:Y:49:DC:H2'	21:Y:50:DT:H71	1.94	0.50
9:L:408:THR:O	9:L:408:THR:HG23	2.11	0.50
6:I:1166:GLN:CD	23:I:1701:ADP:H4'	2.36	0.50
9:L:328:ARG:O	9:L:332:LEU:HD23	2.12	0.50
11:N:881:GLU:HA	11:N:884:ILE:HG12	1.94	0.50
11:N:901:ILE:HG13	13:P:420:LEU:HD11	1.93	0.50
6:I:411:ASN:O	6:I:414:ARG:NH1	2.41	0.50
11:N:884:ILE:HD13	13:P:438:ARG:HD3	1.94	0.50
6:I:508:HIS:O	6:I:511:THR:OG1	2.24	0.49
6:I:1007:LEU:HD13	6:I:1045:ILE:HD11	1.94	0.49
7:J:11:ASP:OD1	7:J:12:ASN:N	2.45	0.49
20:X:67:DG:H2'	20:X:68:DT:H71	1.93	0.49
6:I:787:ILE:HD13	23:I:1701:ADP:N7	2.27	0.49
20:X:146:DG:N1	21:Y:3:DA:C6	2.80	0.49
7:J:187:ASP:OD1	7:J:188:TYR:N	2.45	0.49
16:S:415:ASP:OD1	16:S:416:SER:N	2.46	0.49
7:J:312:ARG:NE	7:J:316:GLU:OE2	2.38	0.49
6:I:1340:GLU:OE1	6:I:1340:GLU:N	2.40	0.49
8:K:268:GLN:OE1	8:K:268:GLN:N	2.45	0.49
16:S:397:THR:HG23	16:S:397:THR:O	2.13	0.49
9:L:396:ASP:OD1	9:L:397:GLN:N	2.45	0.48
4:D:93:GLU:OE1	4:D:93:GLU:N	2.45	0.48
8:K:364:LEU:HD23	8:K:368:LEU:HD23	1.95	0.48
20:X:86:DT:H2'	20:X:87:DT:H72	1.95	0.48
13:P:157:LEU:O	13:P:161:ILE:HG12	2.14	0.48
8:K:411:ILE:HG22	8:K:412:SER:N	2.28	0.48
8:K:282:MET:HE2	8:K:282:MET:HA	1.96	0.48
21:Y:23:DG:C2'	21:Y:24:DT:H72	2.43	0.48
2:B:21:VAL:HG23	2:B:21:VAL:O	2.13	0.48
11:N:898:LYS:HA	13:P:420:LEU:HD13	1.94	0.48
6:I:1166:GLN:OE1	23:I:1701:ADP:C4'	2.55	0.48
1:E:58:THR:O	3:G:104:GLN:NE2	2.47	0.48
10:M:356:LEU:HD23	10:M:360:GLU:OE1	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
21:Y:44:DA:C2'	21:Y:45:DT:H71	2.44	0.47
6:I:562:ALA:O	6:I:565:THR:OG1	2.29	0.47
6:I:442:SER:HB2	9:L:467:LEU:HD12	1.97	0.47
7:J:155:SER:OG	7:J:304:THR:HG21	2.15	0.47
21:Y:23:DG:H2'	21:Y:24:DT:H72	1.94	0.47
3:G:94:ASN:O	3:G:98:GLY:N	2.47	0.47
9:L:300:GLU:N	9:L:300:GLU:OE1	2.47	0.47
8:K:248:ARG:O	8:K:249:SER:OG	2.23	0.47
21:Y:34:DC:H2'	21:Y:35:DT:H71	1.97	0.47
6:I:1177:ASP:OD1	6:I:1178:TRP:N	2.48	0.47
7:J:170:ALA:C	7:J:171:LEU:HD23	2.39	0.47
20:X:141:DA:H2'	20:X:142:DT:H72	1.95	0.47
6:I:392:LEU:HD13	6:I:396:LEU:HB2	1.96	0.47
13:P:380:ASP:N	13:P:380:ASP:OD1	2.46	0.47
21:Y:128:DT:H2''	21:Y:129:DC:C6	2.50	0.47
6:I:1086:ASP:OD2	6:I:1119:ARG:NH2	2.48	0.47
9:L:198:LYS:NZ	10:M:169:ASP:O	2.39	0.47
9:L:1797:LEU:C	9:L:1797:LEU:HD12	2.39	0.47
6:I:981:LYS:O	6:I:985:GLU:N	2.48	0.46
10:M:257:GLN:O	10:M:284:SER:OG	2.33	0.46
6:I:845:VAL:N	6:I:846:PRO:CD	2.78	0.46
6:I:418:GLN:O	6:I:422:VAL:HG23	2.15	0.46
7:J:242:LEU:HD22	7:J:244:ASP:OD1	2.16	0.46
21:Y:140:DT:H2'	21:Y:141:DT:H71	1.97	0.46
7:J:257:CYS:HB3	7:J:258:PRO:HD3	1.97	0.46
8:K:200:ASP:O	8:K:203:THR:OG1	2.27	0.46
11:N:475:LEU:HD21	15:R:232:VAL:HG23	1.97	0.46
20:X:63:DG:N1	21:Y:86:DG:O6	2.48	0.46
20:X:130:DC:O3'	20:X:131:DA:C8	2.68	0.46
6:I:764:TRP:CZ2	6:I:768:LEU:HD11	2.51	0.46
9:L:309:ASN:OD1	9:L:310:ARG:N	2.48	0.46
9:L:380:ASN:OD1	9:L:381:LEU:N	2.49	0.46
2:F:24:ASP:OD1	2:F:24:ASP:N	2.49	0.46
9:L:1772:ALA:O	9:L:1776:LEU:HD23	2.16	0.46
11:O:486:CYS:O	11:O:490:LEU:HD12	2.15	0.46
6:I:976:LEU:HD22	6:I:1233:MET:HG3	1.98	0.46
3:C:33:LEU:O	3:C:37:GLY:N	2.47	0.46
8:K:88:LEU:HD23	8:K:88:LEU:H	1.80	0.46
3:G:65:LEU:HB3	3:G:86:ALA:HB1	1.96	0.46
7:J:274:ILE:HG23	7:J:275:HIS:N	2.31	0.46
8:K:269:VAL:O	8:K:269:VAL:HG13	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:P:291:GLN:N	13:P:291:GLN:OE1	2.49	0.46
6:I:792:LEU:C	6:I:792:LEU:HD23	2.41	0.46
7:J:354:GLN:OE1	7:J:354:GLN:N	2.48	0.45
20:X:68:DT:H2''	20:X:69:DA:N7	2.32	0.45
21:Y:130:DG:H2'	21:Y:131:DG:C8	2.51	0.45
8:K:120:VAL:CG1	8:K:122:MET:HE3	2.45	0.45
11:N:445:ALA:C	11:N:446:LEU:HD22	2.41	0.45
7:J:76:VAL:HG22	7:J:76:VAL:O	2.16	0.45
16:S:399:VAL:HG13	16:S:400:LEU:N	2.31	0.45
4:H:90:THR:OG1	4:H:91:SER:N	2.49	0.45
9:L:347:VAL:HG12	9:L:348:ASP:N	2.31	0.45
8:K:269:VAL:HG23	8:K:306:GLU:HA	1.99	0.45
21:Y:112:DG:C2	21:Y:113:DA:C6	3.03	0.45
6:I:1007:LEU:CD1	6:I:1045:ILE:HD11	2.47	0.45
10:M:267:ASN:OD1	10:M:268:ILE:N	2.50	0.45
16:S:194:GLU:OE1	16:S:194:GLU:N	2.47	0.45
8:K:304:ILE:N	8:K:305:PRO:CD	2.79	0.45
9:L:95:ARG:NH1	9:L:96:TYR:HB2	2.31	0.45
10:M:266:LEU:HD21	10:M:315:ILE:CG1	2.47	0.45
11:N:603:GLU:O	11:N:606:THR:OG1	2.32	0.45
21:Y:58:DT:H2''	21:Y:59:DA:N7	2.32	0.45
21:Y:131:DG:C8	21:Y:132:DC:N4	2.84	0.45
6:I:503:ALA:O	6:I:506:THR:OG1	2.25	0.45
8:K:276:GLU:N	8:K:276:GLU:OE1	2.50	0.45
20:X:104:DT:H2'	20:X:105:DT:H71	1.99	0.45
20:X:120:DA:H2''	20:X:121:DG:N7	2.31	0.45
20:X:150:DC:C2	20:X:151:DA:N7	2.85	0.45
11:O:468:PHE:HB3	11:O:490:LEU:HD21	1.99	0.45
8:K:97:ASP:OD1	8:K:97:ASP:N	2.49	0.44
11:N:919:ALA:HA	11:N:922:TYR:CE2	2.53	0.44
20:X:149:DC:H2''	20:X:150:DC:C5	2.52	0.44
7:J:219:VAL:HG23	7:J:306:TYR:CG	2.53	0.44
9:L:444:ASP:CG	9:L:1793:HIS:HE2	2.25	0.44
10:M:130:GLN:O	10:M:130:GLN:HG2	2.18	0.44
11:O:601:TRP:O	11:O:607:LEU:HB2	2.18	0.44
20:X:10:DC:H2''	20:X:11:DC:C6	2.52	0.44
7:J:153:MET:SD	7:J:153:MET:N	2.91	0.44
9:L:465:VAL:O	9:L:466:LYS:HG3	2.18	0.44
20:X:75:DT:H2'	20:X:76:DG:C8	2.53	0.44
20:X:155:DC:H2''	20:X:156:DC:C5	2.53	0.44
1:E:62:ILE:O	1:E:93:GLN:NE2	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:J:191:LYS:O	7:J:194:THR:OG1	2.31	0.44
11:N:622:LYS:O	11:N:626:HIS:ND1	2.50	0.44
11:O:460:GLU:OE1	11:O:460:GLU:N	2.50	0.44
13:P:249:TYR:OH	13:P:275:PRO:O	2.29	0.44
21:Y:-9:DC:H2''	21:Y:-8:DG:N7	2.33	0.44
20:X:19:DG:H2''	20:X:20:DA:N7	2.33	0.44
20:X:80:DC:O3'	20:X:81:DC:C6	2.71	0.44
20:X:12:DC:N4	20:X:13:DG:O6	2.51	0.44
6:I:1166:GLN:O	6:I:1195:GLN:NE2	2.51	0.43
7:J:171:LEU:HG	7:J:171:LEU:O	2.17	0.43
7:J:282:ILE:HG21	7:J:294:TYR:CE1	2.53	0.43
9:L:131:TYR:CG	9:L:131:TYR:O	2.70	0.43
9:L:1787:ARG:O	9:L:1791:LYS:N	2.50	0.43
10:M:55:ALA:O	10:M:60:ARG:NH1	2.51	0.43
11:N:909:LEU:HA	11:N:912:ILE:HD12	2.00	0.43
9:L:211:ASP:OD1	9:L:212:ASP:N	2.51	0.43
9:L:468:ILE:O	9:L:469:GLU:C	2.60	0.43
11:N:899:LEU:O	11:N:903:LEU:HD23	2.18	0.43
20:X:156:DC:H2''	20:X:157:DG:N7	2.33	0.43
9:L:81:SER:OG	15:R:220:GLU:O	2.35	0.43
9:L:1797:LEU:HD13	9:L:1815:LEU:CD1	2.48	0.43
11:N:884:ILE:HG22	13:P:434:LEU:CD2	2.46	0.43
20:X:29:DA:O3'	20:X:30:DA:C8	2.71	0.43
6:I:767:SER:O	6:I:771:ASN:ND2	2.48	0.43
9:L:412:VAL:HG13	9:L:1764:ILE:HD11	2.01	0.43
7:J:262:PHE:HB2	7:J:273:GLY:HA3	2.00	0.43
8:K:87:PRO:O	8:K:94:GLU:N	2.46	0.43
11:O:903:LEU:HB2	13:P:153:PHE:CE1	2.54	0.43
3:G:51:LEU:HD21	4:H:70:PHE:CD1	2.54	0.43
9:L:314:ARG:O	9:L:318:LEU:HD23	2.17	0.43
6:I:392:LEU:HD13	6:I:396:LEU:CB	2.49	0.43
3:G:17:ARG:NH2	21:Y:31:DA:OP2	2.52	0.43
6:I:734:VAL:HG23	6:I:735:ALA:N	2.33	0.43
10:M:255:GLU:HG2	10:M:256:ASP:H	1.84	0.43
20:X:69:DA:H2''	20:X:70:DC:C5	2.54	0.43
7:J:209:VAL:HG13	7:J:210:ARG:N	2.34	0.43
20:X:76:DG:H2'	20:X:77:DT:H72	2.01	0.43
20:X:143:DC:H2''	20:X:144:DC:C6	2.54	0.43
21:Y:34:DC:H2''	21:Y:35:DT:H71	1.99	0.43
6:I:1086:ASP:OD1	6:I:1119:ARG:NH1	2.46	0.42
6:I:1179:ASN:ND2	21:Y:97:DG:OP1	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:K:308:LEU:HD23	8:K:308:LEU:H	1.84	0.42
8:K:308:LEU:O	8:K:308:LEU:HG	2.19	0.42
9:L:178:ASN:O	9:L:181:THR:OG1	2.38	0.42
11:N:889:ALA:O	11:N:892:VAL:HG12	2.19	0.42
21:Y:115:DC:N3	21:Y:116:DA:N6	2.66	0.42
6:I:860:TYR:OH	6:I:881:ASP:O	2.36	0.42
9:L:462:LEU:HD12	9:L:464:ALA:H	1.84	0.42
15:R:197:PRO:HA	15:R:200:ILE:HG22	2.01	0.42
20:X:70:DC:H1'	20:X:71:DG:C5	2.54	0.42
4:H:39:VAL:HG23	20:X:123:DC:OP2	2.20	0.42
9:L:286:VAL:HA	9:L:289:ILE:HG22	2.01	0.42
9:L:458:GLY:N	9:L:459:PRO:CD	2.82	0.42
9:L:1786:GLY:O	9:L:1790:LEU:N	2.44	0.42
11:O:536:ASP:O	11:O:540:GLY:N	2.51	0.42
20:X:12:DC:H2'	20:X:13:DG:C8	2.55	0.42
20:X:67:DG:C2'	20:X:68:DT:H71	2.49	0.42
9:L:1797:LEU:HD13	9:L:1815:LEU:HD11	2.02	0.42
11:N:928:LEU:HD21	14:Q:266:PHE:HD1	1.84	0.42
13:P:291:GLN:HB2	13:P:292:PRO:HD3	2.00	0.42
10:M:157:GLY:O	10:M:158:ARG:HB3	2.19	0.42
16:S:131:VAL:HG23	16:S:131:VAL:O	2.20	0.42
7:J:287:VAL:HG22	7:J:288:ASP:N	2.33	0.42
8:K:243:LEU:N	8:K:244:PRO:CD	2.82	0.42
8:K:271:ASP:OD1	8:K:272:SER:N	2.53	0.42
9:L:8:ALA:O	9:L:10:PRO:HD3	2.20	0.42
9:L:92:TYR:HA	9:L:95:ARG:HD3	2.02	0.42
9:L:162:VAL:HG13	9:L:202:LEU:CD1	2.49	0.42
10:M:303:LEU:HG	10:M:303:LEU:O	2.19	0.42
10:M:340:ILE:HG23	10:M:341:ARG:N	2.33	0.42
11:O:537:THR:N	11:O:538:PRO:HD2	2.35	0.42
16:S:208:MET:HE1	16:S:225:LEU:HD22	2.01	0.42
20:X:38:DT:H2''	20:X:39:DA:N7	2.35	0.42
9:L:466:LYS:NZ	9:L:469:GLU:OE2	2.52	0.42
10:M:27:MET:SD	10:M:96:VAL:HG11	2.60	0.42
13:P:484:GLN:N	13:P:485:PRO:CD	2.82	0.42
15:R:225:TYR:O	15:R:226:PHE:HB3	2.20	0.42
6:I:449:GLU:O	6:I:450:ALA:C	2.63	0.42
11:N:465:TYR:CD1	11:N:490:LEU:HD12	2.55	0.42
16:S:399:VAL:HG11	16:S:430:TYR:OH	2.20	0.42
6:I:500:LEU:HD11	7:J:142:LEU:HD23	2.02	0.41
10:M:369:ASP:O	10:M:373:ARG:HG3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
20:X:101:DG:H2''	20:X:102:DG:N7	2.34	0.41
8:K:21:TYR:CD2	8:K:22:THR:HG23	2.56	0.41
10:M:190:ARG:HB2	10:M:313:TYR:OH	2.20	0.41
10:M:193:MET:SD	10:M:193:MET:N	2.87	0.41
11:O:602:THR:C	11:O:604:GLN:H	2.27	0.41
3:G:88:ARG:NH2	3:G:100:VAL:O	2.54	0.41
6:I:1106:THR:HG1	6:I:1125:ARG:HH22	1.67	0.41
6:I:1143:ASN:ND2	6:I:1164:ASN:O	2.54	0.41
9:L:241:VAL:O	9:L:247:ARG:NH2	2.53	0.41
9:L:1790:LEU:HD23	9:L:1818:LEU:HD21	2.01	0.41
13:P:484:GLN:HG3	13:P:485:PRO:HD3	2.03	0.41
11:N:881:GLU:O	11:N:884:ILE:HG12	2.21	0.41
13:P:222:SER:O	13:P:226:ALA:N	2.53	0.41
14:Q:219:VAL:O	14:Q:219:VAL:HG12	2.20	0.41
20:X:111:DC:H2''	20:X:112:DT:C5	2.56	0.41
3:G:35:ARG:NH2	20:X:113:DA:OP2	2.47	0.41
3:G:40:ALA:HB2	4:H:89:ILE:HD12	2.01	0.41
7:J:90:PHE:O	7:J:93:GLU:N	2.54	0.41
6:I:900:HIS:ND1	6:I:900:HIS:O	2.54	0.41
7:J:334:GLU:N	7:J:334:GLU:OE1	2.54	0.41
8:K:333:VAL:HG11	8:K:345:TYR:CZ	2.55	0.41
8:K:380:LEU:H	8:K:380:LEU:HD23	1.86	0.41
20:X:131:DA:H2''	20:X:132:DC:C6	2.56	0.41
1:A:37:LYS:N	1:A:38:PRO:CD	2.83	0.41
6:I:973:ARG:N	6:I:974:PRO:HD2	2.36	0.41
6:I:1340:GLU:HG2	6:I:1341:ASP:N	2.36	0.41
7:J:187:ASP:O	7:J:190:MET:HG3	2.21	0.41
7:J:247:VAL:O	7:J:247:VAL:HG23	2.21	0.41
10:M:150:THR:HG22	10:M:226:LEU:HD21	2.02	0.41
10:M:184:GLU:N	10:M:184:GLU:OE1	2.54	0.41
13:P:186:ILE:HG23	13:P:186:ILE:O	2.20	0.41
20:X:59:DA:H1'	20:X:60:DA:C8	2.55	0.41
20:X:94:DG:H2'	20:X:95:DC:C6	2.56	0.41
21:Y:15:DT:H4'	21:Y:16:DG:OP1	2.21	0.41
1:E:104:PHE:HA	1:E:107:THR:HG22	2.03	0.41
8:K:17:ASP:OD1	8:K:17:ASP:N	2.53	0.41
10:M:158:ARG:O	10:M:159:ASP:C	2.64	0.41
11:O:606:THR:OG1	11:O:607:LEU:N	2.53	0.41
11:O:932:GLN:HE22	13:P:321:GLN:HB2	1.86	0.41
3:G:47:ALA:N	3:G:48:PRO:HD2	2.36	0.40
7:J:287:VAL:HG13	7:J:289:ILE:HG12	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:J:366:GLY:N	7:J:367:PRO:CD	2.84	0.40
21:Y:111:DC:C2'	21:Y:112:DG:C8	3.04	0.40
10:M:151:ILE:HG23	10:M:152:ASN:N	2.37	0.40
10:M:266:LEU:HD23	10:M:311:ILE:HG13	2.02	0.40
20:X:119:DC:H2''	20:X:120:DA:C8	2.57	0.40
1:A:46:VAL:HB	20:X:83:DG:OP1	2.20	0.40
10:M:46:ARG:NH1	21:Y:4:DG:OP1	2.55	0.40
11:O:910:GLU:O	11:O:913:MET:HG3	2.20	0.40
20:X:56:DC:H2''	20:X:57:DT:H71	2.02	0.40
20:X:140:DC:N3	20:X:141:DA:N6	2.70	0.40
8:K:92:MET:SD	8:K:92:MET:N	2.95	0.40
11:N:884:ILE:O	11:N:888:VAL:HG13	2.22	0.40
20:X:17:DC:O3'	20:X:18:DC:C6	2.74	0.40
20:X:78:DC:H2''	20:X:79:DC:C5	2.56	0.40
11:N:619:ASP:OD1	11:N:619:ASP:N	2.52	0.40
14:Q:190:HIS:O	14:Q:193:THR:OG1	2.23	0.40
21:Y:0:DA:H4'	21:Y:1:DA:OP1	2.22	0.40
21:Y:94:DG:H4'	21:Y:95:DG:OP1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	97/135 (72%)	95 (98%)	2 (2%)	0	100	100
1	E	96/135 (71%)	96 (100%)	0	0	100	100
2	B	92/102 (90%)	87 (95%)	5 (5%)	0	100	100
2	F	85/102 (83%)	84 (99%)	1 (1%)	0	100	100
3	C	102/129 (79%)	101 (99%)	1 (1%)	0	100	100
3	G	106/129 (82%)	102 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	D	94/125 (75%)	94 (100%)	0	0	100	100
4	H	92/125 (74%)	92 (100%)	0	0	100	100
6	I	718/1647 (44%)	693 (96%)	25 (4%)	0	100	100
7	J	354/375 (94%)	324 (92%)	30 (8%)	0	100	100
8	K	348/429 (81%)	325 (93%)	23 (7%)	0	100	100
9	L	513/1835 (28%)	474 (92%)	39 (8%)	0	100	100
10	M	358/385 (93%)	325 (91%)	33 (9%)	0	100	100
11	N	247/1214 (20%)	240 (97%)	7 (3%)	0	100	100
11	O	289/1214 (24%)	260 (90%)	26 (9%)	3 (1%)	12	47
13	P	383/515 (74%)	367 (96%)	15 (4%)	1 (0%)	36	71
14	Q	89/411 (22%)	88 (99%)	1 (1%)	0	100	100
15	R	42/498 (8%)	40 (95%)	2 (5%)	0	100	100
16	S	207/651 (32%)	204 (99%)	3 (1%)	0	100	100
18	U	9/1597 (1%)	8 (89%)	1 (11%)	0	100	100
All	All	4321/11753 (37%)	4099 (95%)	218 (5%)	4 (0%)	49	83

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
11	O	543	PRO
11	O	643	PRO
13	P	469	VAL
11	O	437	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	86/110 (78%)	86 (100%)	0	100	100
1	E	85/110 (77%)	85 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	74/78 (95%)	74 (100%)	0	100	100
2	F	72/78 (92%)	72 (100%)	0	100	100
3	C	81/98 (83%)	81 (100%)	0	100	100
3	G	84/98 (86%)	84 (100%)	0	100	100
4	D	83/105 (79%)	83 (100%)	0	100	100
4	H	81/105 (77%)	81 (100%)	0	100	100
6	I	655/1422 (46%)	655 (100%)	0	100	100
7	J	307/318 (96%)	307 (100%)	0	100	100
8	K	308/364 (85%)	308 (100%)	0	100	100
9	L	465/1587 (29%)	465 (100%)	0	100	100
10	M	325/346 (94%)	325 (100%)	0	100	100
11	N	221/1030 (22%)	221 (100%)	0	100	100
11	O	241/1030 (23%)	239 (99%)	2 (1%)	73	77
13	P	351/442 (79%)	351 (100%)	0	100	100
14	Q	82/361 (23%)	82 (100%)	0	100	100
15	R	38/437 (9%)	38 (100%)	0	100	100
16	S	196/586 (33%)	196 (100%)	0	100	100
18	U	9/1433 (1%)	9 (100%)	0	100	100
All	All	3844/10138 (38%)	3842 (100%)	2 (0%)	87	88

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
11	O	437	SER
11	O	438	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	93	GLN
3	C	73	ASN
1	E	39	HIS
1	E	108	ASN
4	H	82	HIS
6	I	380	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	I	464	GLN
6	I	472	HIS
6	I	888	ASN
6	I	1187	GLN
6	I	1309	HIS
6	I	1330	ASN
8	K	105	HIS
8	K	143	HIS
8	K	263	GLN
8	K	294	ASN
8	K	370	GLN
9	L	406	HIS
9	L	1795	ASN
10	M	152	ASN
11	N	952	GLN
11	O	451	ASN
11	O	621	ASN
11	O	895	GLN
13	P	145	GLN
13	P	326	HIS
13	P	432	ASN
14	Q	199	ASN
14	Q	252	HIS
16	S	146	GLN
16	S	174	HIS
16	S	206	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
25	BEF	I	1703	23	0,3,3	-	-	-		
23	ADP	I	1701	25	27,29,29	1.36	4 (14%)	42,45,45	1.97	11 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	ADP	I	1701	25	-	2/16/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	I	1701	ADP	C5-C4	4.58	1.47	1.39
23	I	1701	ADP	C5-C6	2.71	1.48	1.41
23	I	1701	ADP	C8-N7	2.44	1.36	1.31
23	I	1701	ADP	C5-N7	-2.12	1.35	1.39

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	I	1701	ADP	C5-C4-N3	-6.06	118.84	126.75
23	I	1701	ADP	N3-C4-N9	4.74	134.89	127.08
23	I	1701	ADP	PA-O3A-PB	-3.85	119.63	132.83
23	I	1701	ADP	C2-N3-C4	3.82	120.77	111.75
23	I	1701	ADP	C4-C5-N7	-3.28	106.62	110.62
23	I	1701	ADP	N3-C2-N1	-3.14	123.70	128.60
23	I	1701	ADP	C5-N7-C8	2.78	107.46	103.51
23	I	1701	ADP	C4-N9-C8	2.60	108.54	105.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	I	1701	ADP	C3'-C2'-C1'	2.30	105.79	101.43
23	I	1701	ADP	C6-C5-N7	2.23	136.18	132.02
23	I	1701	ADP	N9-C8-N7	-2.05	111.11	113.91

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
23	I	1701	ADP	C5'-O5'-PA-O1A
23	I	1701	ADP	C5'-O5'-PA-O3A

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
25	I	1703	BEF	1	0
23	I	1701	ADP	11	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33684. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180



Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 184




Y Index: 164




Z Index: 218


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.28. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 660 nm^3 ; this corresponds to an approximate mass of 596 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.227 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.227 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.40	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	9.13	15.22	9.46

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 9.13 differs from the reported value 4.4 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-33684 and PDB model 7Y8R. Per-residue inclusion information can be found in section [3](#) on page [10](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.28 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.28).

9.4 Atom inclusion ⓘ



At the recommended contour level, 88% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.28) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7820	 0.1720
A	 0.8330	 0.2410
B	 0.7150	 0.2210
C	 0.8750	 0.2650
D	 0.8860	 0.2630
E	 0.8430	 0.2570
F	 0.8450	 0.2740
G	 0.8160	 0.2600
H	 0.8420	 0.2620
I	 0.8120	 0.1630
J	 0.7990	 0.1100
K	 0.8520	 0.1160
L	 0.7760	 0.1940
M	 0.6240	 0.1630
N	 0.7980	 0.1570
O	 0.7590	 0.1110
P	 0.6950	 0.1030
Q	 0.6720	 0.1420
R	 0.7420	 0.1190
S	 0.3800	 0.0810
T	 0.7910	 0.1600
U	 0.6440	 0.1980
V	 0.7360	 0.1920
W	 0.6670	 0.1900
X	 0.8970	 0.2220
Y	 0.9190	 0.2380
Z	 0.9720	 0.1290
a	 0.7070	 0.1670

