



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2026 – 04:58 AM JST

PDB ID : 7YD9 / pdb_00007yd9
Title : Crystal structure of the P450 BM3 heme domain mutant F87G/T268V/A184V/A328V in complex with N-imidazolyl-hexanoyl-L-phenylalanine,methylbenzene and hydroxylamine
Authors : Dong, S.; Chen, J.; Jiang, Y.; Cong, Z.; Feng, Y.
Deposited on : 2022-07-04
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1187 (1.74-1.74)
Clashscore	190562	1207 (1.74-1.74)
Ramachandran outliers	187476	1200 (1.74-1.74)
Sidechain outliers	187428	1200 (1.74-1.74)
RSRZ outliers	180081	1188 (1.74-1.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	466	3% 89% 8% .
1	B	466	5% 91% 7% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	HOA	B	502	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8431 atoms, of which 16 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional cytochrome P450/NADPH-P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	454	Total	C	N	O	S	0	0	0
			3633	2326	616	674	17			
1	B	454	Total	C	N	O	S	0	0	0
			3641	2329	619	676	17			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	MET	-	initiating methionine	UNP P14779
A	-1	GLY	-	expression tag	UNP P14779
A	87	GLY	PHE	engineered mutation	UNP P14779
A	184	VAL	ALA	engineered mutation	UNP P14779
A	268	VAL	THR	engineered mutation	UNP P14779
A	328	VAL	ALA	engineered mutation	UNP P14779
A	456	LEU	-	expression tag	UNP P14779
A	457	GLU	-	expression tag	UNP P14779
A	458	HIS	-	expression tag	UNP P14779
A	459	HIS	-	expression tag	UNP P14779
A	460	HIS	-	expression tag	UNP P14779
A	461	HIS	-	expression tag	UNP P14779
A	462	HIS	-	expression tag	UNP P14779
A	463	HIS	-	expression tag	UNP P14779
B	-2	MET	-	initiating methionine	UNP P14779
B	-1	GLY	-	expression tag	UNP P14779
B	87	GLY	PHE	engineered mutation	UNP P14779
B	184	VAL	ALA	engineered mutation	UNP P14779
B	268	VAL	THR	engineered mutation	UNP P14779
B	328	VAL	ALA	engineered mutation	UNP P14779
B	456	LEU	-	expression tag	UNP P14779
B	457	GLU	-	expression tag	UNP P14779
B	458	HIS	-	expression tag	UNP P14779
B	459	HIS	-	expression tag	UNP P14779
B	460	HIS	-	expression tag	UNP P14779

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	461	HIS	-	expression tag	UNP P14779
B	462	HIS	-	expression tag	UNP P14779
B	463	HIS	-	expression tag	UNP P14779


- # HEM

- Molecule 3 is (2S)-2-(6-imidazol-1-ylhexanoylamino)-3-phenyl-propanoic acid (CCD ID: IC6) (formula: C₁₈H₂₃N₃O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			48	36	6	6		
3	B	1	Total	C	N	O	0	1
			48	36	6	6		

- Molecule 4 is HYDROXYAMINE (CCD ID: HOA) (formula: H_3NO) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	N	O	0	0
			2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	N	O	0	0
			2	1	1		

- Molecule 5 is TOLUENE (CCD ID: MBN) (formula: C₇H₈) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	H	0	0
			15	7	8		
5	B	1	Total	C	H	0	0
			15	7	8		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	468	Total	O	0	0
			468	468		
6	B	473	Total	O	0	0
			473	473		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional cytochrome P450/NADPH-P450 reductase



- Molecule 1: Bifunctional cytochrome P450/NADPH-P450 reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.55Å 148.30Å 64.30Å 90.00° 100.34° 90.00°	Depositor
Resolution (Å)	31.63 – 1.75 31.63 – 1.75	Depositor EDS
% Data completeness (in resolution range)	97.6 (31.63-1.75) 97.7 (31.63-1.75)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 1.75Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.191 , 0.226 0.199 , 0.231	Depositor DCC
R_{free} test set	5260 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	22.8	Xtriage
Anisotropy	0.209	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 52.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8431	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HOA, HEM, IC6, MBN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	1/3717 (0.0%)	0.55	0/5029
1	B	0.47	0/3725	0.54	1/5038 (0.0%)
All	All	0.47	1/7442 (0.0%)	0.55	1/10067 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	76	LYS	C-O	-5.19	1.18	1.24

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	352	GLU	N-CA-C	5.36	118.48	109.95

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3633	0	3603	23	0
1	B	3641	0	3611	23	0
2	A	43	0	30	3	0
2	B	43	0	30	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	48	0	0	2	0
3	B	48	0	0	1	0
4	A	2	0	0	0	0
4	B	2	0	0	2	0
5	A	7	8	8	0	0
5	B	7	8	8	1	0
6	A	468	0	0	3	2
6	B	473	0	0	5	3
All	All	8415	16	7290	53	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:434:LYS:HD2	6:B:698:HOH:O	1.85	0.75
1:B:388:HIS:HA	1:B:391:LYS:HD3	1.72	0.72
2:B:501:HEM:HMC1	2:B:501:HEM:HBC2	1.74	0.69
1:B:179:ARG:HD2	1:B:208:ASP:OD2	1.94	0.68
1:B:120:VAL:HG11	1:B:302:VAL:CG2	2.29	0.62
4:B:502:HOA:N	5:B:504:MBN:H2A	2.14	0.62
1:B:3:LYS:HD2	1:B:344:GLU:HB3	1.81	0.61
1:A:366:ILE:HD12	1:A:386:PRO:HG2	1.86	0.57
2:A:501:HEM:HBC2	2:A:501:HEM:HMC1	1.87	0.55
1:A:367:TRP:HB2	1:A:371:VAL:HG12	1.89	0.55
1:B:400:CYS:HB2	2:B:501:HEM:NA	2.22	0.54
2:B:501:HEM:HBC2	2:B:501:HEM:CMC	2.37	0.54
1:A:3:LYS:HG3	1:A:344:GLU:HB3	1.88	0.54
2:A:501:HEM:HBC2	2:A:501:HEM:CMC	2.39	0.52
2:B:501:HEM:HMB2	2:B:501:HEM:HBB2	1.92	0.52
1:A:388:HIS:HA	1:A:391:LYS:HD3	1.91	0.51
1:B:328:VAL:HG13	3:B:503[B]:IC6:C3	2.41	0.50
1:A:328:VAL:HG13	3:A:502[B]:IC6:C4	2.42	0.49
1:B:141:VAL:HB	1:B:142:PRO:HD3	1.93	0.49
1:A:336:LYS:HE3	6:A:976:HOH:O	2.12	0.48
1:A:120:VAL:CG1	1:A:302:VAL:HG21	2.44	0.48
1:B:130:TRP:CZ2	1:B:139:ILE:HG21	2.48	0.48
1:A:330:ALA:HB3	3:A:502[B]:IC6:C8	2.45	0.47
1:B:120:VAL:HG11	1:B:302:VAL:HG22	1.97	0.47
1:A:211:VAL:O	1:A:215:LEU:HD23	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:368:GLY:O	1:A:371:VAL:HG13	2.15	0.47
1:B:126:LEU:HD21	1:B:145:MET:HE1	1.97	0.47
1:A:390:PHE:CZ	1:A:392:PRO:HG3	2.51	0.46
1:B:452:LYS:NZ	6:B:616:HOH:O	2.38	0.46
1:A:349:LYS:NZ	6:A:624:HOH:O	2.48	0.46
1:A:195:ASP:HB3	1:A:198:TYR:CE2	2.51	0.46
1:B:3:LYS:HE2	1:B:344:GLU:OE2	2.15	0.46
1:B:368:GLY:O	1:B:371:VAL:HG13	2.16	0.45
1:B:326:PRO:HG3	1:B:357:ILE:HG22	1.98	0.45
1:B:120:VAL:CG1	1:B:302:VAL:CG2	2.95	0.44
2:B:501:HEM:HBB2	2:B:501:HEM:CMB	2.47	0.44
1:B:268:VAL:HG11	4:B:502:HOA:O	2.18	0.44
1:A:104:LEU:HD23	1:A:104:LEU:HA	1.86	0.43
1:A:124:VAL:HG13	1:A:455:LEU:HD13	2.01	0.43
1:A:298:LEU:HD22	1:A:303:PRO:HB3	2.00	0.43
1:B:312:LYS:HE2	6:B:853:HOH:O	2.18	0.43
1:B:118:MET:HG3	6:B:624:HOH:O	2.19	0.43
1:A:456:LEU:HD12	1:A:456:LEU:C	2.44	0.43
1:B:367:TRP:HB2	1:B:371:VAL:HG12	1.99	0.42
1:B:381:ASN:HB2	6:B:606:HOH:O	2.18	0.42
1:A:81:PHE:HB3	1:A:209:ILE:HG12	2.02	0.42
1:A:118:MET:HG3	6:A:664:HOH:O	2.20	0.42
1:B:287:LEU:C	1:B:287:LEU:HD23	2.44	0.42
1:A:120:VAL:HG11	1:A:302:VAL:HG21	2.01	0.41
1:B:97:LYS:HD2	1:B:97:LYS:HA	1.87	0.41
1:A:53:SER:HB3	1:A:359:GLN:HG3	2.02	0.40
1:A:323:ARG:HG2	1:A:361:HIS:HB3	2.02	0.40
1:A:400:CYS:HB2	2:A:501:HEM:NA	2.36	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:952:HOH:O	6:B:626:HOH:O[1_656]	2.10	0.10
6:B:913:HOH:O	6:B:991:HOH:O[1_455]	2.10	0.10
6:A:655:HOH:O	6:B:643:HOH:O[1_656]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	452/466 (97%)	441 (98%)	11 (2%)	0	100	100
1	B	452/466 (97%)	439 (97%)	12 (3%)	1 (0%)	43	29
All	All	904/932 (97%)	880 (97%)	23 (2%)	1 (0%)	48	34

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	266	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/410 (96%)	392 (100%)	1 (0%)	86	82
1	B	394/410 (96%)	394 (100%)	0	100	100
All	All	787/820 (96%)	786 (100%)	1 (0%)	88	84

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	148	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	GLN
1	A	70	ASN
1	A	229	GLN
1	A	239	ASN
1	B	70	ASN
1	B	73	GLN
1	B	204	GLN
1	B	310	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	IC6	A	502[A]	-	25,25,25	1.45	1 (4%)	31,31,31	0.94	1 (3%)
2	HEM	B	501	1,4	50,50,50	1.38	8 (16%)	66,82,82	1.29	9 (13%)
3	IC6	B	503[B]	-	25,25,25	1.43	3 (12%)	31,31,31	0.89	0
2	HEM	A	501	1,4	50,50,50	1.42	9 (18%)	66,82,82	1.45	11 (16%)
3	IC6	A	502[B]	-	25,25,25	1.46	2 (8%)	31,31,31	0.98	1 (3%)
5	MBN	A	504	-	7,7,7	1.07	0	8,8,8	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HOA	B	502	2	0,1,1	-	-	-		
3	IC6	B	503[A]	-	25,25,25	1.35	2 (8%)	31,31,31	1.10	2 (6%)
5	MBN	B	504	-	7,7,7	0.31	0	8,8,8	0.38	0
4	HOA	A	503	2	0,1,1	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IC6	A	502[A]	-	-	1/20/20/20	0/2/2/2
2	HEM	B	501	1,4	-	3/14/54/54	-
3	IC6	B	503[B]	-	-	6/20/20/20	0/2/2/2
2	HEM	A	501	1,4	-	2/14/54/54	-
3	IC6	A	502[B]	-	-	4/20/20/20	0/2/2/2
5	MBN	A	504	-	-	-	0/1/1/1
3	IC6	B	503[A]	-	-	3/20/20/20	0/2/2/2
5	MBN	B	504	-	-	-	0/1/1/1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502[A]	IC6	C11-N12	5.86	1.46	1.34
3	A	502[B]	IC6	C11-N12	5.72	1.46	1.34
3	B	503[B]	IC6	C11-N12	5.57	1.45	1.34
3	B	503[A]	IC6	C11-N12	5.32	1.45	1.34
2	A	501	HEM	FE-NC	3.50	2.07	1.95
2	A	501	HEM	FE-NB	3.48	2.05	1.94
2	A	501	HEM	FE-NA	3.46	2.06	1.95
2	B	501	HEM	FE-NC	3.31	2.06	1.95
2	B	501	HEM	FE-ND	3.12	2.04	1.94
2	B	501	HEM	FE-NB	2.92	2.03	1.94
2	A	501	HEM	CAC-C3C	2.85	1.55	1.47
2	B	501	HEM	CMB-C2B	2.75	1.56	1.50
2	A	501	HEM	CMD-C2D	2.71	1.56	1.50
2	A	501	HEM	CAB-C3B	2.61	1.54	1.47
2	B	501	HEM	CAB-C3B	2.56	1.54	1.47
2	B	501	HEM	CAC-C3C	2.52	1.54	1.47
2	B	501	HEM	CMD-C2D	2.47	1.56	1.50
2	B	501	HEM	CMA-C3A	2.40	1.55	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	HEM	CMC-C2C	2.27	1.55	1.50
2	A	501	HEM	CMB-C2B	2.25	1.55	1.50
3	A	502[B]	IC6	O24-C11	-2.21	1.18	1.23
2	A	501	HEM	CMA-C3A	2.13	1.55	1.50
3	B	503[A]	IC6	C4-N5	-2.11	1.32	1.37
3	B	503[B]	IC6	O24-C11	-2.08	1.19	1.23
3	B	503[B]	IC6	C4-N5	-2.01	1.32	1.37

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	HEM	C4C-NC-C1C	3.81	109.08	105.35
2	A	501	HEM	CHC-C4B-NB	3.58	128.31	124.42
2	A	501	HEM	C1B-NB-C4B	3.41	108.59	105.07
2	B	501	HEM	C1B-NB-C4B	3.22	108.40	105.07
2	B	501	HEM	C4A-NA-C1A	2.78	108.07	105.35
2	A	501	HEM	C4A-NA-C1A	2.76	108.05	105.35
2	B	501	HEM	C4D-ND-C1D	2.63	107.79	105.07
2	A	501	HEM	C4D-ND-C1D	2.54	107.69	105.07
2	B	501	HEM	CHD-C4C-NC	2.52	127.16	124.44
3	B	503[A]	IC6	C4-N5-C1	2.45	109.74	106.66
2	B	501	HEM	C4C-NC-C1C	2.40	107.70	105.35
2	B	501	HEM	CHC-C4B-NB	2.40	127.02	124.42
2	A	501	HEM	CAD-CBD-CGD	-2.25	108.76	113.60
3	B	503[A]	IC6	O15-C14-C13	2.25	120.87	113.40
2	A	501	HEM	O1D-CGD-CBD	-2.18	116.09	123.08
2	B	501	HEM	C3D-C4D-ND	-2.17	107.75	110.17
2	A	501	HEM	C2A-C1A-NA	-2.13	107.76	110.15
2	B	501	HEM	C2A-C1A-NA	-2.10	107.80	110.15
3	A	502[A]	IC6	O15-C14-C13	2.08	120.33	113.40
2	A	501	HEM	O2D-CGD-CBD	2.07	120.67	114.03
2	A	501	HEM	C2D-C1D-ND	-2.06	107.41	109.88
3	A	502[B]	IC6	C10-C11-N12	2.02	119.33	115.83
2	A	501	HEM	C2B-C1B-NB	-2.01	107.46	109.84
2	B	501	HEM	CAD-CBD-CGD	-2.00	109.29	113.60

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502[B]	IC6	C6-C7-C8-C09
3	B	503[A]	IC6	N5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	503[B]	IC6	C09-C10-C11-N12
3	A	502[B]	IC6	C09-C10-C11-O24
3	A	502[B]	IC6	C09-C10-C11-N12
3	B	503[B]	IC6	N5-C6-C7-C8
3	B	503[B]	IC6	C09-C10-C11-O24
3	B	503[A]	IC6	C10-C09-C8-C7
3	B	503[B]	IC6	C10-C09-C8-C7
3	B	503[B]	IC6	C6-C7-C8-C09
3	B	503[B]	IC6	C8-C09-C10-C11
3	B	503[A]	IC6	C8-C09-C10-C11
3	A	502[B]	IC6	C10-C09-C8-C7
3	A	502[A]	IC6	C10-C09-C8-C7
2	B	501	HEM	CAD-CBD-CGD-O2D
2	A	501	HEM	CAD-CBD-CGD-O2D
2	B	501	HEM	CAD-CBD-CGD-O1D
2	B	501	HEM	CAA-CBA-CGA-O2A
2	A	501	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.

6 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	HEM	5	0
3	B	503[B]	IC6	1	0
2	A	501	HEM	3	0
3	A	502[B]	IC6	2	0
4	B	502	HOA	2	0
5	B	504	MBN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand IC6 A 502 (A)




Ligand HEM B 501




Ligand IC6 B 503 (B)




Ligand HEM A 501






Ligand IC6 A 502 (B)



Ligand MBN A 504







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	454/466 (97%)	0.47	16 (3%) 47 56	16, 24, 43, 60	0
1	B	454/466 (97%)	0.55	24 (5%) 32 39	15, 25, 45, 61	0
All	All	908/932 (97%)	0.51	40 (4%) 39 48	15, 24, 44, 61	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	136	ASP	3.6
1	B	250	ASP	3.4
1	A	136	ASP	3.4
1	A	456	LEU	3.4
1	A	191	ALA	3.3
1	B	225	ALA	3.3
1	B	455	LEU	3.2
1	B	191	ALA	3.0
1	A	158	PHE	2.9
1	A	135	ALA	2.9
1	A	168	ASP	2.9
1	B	302	VAL	2.8
1	B	196	PRO	2.8
1	B	197	ALA	2.8
1	A	219	ILE	2.7
1	B	369	ASP	2.7
1	B	230	SER	2.6
1	B	456	LEU	2.5
1	A	231	ASP	2.5
1	B	384	ALA	2.5
1	A	455	LEU	2.5
1	A	192	ASN	2.4
1	B	168	ASP	2.4
1	B	231	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	193	PRO	2.3
1	A	199	ASP	2.3
1	A	23	ASP	2.3
1	B	194	ASP	2.2
1	B	428	ASN	2.2
1	B	158	PHE	2.2
1	A	45	PRO	2.2
1	B	89	SER	2.2
1	B	3	LYS	2.1
1	B	454	PRO	2.1
1	B	198	TYR	2.1
1	B	385	ILE	2.1
1	A	227	GLY	2.1
1	A	230	SER	2.1
1	B	14	LEU	2.1
1	B	227	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	MBN	B	504	7/7	0.73	0.17	47,51,61,61	0
5	MBN	A	504	7/7	0.76	0.17	42,46,54,55	0
3	IC6	A	502[A]	24/24	0.80	0.14	14,20,25,25	24
3	IC6	A	502[B]	24/24	0.80	0.14	10,23,25,25	24
3	IC6	B	503[A]	24/24	0.85	0.14	16,22,29,30	24
3	IC6	B	503[B]	24/24	0.85	0.14	11,22,29,30	24
4	HOA	B	502	2/2	0.90	0.10	17,17,17,25	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	HOA	A	503	2/2	0.96	0.08	23,23,23,27	0
2	HEM	A	501	43/43	0.97	0.07	13,16,19,24	0
2	HEM	B	501	43/43	0.97	0.08	14,16,21,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MBN B 504:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MBN A 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IC6 A 502 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IC6 A 502 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IC6 B 503 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IC6 B 503 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HOA B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HOA A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.