



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:42 AM UTC

PDB ID : 6Z02 / pdb_00006z02
Title : Photosynthetic Reaction Center From Rhodobacter Sphaeroides strain RV in surfo crystallization
Authors : Gabdulkhakov, A.G.; Selikhanov, G.K.; Fufina, T.Y.; Vasilieva, L.G.; Betzel, C.
Deposited on : 2020-05-07
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	241	91% 9%
2	L	281	6% 89% 11%
3	M	302	2% 91% 8%

2 Entry composition

There are 20 unique types of molecules in this entry. The entry contains 7930 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	240	Total	C	N	O	S	0	3	0
			1848	1183	317	339	9			

- Molecule 2 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	281	Total	C	N	O	S	0	2	0
			2244	1516	356	364	8			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	178	THR	SER	conflict	UNP P0C0Y8


- Molecule 3 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	302	Total	C	N	O	S	0	4	0
			2436	1630	397	399	10			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
M	8	THR	SER	conflict	UNP P0C0Y9

- Molecule 4 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: C₁₄H₃₁NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	H	1	Total	C	N	O	0	0
			16	14	1	1		
4	H	1	Total	C	N	O	0	0
			16	14	1	1		
4	L	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		
4	M	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 5 is DODECANE (CCD ID: D12) (formula: C₁₂H₂₆).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	H	1	Total C 12 12	0	0
5	H	1	Total C 12 12	0	0
5	H	1	Total C 12 12	0	0
5	L	1	Total C 12 12	0	0
5	M	1	Total C 12 12	0	0
5	M	1	Total C 12 12	0	0

- Molecule 6 is PENTADECANE (CCD ID: MYS) (formula: C₁₅H₃₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	H	1	Total	C	0	0
			15	15		
6	L	1	Total	C	0	0
			15	15		
6	M	1	Total	C	0	0
			15	15		

- Molecule 7 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	H	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	M	1	Total	O	P	0	0
			5	4	1		
7	M	1	Total	O	P	0	0
			5	4	1		

- Molecule 8 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	H	1	Total	C	O	0	0
			4	2	2		
8	H	1	Total	C	O	0	0
			4	2	2		
8	H	1	Total	C	O	0	0
			4	2	2		
8	H	1	Total	C	O	0	0
			4	2	2		
8	H	1	Total	C	O	0	0
			4	2	2		
8	L	1	Total	C	O	0	0
			4	2	2		
8	L	1	Total	C	O	0	0
			4	2	2		
8	L	1	Total	C	O	0	0
			4	2	2		
8	L	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	L	1	Total	0	0
			C O		
8	M	1	Total	0	0
			C O		
8	M	1	Total	0	0
			C O		
8	M	1	Total	0	0
			C O		


- Molecule 9 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	H	1	Total	0	0
			Na		

- Molecule 10 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	H	1	Total	0	0
			K		

- Molecule 11 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: C₅₅H₇₄MgN₄O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
11	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 12 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: $C_{55}H_{76}N_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	L	1	Total	C	N	O	0	0
			65	55	4	6		
12	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 13 is UBIQUINONE-10 (CCD ID: U10) (formula: $C_{59}H_{90}O_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	L	1	Total	C	O	0	0
			48	44	4		
13	M	1	Total	C	O	0	0
			48	44	4		

- Molecule 14 is DECANE (CCD ID: D10) (formula: $C_{10}H_{22}$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	L	1	Total	C	0	0
			10	10		

- Molecule 15 is 1,4-DIETHYLENE DIOXIDE (CCD ID: DIO) (formula: $C_4H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
15	L	1	Total	C	O	0	0
			6	4	2		

- Molecule 16 is HEPTANE-1,2,3-TRIOL (CCD ID: HTO) (formula: $C_7H_{16}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
16	L	1	Total	C	O	0	0
			10	7	3		
16	L	1	Total	C	O	0	0
			10	7	3		
16	L	1	Total	C	O	0	0
			9	6	3		

- Molecule 17 is FE (III) ION (CCD ID: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	M	1	Total	Fe	0	0
			1	1		

- Molecule 18 is SPEROIDENONE (CCD ID: SPN) (formula: C₄₁H₇₀O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	M	1	Total	C	O	0	0
			43	41	2		

- Molecule 19 is CARDIOLIPIN (CCD ID: CDL) (formula: C₈₁H₁₅₆O₁₇P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
19	M	1	Total	C	O	P	0	0
			81	62	17	2		

- Molecule 20 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	H	217	Total	O	0	0
			217	217		
20	L	107	Total	O	0	0
			107	107		
20	M	120	Total	O	0	0
			120	120		



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Reaction center protein H chain



- Molecule 2: Reaction center protein L chain



- Molecule 3: Reaction center protein M chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	139.85Å 139.85Å 185.37Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.20 – 2.10 43.20 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.6 (43.20-2.10) 99.6 (43.20-2.10)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.201 , 0.226 0.205 , 0.231	Depositor DCC
R_{free} test set	6085 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	36.1	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 45.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7930	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, DIO, CDL, SPN, EDO, NA, BCL, LDA, MYS, K, D10, BPH, D12, U10, FE, HTO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	0.36	1/1905 (0.1%)	0.49	0/2590
2	L	0.30	0/2335	0.47	0/3196
3	M	0.30	0/2541	0.48	0/3468
All	All	0.32	1/6781 (0.0%)	0.48	0/9254

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	220	LYS	C-O	-6.55	1.16	1.24

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1848	0	1866	18	0
2	L	2244	0	2204	24	0
3	M	2436	0	2362	23	0
4	H	32	0	62	4	0
4	L	16	0	31	0	0
4	M	64	0	124	7	0
5	H	36	0	78	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	L	12	0	26	1	0
5	M	24	0	52	2	0
6	H	15	0	32	1	0
6	L	15	0	32	0	0
6	M	15	0	32	1	0
7	H	5	0	0	0	0
7	M	10	0	0	0	0
8	H	20	0	30	5	0
8	L	20	0	30	0	0
8	M	12	0	18	2	0
9	H	1	0	0	0	0
10	H	1	0	0	0	0
11	L	66	0	74	0	0
11	M	198	0	222	4	0
12	L	65	0	76	0	0
12	M	65	0	76	2	0
13	L	48	0	63	2	0
13	M	48	0	63	0	0
14	L	10	0	22	0	0
15	L	6	0	8	2	0
16	L	29	0	43	3	0
17	M	1	0	0	0	0
18	M	43	0	70	5	0
19	M	81	0	106	6	0
20	H	217	0	0	1	0
20	L	107	0	0	0	0
20	M	120	0	0	1	0
All	All	7930	0	7802	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:H:705:D12:H11	4:M:420:LDA:H121	1.42	0.99
5:H:703:D12:H61	5:H:704:D12:H62	1.68	0.76
1:H:26:GLY:HA3	19:M:414:CDL:H192	1.73	0.70
2:L:49:ILE:HG21	16:L:315:HTO:H11	1.73	0.69
1:H:200:SER:H	8:H:710:EDO:H22	1.60	0.67
1:H:118[A]:ARG:HD3	1:H:120:LEU:HD12	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:219:LEU:O	3:M:132:ARG:NH1	2.27	0.66
2:L:52:SER:HB2	2:L:85:LEU:HD13	1.78	0.65
1:H:22:ILE:HG23	19:M:414:CDL:H222	1.80	0.63
3:M:229:PHE:HB2	3:M:244:ALA:HB2	1.79	0.62
2:L:69:PRO:HG2	2:L:142:TRP:HB2	1.82	0.62
11:M:401:BCL:CAB	18:M:407:SPN:H162	2.30	0.60
3:M:161:GLY:HA3	18:M:407:SPN:H201	1.85	0.59
2:L:266:TRP:CD2	15:L:308:DIO:H1'2	2.40	0.57
1:H:70:ARG:O	1:H:118[A]:ARG:NH2	2.37	0.57
2:L:224:ILE:H	13:L:303:U10:H103	1.70	0.57
5:H:703:D12:H102	19:M:414:CDL:H232	1.89	0.55
11:M:401:BCL:H62	11:M:402:BCL:H202	1.90	0.54
1:H:21:TRP:HZ2	4:H:701:LDA:HM11	1.73	0.53
3:M:13:ARG:HH12	4:M:410:LDA:H22	1.73	0.53
3:M:2[A]:GLU:HG3	5:M:413:D12:H22	1.92	0.52
3:M:278:LEU:HD21	19:M:414:CDL:H382	1.92	0.52
3:M:157:TRP:CE2	18:M:407:SPN:HM73	2.45	0.52
1:H:29:TYR:CE1	5:H:704:D12:H102	2.45	0.51
4:H:701:LDA:H82	5:H:705:D12:H13	1.93	0.51
2:L:193:LEU:HD23	13:L:303:U10:C2	2.40	0.51
3:M:66:TRP:CD1	3:M:122:MET:HB2	2.47	0.49
2:L:202:LYS:HD3	2:L:203:GLY:N	2.27	0.49
3:M:63:GLY:HA3	12:M:404:BPH:H5C1	1.94	0.49
2:L:202:LYS:HD3	2:L:202:LYS:C	2.38	0.49
3:M:59:SER:HB2	3:M:128:SER:OG	2.12	0.49
1:H:194:GLN:HE22	8:M:417:EDO:H22	1.78	0.49
2:L:211:HIS:CE1	3:M:20:MET:HE2	2.48	0.48
4:M:410:LDA:HM21	4:M:410:LDA:H21	1.66	0.48
4:H:702:LDA:HM11	4:H:702:LDA:H22	1.52	0.48
3:M:144:LYS:N	19:M:414:CDL:OB3	2.28	0.47
3:M:101:TYR:O	3:M:104:SER:HB3	2.13	0.47
2:L:91:ILE:HG12	5:L:305:D12:H42	1.96	0.47
12:M:404:BPH:HBB3	12:M:404:BPH:HMB3	1.97	0.47
2:L:38:THR:HG21	2:L:100:TRP:HE3	1.80	0.47
1:H:45:GLU:HG3	1:H:94[A]:GLU:OE1	2.16	0.46
1:H:89:ARG:NH2	1:H:94[A]:GLU:HG2	2.31	0.45
3:M:3:TYR:CZ	3:M:5:ASN:HA	2.51	0.45
1:H:128:HIS:ND1	8:H:709:EDO:H12	2.32	0.45
3:M:122:MET:HE1	11:M:401:BCL:HBB3	1.99	0.45
1:H:132:LYS:NZ	8:H:709:EDO:H11	2.32	0.45
3:M:67:PHE:CE1	18:M:407:SPN:H61	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:272:TRP:CD1	3:M:87:ARG:HG3	2.52	0.44
3:M:35:PHE:HB2	4:M:410:LDA:H51	2.00	0.44
2:L:135:ARG:HB3	2:L:136:PRO:HD3	1.99	0.44
3:M:52[B]:LEU:HD23	3:M:52[B]:LEU:HA	1.83	0.43
16:L:314:HTO:H12	16:L:314:HTO:H42	1.71	0.43
11:M:401:BCL:H141	18:M:407:SPN:H101	2.01	0.43
4:H:702:LDA:H41	4:M:420:LDA:HM11	2.00	0.43
1:H:122:GLU:HB2	1:H:227:LEU:HD21	1.99	0.43
2:L:272:TRP:HA	2:L:275:ILE:HG13	2.01	0.43
2:L:18:GLY:O	2:L:21[B]:LEU:HB2	2.19	0.43
2:L:266:TRP:CE3	15:L:308:DIO:H1'2	2.54	0.43
1:H:60:LYS:H	1:H:60:LYS:HD2	1.84	0.42
2:L:22:PHE:HA	2:L:24:PHE:CE2	2.55	0.42
1:H:199:GLN:HE21	8:H:710:EDO:H12	1.85	0.42
2:L:51:TRP:C	2:L:53:ALA:N	2.78	0.42
2:L:55:LEU:HD13	2:L:81:ALA:HB2	2.01	0.42
1:H:42:LEU:HB3	2:L:1:ALA:HB1	2.00	0.42
2:L:249:ILE:HD12	2:L:249:ILE:HA	1.93	0.42
3:M:167:LEU:HD13	5:M:412:D12:H31	2.02	0.42
6:M:411:MYS:H51	6:M:411:MYS:H22	1.78	0.42
4:M:409:LDA:H91	4:M:409:LDA:H61	1.86	0.41
1:H:199:GLN:NE2	8:H:710:EDO:H12	2.35	0.41
2:L:54:VAL:CG1	2:L:59:TRP:HE1	2.33	0.41
3:M:2[A]:GLU:OE1	20:M:501:HOH:O	2.21	0.41
1:H:177:ARG:HB3	8:M:417:EDO:H21	2.03	0.41
4:M:420:LDA:H122	4:M:420:LDA:H91	1.93	0.41
3:M:72:ILE:HD13	3:M:72:ILE:HA	1.93	0.41
6:H:706:MYS:H152	16:L:315:HTO:H71	2.03	0.41
20:H:910:HOH:O	19:M:414:CDL:HA32	2.21	0.41
3:M:132:ARG:O	3:M:136:ARG:HG2	2.21	0.41
2:L:51:TRP:C	2:L:53:ALA:H	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	241/241 (100%)	239 (99%)	2 (1%)	0	100	100
2	L	281/281 (100%)	274 (98%)	6 (2%)	1 (0%)	30	28
3	M	304/302 (101%)	292 (96%)	12 (4%)	0	100	100
All	All	826/824 (100%)	805 (98%)	20 (2%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	L	52	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	198/196 (101%)	198 (100%)	0	100	100
2	L	222/220 (101%)	222 (100%)	0	100	100
3	M	240/236 (102%)	238 (99%)	2 (1%)	73	81
All	All	660/652 (101%)	658 (100%)	2 (0%)	87	91

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	M	52[A]	LEU
3	M	52[B]	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	44	ASN
1	H	199	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	258	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 50 ligands modelled in this entry, 3 are monoatomic - leaving 47 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	LDA	M	410	-	13,15,15	2.24	2 (15%)	14,17,17	0.61	0
6	MYS	M	411	-	14,14,14	0.29	0	13,13,13	0.51	0
8	EDO	H	708	-	3,3,3	0.49	0	2,2,2	0.30	0
8	EDO	L	309	-	3,3,3	0.44	0	2,2,2	0.46	0
4	LDA	H	701	-	13,15,15	2.10	2 (15%)	14,17,17	0.74	0
8	EDO	L	312	-	3,3,3	0.39	0	2,2,2	0.53	0
8	EDO	H	709	-	3,3,3	0.49	0	2,2,2	0.37	0
11	BCL	M	403	-	69,74,74	1.13	3 (4%)	79,115,115	1.41	8 (10%)
4	LDA	L	304	-	13,15,15	2.39	2 (15%)	14,17,17	0.43	0
12	BPH	L	302	-	59,70,70	1.20	6 (10%)	59,101,101	1.92	9 (15%)
11	BCL	M	401	-	69,74,74	1.22	7 (10%)	79,115,115	1.48	13 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	EDO	H	710	-	3,3,3	0.49	0	2,2,2	0.41	0
8	EDO	L	310	-	3,3,3	0.44	0	2,2,2	0.35	0
8	EDO	L	313	-	3,3,3	0.48	0	2,2,2	0.29	0
8	EDO	M	418	-	3,3,3	0.60	0	2,2,2	0.15	0
16	HTO	L	314	-	9,9,9	0.27	0	10,10,10	0.87	0
18	SPN	M	407	-	42,42,42	0.59	1 (2%)	50,52,52	1.64	10 (20%)
16	HTO	L	316	-	8,8,9	0.58	0	9,9,10	0.86	0
5	D12	H	703	-	11,11,11	0.30	0	10,10,10	0.51	0
6	MYS	H	706	-	14,14,14	0.27	0	13,13,13	0.54	0
7	PO4	H	707	-	4,4,4	0.89	0	6,6,6	0.41	0
4	LDA	M	420	-	13,15,15	2.33	2 (15%)	14,17,17	0.71	0
8	EDO	M	417	-	3,3,3	0.40	0	2,2,2	0.75	0
5	D12	M	413	-	11,11,11	0.27	0	10,10,10	0.55	0
12	BPH	M	404	-	59,70,70	1.20	6 (10%)	59,101,101	2.13	14 (23%)
13	U10	M	406	-	48,48,63	2.66	13 (27%)	60,61,79	1.66	12 (20%)
8	EDO	H	711	-	3,3,3	0.45	0	2,2,2	0.45	0
8	EDO	H	712	-	3,3,3	0.46	0	2,2,2	0.48	0
8	EDO	L	311	-	3,3,3	0.50	0	2,2,2	0.22	0
5	D12	L	305	-	11,11,11	0.28	0	10,10,10	0.50	0
5	D12	M	412	-	11,11,11	0.29	0	10,10,10	0.51	0
5	D12	H	705	-	11,11,11	0.23	0	10,10,10	0.71	0
4	LDA	M	409	-	13,15,15	2.32	2 (15%)	14,17,17	0.56	0
11	BCL	L	301	-	69,74,74	1.30	7 (10%)	79,115,115	1.27	8 (10%)
15	DIO	L	308	-	6,6,6	0.56	0	6,6,6	0.46	0
8	EDO	M	419	-	3,3,3	0.37	0	2,2,2	0.62	0
4	LDA	M	408	-	13,15,15	2.30	2 (15%)	14,17,17	0.56	0
14	D10	L	307	-	9,9,9	0.27	0	8,8,8	0.56	0
6	MYS	L	306	-	14,14,14	0.32	0	13,13,13	0.41	0
19	CDL	M	414	-	80,80,99	1.06	4 (5%)	86,92,111	1.19	8 (9%)
4	LDA	H	702	-	13,15,15	2.21	2 (15%)	14,17,17	0.46	0
5	D12	H	704	-	11,11,11	0.34	0	10,10,10	0.40	0
7	PO4	M	415	-	4,4,4	0.91	0	6,6,6	0.46	0
11	BCL	M	402	-	69,74,74	1.33	8 (11%)	79,115,115	1.40	10 (12%)
7	PO4	M	416	-	4,4,4	0.85	0	6,6,6	0.60	0
16	HTO	L	315	-	9,9,9	0.24	0	10,10,10	1.27	1 (10%)
13	U10	L	303	-	48,48,63	2.67	13 (27%)	60,61,79	1.85	17 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	LDA	M	410	-	-	10/13/13/13	-
6	MYS	M	411	-	-	5/12/12/12	-
8	EDO	H	708	-	-	0/1/1/1	-
8	EDO	L	309	-	-	1/1/1/1	-
4	LDA	H	701	-	-	4/13/13/13	-
8	EDO	L	312	-	-	1/1/1/1	-
8	EDO	H	709	-	-	0/1/1/1	-
11	BCL	M	403	-	-	0/41/137/137	-
4	LDA	L	304	-	-	2/13/13/13	-
12	BPH	L	302	-	-	4/37/105/105	0/5/6/6
11	BCL	M	401	-	-	4/41/137/137	-
8	EDO	H	710	-	-	0/1/1/1	-
8	EDO	L	310	-	-	0/1/1/1	-
8	EDO	L	313	-	-	0/1/1/1	-
8	EDO	M	418	-	-	0/1/1/1	-
16	HTO	L	314	-	-	3/10/10/10	-
18	SPN	M	407	-	-	17/50/51/51	-
16	HTO	L	316	-	-	5/9/9/10	-
5	D12	H	703	-	-	2/9/9/9	-
6	MYS	H	706	-	-	2/12/12/12	-
4	LDA	M	420	-	-	9/13/13/13	-
8	EDO	M	417	-	-	0/1/1/1	-
5	D12	M	413	-	-	6/9/9/9	-
12	BPH	M	404	-	-	9/37/105/105	0/5/6/6
13	U10	M	406	-	-	13/45/69/87	0/1/1/1
8	EDO	H	711	-	-	0/1/1/1	-
8	EDO	H	712	-	-	0/1/1/1	-
8	EDO	L	311	-	-	0/1/1/1	-
5	D12	L	305	-	-	2/9/9/9	-
5	D12	M	412	-	-	4/9/9/9	-
5	D12	H	705	-	-	3/9/9/9	-
4	LDA	M	409	-	-	10/13/13/13	-
11	BCL	L	301	-	-	0/41/137/137	-
15	DIO	L	308	-	-	-	0/1/1/1
8	EDO	M	419	-	-	0/1/1/1	-
4	LDA	M	408	-	-	3/13/13/13	-
14	D10	L	307	-	-	2/7/7/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MYS	L	306	-	-	2/12/12/12	-
19	CDL	M	414	-	-	26/91/91/110	-
4	LDA	H	702	-	-	4/13/13/13	-
5	D12	H	704	-	-	0/9/9/9	-
11	BCL	M	402	-	-	2/41/137/137	-
16	HTO	L	315	-	-	3/10/10/10	-
13	U10	L	303	-	-	18/45/69/87	0/1/1/1

All (82) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	M	409	LDA	O1-N1	-6.77	1.25	1.42
4	L	304	LDA	O1-N1	-6.76	1.25	1.42
4	H	701	LDA	O1-N1	-6.63	1.25	1.42
4	M	420	LDA	O1-N1	-6.61	1.25	1.42
4	M	410	LDA	O1-N1	-6.54	1.26	1.42
4	M	408	LDA	O1-N1	-6.52	1.26	1.42
4	H	702	LDA	O1-N1	-6.50	1.26	1.42
13	M	406	U10	C33-C34	6.45	1.47	1.33
13	L	303	U10	C18-C19	6.45	1.47	1.33
13	M	406	U10	C13-C14	6.42	1.47	1.33
13	L	303	U10	C23-C24	6.27	1.47	1.33
13	L	303	U10	C33-C34	6.25	1.47	1.33
13	L	303	U10	C13-C14	6.22	1.47	1.33
13	M	406	U10	C8-C9	6.19	1.47	1.33
13	M	406	U10	C28-C29	6.14	1.47	1.33
13	M	406	U10	C18-C19	6.13	1.47	1.33
13	L	303	U10	C28-C29	6.13	1.47	1.33
13	M	406	U10	C23-C24	6.12	1.47	1.33
13	L	303	U10	C8-C9	6.06	1.47	1.33
11	M	402	BCL	MG-NA	5.52	2.19	2.06
4	L	304	LDA	C1-N1	-5.23	1.46	1.51
13	L	303	U10	O4-C4	-5.14	1.24	1.36
4	M	420	LDA	C1-N1	-5.13	1.46	1.51
13	L	303	U10	C38-C39	5.09	1.47	1.32
4	M	408	LDA	C1-N1	-5.01	1.46	1.51
13	M	406	U10	C38-C39	4.97	1.47	1.32
11	L	301	BCL	MG-NA	4.90	2.17	2.06
4	M	409	LDA	C1-N1	-4.79	1.46	1.51
4	M	410	LDA	C1-N1	-4.60	1.46	1.51
13	M	406	U10	O4-C4	-4.52	1.25	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	M	406	U10	O3-C3	-4.51	1.25	1.36
4	H	702	LDA	C1-N1	-4.49	1.46	1.51
13	L	303	U10	O3-C3	-4.44	1.26	1.36
19	M	414	CDL	OA8-CA7	4.43	1.46	1.33
19	M	414	CDL	OA6-CA5	4.41	1.46	1.34
11	M	401	BCL	MG-NA	4.30	2.16	2.06
19	M	414	CDL	OB6-CB5	4.19	1.46	1.34
11	M	402	BCL	MG-NC	4.09	2.16	2.06
19	M	414	CDL	OB8-CB7	4.03	1.45	1.33
11	L	301	BCL	MG-NC	3.59	2.14	2.06
11	M	401	BCL	C3B-C4B	3.51	1.48	1.41
11	L	301	BCL	C3B-C4B	3.51	1.48	1.41
12	L	302	BPH	CBD-CGD	-3.48	1.48	1.52
12	M	404	BPH	CBD-CGD	-3.37	1.48	1.52
11	M	402	BCL	C3B-C4B	3.27	1.47	1.41
4	H	701	LDA	C1-N1	-3.25	1.48	1.51
12	M	404	BPH	C1B-C2B	3.22	1.43	1.39
12	L	302	BPH	C3D-CAD	-3.16	1.41	1.47
11	M	403	BCL	MG-NA	3.14	2.13	2.06
11	M	403	BCL	C3B-C4B	3.05	1.47	1.41
13	M	406	U10	C6-C1	3.01	1.40	1.35
13	L	303	U10	C4-C5	-2.95	1.40	1.48
12	L	302	BPH	CHA-CBD	2.91	1.55	1.51
13	M	406	U10	C4-C5	-2.88	1.40	1.48
18	M	407	SPN	C1-C2	-2.86	1.51	1.53
13	L	303	U10	C3-C2	-2.84	1.40	1.48
11	M	402	BCL	CHD-C1D	2.81	1.43	1.38
11	M	401	BCL	MG-NC	2.80	2.12	2.06
11	M	402	BCL	C1D-ND	2.73	1.41	1.37
12	M	404	BPH	C3D-CAD	-2.70	1.42	1.47
11	M	401	BCL	OBD-CAD	2.66	1.27	1.22
12	M	404	BPH	C3B-C4B	2.52	1.45	1.41
12	L	302	BPH	C1D-C2D	2.51	1.42	1.39
11	L	301	BCL	OBD-CAD	2.51	1.26	1.22
12	L	302	BPH	OBD-CAD	2.48	1.25	1.22
11	L	301	BCL	CHD-C1D	2.47	1.43	1.38
11	M	401	BCL	CHD-C1D	2.43	1.43	1.38
13	M	406	U10	C3-C2	-2.40	1.41	1.48
12	L	302	BPH	C3B-C4B	2.38	1.45	1.41
11	L	301	BCL	C1D-ND	2.34	1.40	1.37
13	L	303	U10	C6-C5	-2.30	1.40	1.46
11	M	401	BCL	C1D-ND	2.30	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	M	403	BCL	OBD-CAD	2.29	1.26	1.22
12	M	404	BPH	C4D-CHA	2.26	1.42	1.39
13	L	303	U10	C6-C1	2.13	1.39	1.35
12	M	404	BPH	C1D-C2D	2.09	1.41	1.39
11	M	401	BCL	C1B-NB	2.09	1.40	1.37
11	M	402	BCL	CBD-CGD	-2.03	1.46	1.52
11	M	402	BCL	C3D-C4D	-2.02	1.39	1.44
13	M	406	U10	C1-C2	-2.01	1.40	1.47
11	M	402	BCL	C1-C2	2.01	1.54	1.49
11	L	301	BCL	C3D-C4D	-2.00	1.39	1.44

All (110) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	L	302	BPH	C4D-CHA-CBD	-10.58	103.38	108.45
12	M	404	BPH	C4D-CHA-CBD	-10.28	103.53	108.45
11	M	402	BCL	C4D-CHA-C1A	5.54	127.85	121.24
19	M	414	CDL	OA6-CA5-C11	5.25	122.83	111.48
11	M	403	BCL	C4D-CHA-C1A	4.99	127.20	121.24
11	M	401	BCL	C4D-CHA-C1A	4.95	127.15	121.24
11	L	301	BCL	C4D-CHA-C1A	4.78	126.95	121.24
11	M	403	BCL	C1D-ND-C4D	-4.35	103.26	106.31
11	M	402	BCL	C4A-NA-C1A	4.32	108.65	106.68
13	M	406	U10	C22-C23-C24	-4.06	118.32	127.62
13	L	303	U10	C1M-C1-C6	-4.04	117.81	124.45
12	M	404	BPH	C1-C2-C3	-4.02	119.62	126.20
13	M	406	U10	C17-C18-C19	-3.99	118.49	127.62
13	L	303	U10	C22-C23-C24	-3.96	118.55	127.62
11	M	401	BCL	CHD-C1D-ND	-3.93	119.27	124.80
12	M	404	BPH	C11-C10-C8	3.90	128.92	115.97
11	M	401	BCL	C6-C7-C8	3.90	128.92	115.97
11	M	403	BCL	CHD-C1D-ND	-3.82	119.43	124.80
18	M	407	SPN	CM5-C13-C14	3.82	121.85	115.23
12	L	302	BPH	C4D-ND-C1D	-3.81	104.31	108.87
12	M	404	BPH	C4D-ND-C1D	-3.80	104.32	108.87
13	M	406	U10	C32-C33-C34	-3.74	119.06	127.62
13	L	303	U10	C7-C8-C9	-3.72	120.42	126.83
18	M	407	SPN	CM6-C18-C17	3.72	121.68	115.23
18	M	407	SPN	CM3-C5-C6	3.65	121.57	115.23
13	L	303	U10	C7-C6-C1	-3.65	118.64	124.89
13	M	406	U10	C30-C29-C31	3.53	121.36	115.23
12	M	404	BPH	O2D-CGD-CBD	3.53	114.83	110.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	M	407	SPN	CM4-C9-C10	3.50	121.30	115.23
13	L	303	U10	C32-C33-C34	-3.49	119.64	127.62
19	M	414	CDL	OB6-CB5-C51	3.43	118.91	111.48
12	M	404	BPH	OBD-CAD-CBD	-3.37	120.87	125.82
11	M	401	BCL	C1D-ND-C4D	-3.35	103.96	106.31
11	M	402	BCL	CHD-C1D-ND	-3.33	120.11	124.80
11	M	402	BCL	CHA-C1A-NA	-3.32	118.87	126.39
11	L	301	BCL	CHD-C1D-ND	-3.29	120.17	124.80
11	L	301	BCL	C1D-ND-C4D	-3.27	104.02	106.31
18	M	407	SPN	C3-C4-C5	-3.24	121.24	126.83
12	L	302	BPH	C3D-C4D-ND	3.24	111.86	107.71
12	M	404	BPH	C3D-C4D-ND	3.17	111.77	107.71
11	L	301	BCL	C2A-C1A-CHA	3.15	129.34	123.87
11	M	403	BCL	C1-C2-C3	-3.14	121.05	126.20
13	L	303	U10	C35-C34-C36	3.12	120.65	115.23
13	M	406	U10	C27-C28-C29	-3.12	120.48	127.62
13	L	303	U10	C12-C13-C14	-3.12	120.48	127.62
19	M	414	CDL	CA4-OA6-CA5	-3.08	110.42	117.80
11	M	402	BCL	C1D-ND-C4D	-3.07	104.16	106.31
11	L	301	BCL	CHA-C1A-NA	-3.06	119.45	126.39
11	M	401	BCL	CHA-C1A-NA	-3.03	119.53	126.39
11	M	403	BCL	CHA-C1A-NA	-2.97	119.67	126.39
11	M	402	BCL	C2A-C1A-CHA	2.96	129.01	123.87
13	L	303	U10	C15-C14-C16	2.96	120.36	115.23
19	M	414	CDL	OA8-CA7-C31	2.94	120.80	111.83
13	M	406	U10	C15-C14-C16	2.84	120.15	115.23
16	L	315	HTO	O1-C1-C2	-2.84	105.20	111.16
13	L	303	U10	C17-C18-C19	-2.84	121.13	127.62
12	M	404	BPH	C15-C13-C12	-2.83	97.75	112.07
19	M	414	CDL	OB8-CB7-C71	2.82	120.44	111.83
13	M	406	U10	C35-C34-C36	2.80	120.08	115.23
11	M	401	BCL	C2A-C1A-CHA	2.75	128.64	123.87
13	L	303	U10	C3M-O3-C3	2.75	126.13	116.47
12	L	302	BPH	O2D-CGD-CBD	2.74	113.95	110.95
13	L	303	U10	C10-C9-C11	2.73	119.96	115.23
13	L	303	U10	C25-C24-C26	2.72	119.95	115.23
13	L	303	U10	C30-C29-C31	2.64	119.81	115.23
12	L	302	BPH	OBD-CAD-CBD	-2.62	121.98	125.82
18	M	407	SPN	C24-C25-C26	-2.61	121.65	127.62
19	M	414	CDL	OA6-CA5-OA7	-2.57	117.69	123.70
11	M	403	BCL	C2A-C1A-CHA	2.55	128.29	123.87
13	L	303	U10	C27-C28-C29	-2.53	121.83	127.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	M	406	U10	C25-C24-C26	2.52	119.61	115.23
13	M	406	U10	C41-C39-C40	2.52	120.39	114.59
12	L	302	BPH	C1-C2-C3	-2.51	122.08	126.20
19	M	414	CDL	OB8-CB7-OB9	-2.51	117.36	123.63
12	L	302	BPH	CMB-C2B-C3B	2.44	129.55	124.68
13	M	406	U10	C20-C19-C21	2.41	119.41	115.23
12	L	302	BPH	C2D-C1D-ND	2.39	111.15	109.43
11	M	401	BCL	CMB-C2B-C1B	-2.38	121.80	125.42
12	M	404	BPH	C2D-C1D-ND	2.37	111.14	109.43
13	M	406	U10	C10-C9-C11	2.36	119.33	115.23
12	L	302	BPH	O2D-CGD-O1D	-2.34	119.30	123.85
13	M	406	U10	C37-C38-C39	-2.33	119.89	127.64
11	M	403	BCL	O2A-CGA-O1A	-2.31	117.85	123.63
12	M	404	BPH	CMD-C2D-C3D	2.30	129.28	124.68
11	M	401	BCL	C1C-NC-C4C	2.29	107.72	106.68
13	L	303	U10	C20-C19-C21	2.27	119.17	115.23
18	M	407	SPN	CM8-C26-C27	2.26	119.16	115.23
12	M	404	BPH	C6-C7-C8	-2.26	108.45	115.97
11	M	403	BCL	OBB-CAB-CBB	-2.26	114.71	119.77
12	M	404	BPH	O2D-CGD-O1D	-2.25	119.46	123.85
18	M	407	SPN	C11-C12-C13	-2.24	122.50	127.62
13	L	303	U10	O5-C5-C6	-2.23	117.48	121.79
11	L	301	BCL	OBB-CAB-CBB	-2.21	114.82	119.77
11	M	401	BCL	OBB-CAB-CBB	-2.20	114.83	119.77
11	L	301	BCL	CMB-C2B-C1B	-2.20	122.07	125.42
12	M	404	BPH	CMB-C2B-C3B	2.19	129.06	124.68
11	M	401	BCL	CAB-C3B-C2B	2.17	132.25	127.74
11	M	402	BCL	CMB-C2B-C1B	-2.15	122.14	125.42
11	M	401	BCL	C16-C15-C13	2.15	123.11	115.97
11	M	402	BCL	CAB-C3B-C2B	2.15	132.21	127.74
18	M	407	SPN	C28-C29-C30	-2.15	120.49	127.64
18	M	407	SPN	CMB-C30-CM9	2.12	119.48	114.59
12	M	404	BPH	C17-C16-C15	-2.12	103.79	113.28
11	M	402	BCL	OBB-CAB-CBB	-2.09	115.09	119.77
11	M	402	BCL	C1C-NC-C4C	2.06	107.62	106.68
11	M	401	BCL	C1-O2A-CGA	2.04	121.60	116.65
13	L	303	U10	C41-C39-C40	2.04	119.29	114.59
11	L	301	BCL	C4A-NA-C1A	2.02	107.60	106.68
11	M	401	BCL	O2D-CGD-O1D	-2.01	119.94	123.85
19	M	414	CDL	OA8-CA7-OA9	-2.00	118.62	123.63

There are no chirality outliers.

All (176) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	M	409	LDA	C2-C1-N1-O1
4	M	409	LDA	C2-C1-N1-CM1
4	M	409	LDA	C2-C1-N1-CM2
4	M	410	LDA	C2-C1-N1-O1
4	M	410	LDA	C2-C1-N1-CM1
4	M	410	LDA	C2-C1-N1-CM2
4	M	410	LDA	N1-C1-C2-C3
4	M	420	LDA	C2-C1-N1-O1
4	M	420	LDA	C2-C1-N1-CM2
16	L	316	HTO	C1-C2-C3-O3
16	L	316	HTO	C1-C2-C3-C4
16	L	316	HTO	O2-C2-C3-O3
16	L	316	HTO	O2-C2-C3-C4
16	L	316	HTO	C3-C4-C5-C6
18	M	407	SPN	CM1-C1-O1-CMA
18	M	407	SPN	C2-C1-O1-CMA
18	M	407	SPN	CM5-C13-C14-C15
19	M	414	CDL	CA2-OA2-PA1-OA4
19	M	414	CDL	CA3-OA5-PA1-OA2
19	M	414	CDL	CA3-OA5-PA1-OA3
19	M	414	CDL	CA3-OA5-PA1-OA4
19	M	414	CDL	CB2-OB2-PB2-OB3
19	M	414	CDL	CB2-OB2-PB2-OB5
19	M	414	CDL	CB3-OB5-PB2-OB2
19	M	414	CDL	CB3-OB5-PB2-OB3
18	M	407	SPN	C12-C13-C14-C15
16	L	315	HTO	O1-C1-C2-O2
13	L	303	U10	C12-C13-C14-C15
13	L	303	U10	C12-C13-C14-C16
18	M	407	SPN	C16-C17-C18-CM6
18	M	407	SPN	C4-C5-C6-C7
18	M	407	SPN	C16-C17-C18-C19
13	L	303	U10	C29-C31-C32-C33
13	M	406	U10	C24-C26-C27-C28
13	M	406	U10	C27-C28-C29-C30
18	M	407	SPN	CM3-C5-C6-C7
18	M	407	SPN	C11-C10-C9-CM4
18	M	407	SPN	C11-C10-C9-C8
12	M	404	BPH	C14-C13-C15-C16
18	M	407	SPN	C14-C15-C16-C17
13	L	303	U10	C27-C28-C29-C30
13	M	406	U10	C32-C33-C34-C35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	M	410	LDA	C11-C10-C9-C8
16	L	315	HTO	O1-C1-C2-C3
11	M	401	BCL	C8-C10-C11-C12
12	M	404	BPH	C13-C15-C16-C17
13	M	406	U10	C37-C38-C39-C40
4	M	408	LDA	C4-C5-C6-C7
4	M	420	LDA	C2-C3-C4-C5
5	M	413	D12	C6-C7-C8-C9
6	L	306	MYS	C2-C3-C4-C5
5	M	412	D12	C5-C6-C7-C8
4	M	409	LDA	C7-C8-C9-C10
6	H	706	MYS	C11-C10-C9-C8
4	M	420	LDA	C4-C5-C6-C7
19	M	414	CDL	C36-C37-C38-C39
4	M	420	LDA	C9-C10-C11-C12
4	M	420	LDA	C7-C8-C9-C10
6	M	411	MYS	C6-C7-C8-C9
4	H	701	LDA	C1-C2-C3-C4
4	M	420	LDA	C5-C6-C7-C8
5	H	705	D12	C3-C4-C5-C6
4	L	304	LDA	C3-C4-C5-C6
4	M	409	LDA	C1-C2-C3-C4
4	M	408	LDA	C7-C8-C9-C10
6	M	411	MYS	C5-C6-C7-C8
5	H	703	D12	C5-C6-C7-C8
19	M	414	CDL	CA5-C11-C12-C13
5	H	705	D12	C2-C3-C4-C5
13	L	303	U10	C9-C11-C12-C13
4	H	702	LDA	C1-C2-C3-C4
19	M	414	CDL	CB7-C71-C72-C73
13	M	406	U10	C37-C38-C39-C41
11	M	401	BCL	C11-C12-C13-C15
5	H	703	D12	C6-C7-C8-C9
19	M	414	CDL	CA3-CA4-CA6-OA8
19	M	414	CDL	C53-C54-C55-C56
5	M	413	D12	C5-C6-C7-C8
4	H	702	LDA	C7-C8-C9-C10
13	M	406	U10	C32-C33-C34-C36
5	H	705	D12	C7-C8-C9-C10
6	M	411	MYS	C1-C2-C3-C4
16	L	314	HTO	C4-C5-C6-C7
18	M	407	SPN	CM2-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
18	M	407	SPN	CM2-C1-C2-C3
4	M	409	LDA	C4-C5-C6-C7
13	L	303	U10	C24-C26-C27-C28
6	M	411	MYS	C2-C3-C4-C5
4	M	410	LDA	C4-C5-C6-C7
19	M	414	CDL	O1-C1-CA2-OA2
14	L	307	D10	C3-C4-C5-C6
4	M	410	LDA	C7-C8-C9-C10
19	M	414	CDL	C12-C13-C14-C15
5	M	413	D12	C7-C8-C9-C10
13	L	303	U10	C34-C36-C37-C38
18	M	407	SPN	O1-C1-C2-O2
4	L	304	LDA	C1-C2-C3-C4
4	M	410	LDA	C1-C2-C3-C4
13	M	406	U10	C27-C28-C29-C31
19	M	414	CDL	CB2-C1-CA2-OA2
19	M	414	CDL	C71-C72-C73-C74
12	M	404	BPH	C5-C6-C7-C8
12	M	404	BPH	C12-C13-C15-C16
19	M	414	CDL	C19-C20-C21-C22
4	M	409	LDA	C5-C6-C7-C8
5	M	412	D12	C3-C4-C5-C6
13	M	406	U10	C29-C31-C32-C33
4	M	409	LDA	C11-C10-C9-C8
4	M	420	LDA	C2-C1-N1-CM1
16	L	315	HTO	C1-C2-C3-O3
16	L	314	HTO	O1-C1-C2-O2
13	L	303	U10	C27-C28-C29-C31
14	L	307	D10	C4-C5-C6-C7
18	M	407	SPN	C21-C22-C23-C24
5	L	305	D12	C9-C10-C11-C12
12	L	302	BPH	C4-C3-C5-C6
5	M	413	D12	C1-C2-C3-C4
5	M	412	D12	C2-C3-C4-C5
13	L	303	U10	C37-C38-C39-C40
8	L	309	EDO	O1-C1-C2-O2
13	L	303	U10	C5-C4-O4-C4M
18	M	407	SPN	CM2-C1-O1-CMA
6	L	306	MYS	C5-C6-C7-C8
12	M	404	BPH	C4-C3-C5-C6
5	L	305	D12	C11-C10-C9-C8
12	L	302	BPH	C2-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	M	410	LDA	C9-C10-C11-C12
19	M	414	CDL	OA6-CA4-CA6-OA8
8	L	312	EDO	O1-C1-C2-O2
13	L	303	U10	C37-C38-C39-C41
4	M	410	LDA	C2-C3-C4-C5
19	M	414	CDL	C74-C75-C76-C77
13	M	406	U10	C25-C24-C26-C27
12	M	404	BPH	C2-C3-C5-C6
5	M	413	D12	C3-C4-C5-C6
13	M	406	U10	C5-C4-O4-C4M
12	M	404	BPH	C11-C10-C8-C9
12	M	404	BPH	C10-C11-C12-C13
4	M	408	LDA	C5-C6-C7-C8
13	L	303	U10	C20-C19-C21-C22
4	M	420	LDA	C3-C4-C5-C6
13	M	406	U10	C34-C36-C37-C38
13	M	406	U10	C23-C24-C26-C27
11	M	401	BCL	C4-C3-C5-C6
13	L	303	U10	C35-C34-C36-C37
4	H	702	LDA	C9-C10-C11-C12
4	H	701	LDA	C11-C10-C9-C8
19	M	414	CDL	OA7-CA5-OA6-CA4
13	L	303	U10	C15-C14-C16-C17
12	M	404	BPH	C15-C16-C17-C18
11	M	402	BCL	CAA-CBA-CGA-O2A
13	L	303	U10	C18-C19-C21-C22
13	L	303	U10	C33-C34-C36-C37
12	L	302	BPH	O2A-C1-C2-C3
4	M	409	LDA	C9-C10-C11-C12
5	M	413	D12	C11-C10-C9-C8
6	H	706	MYS	C2-C3-C4-C5
13	M	406	U10	C3-C4-O4-C4M
16	L	314	HTO	C1-C2-C3-O3
13	L	303	U10	C30-C29-C31-C32
13	L	303	U10	C28-C29-C31-C32
19	M	414	CDL	C11-CA5-OA6-CA4
4	M	409	LDA	C6-C7-C8-C9
19	M	414	CDL	OA5-CA3-CA4-CA6
11	M	401	BCL	C2-C1-O2A-CGA
19	M	414	CDL	C72-C71-CB7-OB8
6	M	411	MYS	C7-C8-C9-C10
18	M	407	SPN	CM7-C22-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	H	702	LDA	C2-C1-N1-O1
19	M	414	CDL	C72-C73-C74-C75
4	H	701	LDA	C9-C10-C11-C12
19	M	414	CDL	C32-C31-CA7-OA8
12	L	302	BPH	C8-C10-C11-C12
4	H	701	LDA	C3-C4-C5-C6
11	M	402	BCL	C16-C17-C18-C19
5	M	412	D12	C1-C2-C3-C4


There are no ring outliers.

25 monomers are involved in 45 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	M	410	LDA	3	0
6	M	411	MYS	1	0
4	H	701	LDA	2	0
8	H	709	EDO	2	0
11	M	401	BCL	4	0
8	H	710	EDO	3	0
16	L	314	HTO	1	0
18	M	407	SPN	5	0
5	H	703	D12	2	0
6	H	706	MYS	1	0
4	M	420	LDA	3	0
8	M	417	EDO	2	0
5	M	413	D12	1	0
12	M	404	BPH	2	0
5	L	305	D12	1	0
5	M	412	D12	1	0
5	H	705	D12	2	0
4	M	409	LDA	1	0
15	L	308	DIO	2	0
19	M	414	CDL	6	0
4	H	702	LDA	2	0
5	H	704	D12	2	0
11	M	402	BCL	1	0
16	L	315	HTO	2	0
13	L	303	U10	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will


also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








Ligand BPH L 302




Ligand BCL M 401









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	240/241 (99%)	-0.17	2 (0%) 82 84	20, 35, 49, 81	3 (1%)
2	L	281/281 (100%)	0.29	18 (6%) 25 27	17, 35, 64, 94	2 (0%)
3	M	302/302 (100%)	0.05	7 (2%) 61 64	17, 37, 58, 77	4 (1%)
All	All	823/824 (99%)	0.07	27 (3%) 49 51	17, 36, 59, 94	9 (1%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	54	VAL	5.0
2	L	59	TRP	4.9
2	L	55	LEU	4.5
3	M	302	GLY	4.4
2	L	56	GLN	3.6
2	L	58	THR	3.5
3	M	1	ALA	3.2
3	M	52[A]	LEU	3.1
2	L	276	PRO	3.1
2	L	57	GLY	3.0
2	L	51	TRP	2.7
2	L	50	ALA	2.7
3	M	148	TRP	2.6
2	L	53	ALA	2.6
2	L	80	LEU	2.4
1	H	250	SER	2.3
2	L	76	GLY	2.3
2	L	88	ILE	2.3
2	L	82	LYS	2.2
3	M	109	LEU	2.2
2	L	277	GLY	2.1
2	L	81	ALA	2.1
3	M	68[A]	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	M	32	VAL	2.1
2	L	274	ASN	2.0
2	L	275	ILE	2.0
1	H	80	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
16	HTO	L	316	9/10	0.66	0.27	50,62,68,70	0
5	D12	H	704	12/12	0.68	0.26	56,65,70,71	0
4	LDA	M	410	16/16	0.69	0.28	55,65,73,75	0
16	HTO	L	314	10/10	0.71	0.29	39,49,60,62	10
5	D12	H	705	12/12	0.74	0.24	54,58,75,75	0
8	EDO	H	708	4/4	0.76	0.24	60,67,68,73	0
8	EDO	H	710	4/4	0.76	0.18	54,59,60,72	0
8	EDO	M	419	4/4	0.78	0.27	48,57,63,81	0
7	PO4	M	416	5/5	0.79	0.18	37,43,54,61	5
5	D12	H	703	12/12	0.79	0.21	52,56,66,75	0
6	MYS	M	411	15/15	0.79	0.23	57,64,75,77	0
7	PO4	H	707	5/5	0.80	0.11	69,74,79,80	0
13	U10	L	303	48/63	0.80	0.29	29,49,58,66	48
5	D12	M	413	12/12	0.81	0.25	44,52,65,67	0
8	EDO	L	309	4/4	0.81	0.16	49,56,58,60	0
6	MYS	L	306	15/15	0.81	0.24	41,51,67,68	0
4	LDA	M	420	16/16	0.82	0.19	56,64,69,69	0
4	LDA	M	409	16/16	0.82	0.25	60,71,94,94	0
5	D12	M	412	12/12	0.82	0.24	54,62,66,67	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	MYS	H	706	15/15	0.83	0.17	55,65,72,74	0
15	DIO	L	308	6/6	0.83	0.19	56,59,62,68	0
4	LDA	H	701	16/16	0.83	0.21	36,48,57,61	0
8	EDO	H	709	4/4	0.83	0.25	48,55,61,68	0
4	LDA	L	304	16/16	0.84	0.18	49,61,79,87	0
5	D12	L	305	12/12	0.84	0.22	56,62,67,67	0
16	HTO	L	315	10/10	0.85	0.18	56,61,69,72	0
4	LDA	H	702	16/16	0.86	0.16	45,51,59,65	0
8	EDO	L	313	4/4	0.86	0.19	58,58,68,72	0
4	LDA	M	408	16/16	0.87	0.15	43,51,68,72	0
14	D10	L	307	10/10	0.87	0.18	47,62,67,69	0
8	EDO	L	310	4/4	0.87	0.31	53,54,55,62	0
19	CDL	M	414	81/100	0.88	0.23	29,52,67,72	81
8	EDO	H	712	4/4	0.91	0.17	42,45,47,59	0
8	EDO	M	417	4/4	0.93	0.11	37,39,41,41	0
8	EDO	L	312	4/4	0.93	0.23	37,40,45,54	0
7	PO4	M	415	5/5	0.93	0.07	66,67,69,71	0
8	EDO	H	711	4/4	0.94	0.12	44,45,46,51	0
8	EDO	L	311	4/4	0.95	0.11	37,40,42,45	0
18	SPN	M	407	43/43	0.95	0.11	30,41,58,71	0
13	U10	M	406	48/63	0.95	0.11	20,31,59,63	0
8	EDO	M	418	4/4	0.96	0.11	28,34,36,42	0
11	BCL	M	403	66/66	0.96	0.08	20,29,48,56	0
12	BPH	M	404	65/65	0.96	0.09	28,37,82,91	0
11	BCL	L	301	66/66	0.97	0.07	22,29,39,47	0
11	BCL	M	401	66/66	0.97	0.09	22,31,58,64	0
11	BCL	M	402	66/66	0.97	0.07	22,28,53,64	0
9	NA	H	713	1/1	0.97	0.06	40,40,40,40	0
12	BPH	L	302	65/65	0.97	0.07	22,29,42,50	0
10	K	H	714	1/1	0.98	0.04	39,39,39,39	0
17	FE	M	405	1/1	0.99	0.02	25,25,25,25	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around U10 L 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CDL M 414:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around SPN M 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U10 M 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH M 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL L 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL M 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around BPH L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FE M 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.