



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 05:04 AM UTC

PDB ID : 4Z3S / pdb_00004z3s
Title : Crystal structure of the *Thermus thermophilus* 70S ribosome in complex with antibiotic A201A, mRNA and three tRNAs in the A, P and E sites at 2.65Å resolution
Authors : Polikanov, Y.S.; Starosta, A.L.; Juetter, M.F.; Altman, R.B.; Terry, D.S.; Lu, W.; Burnett, B.J.; Dinos, G.; Reynolds, K.; Blanchard, S.C.; Steitz, T.A.; Wilson, D.N.
Deposited on : 2015-03-31
Resolution : 2.65 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)
RNA backbone	3983	1090 (2.90-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	6% 64% 28% 7% .
1	2A	2915	4% 52% 36% 8% .

Continued on next page...

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	1B	121	
2	2B	121	
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
14	2S	112	
15	1T	146	
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
27	15	60	
27	25	60	
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
39	2h	138	
40	1i	128	
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
52	1u	27	
52	2u	27	
53	1v	27	
53	2v	27	
54	1w	76	
54	1y	76	
54	2w	76	
54	2y	76	
55	1x	77	
55	2x	77	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	1A	3059	-	-	-	X
56	MG	1A	3216	-	-	-	X
56	MG	2B	3011	-	-	-	X
56	MG	2a	1691	-	-	-	X
56	MG	2a	1760	-	-	-	X

2 Entry composition

There are 62 unique types of molecules in this entry. The entry contains 299169 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2871	Total	C	N	O	P	0	0	0
			61852	27531	11572	19878	2871			
1	2A	2800	Total	C	N	O	P	0	0	0
			60322	26848	11284	19390	2800			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2577	1146	476	835	120			
2	2B	120	Total	C	N	O	P	0	0	0
			2575	1146	476	833	120			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
5	2F	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1429	916	256	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1428	913	258	253	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	146	Total	C	N	O	S	0	0	0
			1097	701	191	204	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1064	681	186	196	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			873	550	174	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	154	Total	C	N	O	S	0	0	0
			1240	795	222	220	3			
21	2Z	160	Total	C	N	O	S	0	0	0
			1271	814	228	227	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			
22	20	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			
23	21	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			552	349	99	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			532	339	97	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1503	Total	C	N	O	P	0	0	0
			32327	14396	5990	10438	1503			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1846	1179	331	331	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1548	973	301	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1655	1038	326	284	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1674	1050	333	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1129	714	213	198	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			810	514	144	149	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1231	766	243	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			983	623	193	167			
40	2i	127	Total	C	N	O	0	0	0
			978	619	190	169			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			709	440	138	131			
41	2j	96	Total	C	N	O	0	0	0
			714	445	138	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			829	516	155	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	123	Total	C	N	O	S	0	0	0
			958	592	198	166	2			
44	2m	122	Total	C	N	O	S	0	0	0
			950	586	197	165	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			652	417	120	113	2			
50	2s	83	Total	C	N	O	S	0	0	0
			646	412	119	113	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			728	446	156	124	2			
51	2t	96	Total	C	N	O	S	0	0	0
			727	446	155	124	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O	0	0	0
			199	122	48	29			
52	2u	23	Total	C	N	O	0	0	0
			199	122	48	29			

- Molecule 53 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1v	14	Total	C	N	O	P	0	0	0
			281	125	51	91	14			
53	2v	13	Total	C	N	O	P	0	0	0
			277	125	51	88	13			

- Molecule 54 is a RNA chain called A/E-site tRNAs.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
54	1w	74	Total	C	N	O	P	S	0	0	0
			1588	713	285	515	73	2			
54	1y	74	Total	C	N	O	P	S	0	0	0
			1581	707	285	515	73	1			
54	2w	73	Total	C	N	O	P	S	0	0	0
			1561	698	283	507	72	1			
54	2y	73	Total	C	N	O	P	S	0	0	0
			1561	698	283	507	72	1			

- Molecule 55 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
55	1x	76	Total	C	N	O	P	S	0	0	0
			1625	725	294	529	76	1			
55	2x	76	Total	C	N	O	P	S	0	0	0
			1625	725	294	529	76	1			

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1A	935	Total	Mg	0	0
			935	935		
56	1B	25	Total	Mg	0	0
			25	25		
56	1D	9	Total	Mg	0	0
			9	9		
56	1E	8	Total	Mg	0	0
			8	8		
56	1F	8	Total	Mg	0	0
			8	8		
56	1G	5	Total	Mg	0	0
			5	5		
56	1I	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1N	6	Total 6	Mg 6	0	0
56	1O	3	Total 3	Mg 3	0	0
56	1P	3	Total 3	Mg 3	0	0
56	1Q	5	Total 5	Mg 5	0	0
56	1R	2	Total 2	Mg 2	0	0
56	1S	1	Total 1	Mg 1	0	0
56	1T	2	Total 2	Mg 2	0	0
56	1U	4	Total 4	Mg 4	0	0
56	1V	3	Total 3	Mg 3	0	0
56	1W	4	Total 4	Mg 4	0	0
56	1X	3	Total 3	Mg 3	0	0
56	1Y	2	Total 2	Mg 2	0	0
56	1Z	3	Total 3	Mg 3	0	0
56	10	6	Total 6	Mg 6	0	0
56	11	2	Total 2	Mg 2	0	0
56	12	2	Total 2	Mg 2	0	0
56	13	1	Total 1	Mg 1	0	0
56	15	4	Total 4	Mg 4	0	0
56	16	2	Total 2	Mg 2	0	0
56	17	1	Total 1	Mg 1	0	0
56	18	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	19	2	Total 2	Mg 2	0	0
56	1a	234	Total 234	Mg 234	0	0
56	1b	2	Total 2	Mg 2	0	0
56	1c	1	Total 1	Mg 1	0	0
56	1d	1	Total 1	Mg 1	0	0
56	1e	1	Total 1	Mg 1	0	0
56	1f	1	Total 1	Mg 1	0	0
56	1g	1	Total 1	Mg 1	0	0
56	1l	3	Total 3	Mg 3	0	0
56	1n	1	Total 1	Mg 1	0	0
56	1r	1	Total 1	Mg 1	0	0
56	1s	1	Total 1	Mg 1	0	0
56	1t	1	Total 1	Mg 1	0	0
56	1v	1	Total 1	Mg 1	0	0
56	1w	5	Total 5	Mg 5	0	0
56	1x	14	Total 14	Mg 14	0	0
56	1y	7	Total 7	Mg 7	0	0
56	2A	679	Total 679	Mg 679	0	0
56	2B	21	Total 21	Mg 21	0	0
56	2D	4	Total 4	Mg 4	0	0
56	2E	7	Total 7	Mg 7	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2F	5	Total 5	Mg 5	0	0
56	2G	1	Total 1	Mg 1	0	0
56	2N	1	Total 1	Mg 1	0	0
56	2O	2	Total 2	Mg 2	0	0
56	2Q	3	Total 3	Mg 3	0	0
56	2R	1	Total 1	Mg 1	0	0
56	2T	1	Total 1	Mg 1	0	0
56	2U	2	Total 2	Mg 2	0	0
56	2V	3	Total 3	Mg 3	0	0
56	2X	2	Total 2	Mg 2	0	0
56	2Z	1	Total 1	Mg 1	0	0
56	20	3	Total 3	Mg 3	0	0
56	21	2	Total 2	Mg 2	0	0
56	23	1	Total 1	Mg 1	0	0
56	25	1	Total 1	Mg 1	0	0
56	28	1	Total 1	Mg 1	0	0
56	2a	200	Total 200	Mg 200	0	0
56	2d	1	Total 1	Mg 1	0	0
56	2e	2	Total 2	Mg 2	0	0
56	2f	2	Total 2	Mg 2	0	0
56	2g	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2j	2	Total	Mg	0	0
			2	2		
56	2l	2	Total	Mg	0	0
			2	2		
56	2p	1	Total	Mg	0	0
			1	1		
56	2q	3	Total	Mg	0	0
			3	3		
56	2r	1	Total	Mg	0	0
			1	1		
56	2t	1	Total	Mg	0	0
			1	1		
56	2v	2	Total	Mg	0	0
			2	2		
56	2w	3	Total	Mg	0	0
			3	3		
56	2x	2	Total	Mg	0	0
			2	2		

- Molecule 57 is 3'-deoxy-3'-{[(2E)-3-(4-{[(4Z)-6-O-(6-deoxy-3,4-di-O-methyl-alpha-D-manno pyranosyl)-5-O-methyl-alpha-D-threo-hex-4-enofuranosyl]oxy}phenyl)-2-methylprop-2-enoyl]amino}-N,N-dimethyladenosine (CCD ID: 4M2) (formula: C₃₇H₅₀N₆O₁₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
57	1A	1	Total	C	N	O	0	0
			57	37	6	14		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
57	2A	1	Total	C	N	O	0	0
			57	37	6	14		


- Molecule 58 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
58	1A	1	Total	K	0	0
			1	1		
58	2A	1	Total	K	0	0
			1	1		

- Molecule 59 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	1Y	1	Total	Zn	0	0
			1	1		
59	14	1	Total	Zn	0	0
			1	1		
59	15	1	Total	Zn	0	0
			1	1		
59	16	1	Total	Zn	0	0
			1	1		
59	19	1	Total	Zn	0	0
			1	1		
59	1n	1	Total	Zn	0	0
			1	1		
59	2Y	1	Total	Zn	0	0
			1	1		
59	24	1	Total	Zn	0	0
			1	1		
59	25	1	Total	Zn	0	0
			1	1		
59	26	1	Total	Zn	0	0
			1	1		
59	29	1	Total	Zn	0	0
			1	1		
59	2n	1	Total	Zn	0	0
			1	1		

- Molecule 60 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
60	1d	1	Total	Fe	S	0	0
			8	4	4		
60	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 61 is N-FORMYLMETHIONINE (CCD ID: FME) (formula: $C_6H_{11}NO_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
61	1x	1	Total	C	N	O	S	0	0
			10	6	1	2	1		
61	2x	1	Total	C	N	O	S	0	0
			10	6	1	2	1		

- Molecule 62 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	1A	1741	Total 1741	O 1741	0	0
62	1B	49	Total 49	O 49	0	0
62	1D	21	Total 21	O 21	0	0
62	1E	27	Total 27	O 27	0	0
62	1F	22	Total 22	O 22	0	0
62	1G	3	Total 3	O 3	0	0
62	1I	1	Total 1	O 1	0	0
62	1N	6	Total 6	O 6	0	0
62	1O	4	Total 4	O 4	0	0
62	1P	21	Total 21	O 21	0	0
62	1Q	5	Total 5	O 5	0	0
62	1R	5	Total 5	O 5	0	0
62	1S	6	Total 6	O 6	0	0
62	1T	13	Total 13	O 13	0	0
62	1U	12	Total 12	O 12	0	0
62	1V	10	Total 10	O 10	0	0
62	1W	6	Total 6	O 6	0	0
62	1X	4	Total 4	O 4	0	0
62	1Y	4	Total 4	O 4	0	0
62	1Z	1	Total 1	O 1	0	0
62	10	6	Total 6	O 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	11	3	Total 3	O 3	0	0
62	12	4	Total 4	O 4	0	0
62	13	5	Total 5	O 5	0	0
62	15	1	Total 1	O 1	0	0
62	17	6	Total 6	O 6	0	0
62	18	10	Total 10	O 10	0	0
62	19	2	Total 2	O 2	0	0
62	1a	309	Total 309	O 309	0	0
62	1d	1	Total 1	O 1	0	0
62	1g	1	Total 1	O 1	0	0
62	1j	1	Total 1	O 1	0	0
62	1l	3	Total 3	O 3	0	0
62	1m	1	Total 1	O 1	0	0
62	1o	2	Total 2	O 2	0	0
62	1p	2	Total 2	O 2	0	0
62	1q	1	Total 1	O 1	0	0
62	1r	1	Total 1	O 1	0	0
62	1v	6	Total 6	O 6	0	0
62	1w	6	Total 6	O 6	0	0
62	1x	13	Total 13	O 13	0	0
62	1y	5	Total 5	O 5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	2A	1031	Total 1031	O 1031	0	0
62	2B	10	Total 10	O 10	0	0
62	2D	16	Total 16	O 16	0	0
62	2E	10	Total 10	O 10	0	0
62	2F	7	Total 7	O 7	0	0
62	2I	2	Total 2	O 2	0	0
62	2N	1	Total 1	O 1	0	0
62	2O	1	Total 1	O 1	0	0
62	2P	14	Total 14	O 14	0	0
62	2Q	1	Total 1	O 1	0	0
62	2R	2	Total 2	O 2	0	0
62	2T	3	Total 3	O 3	0	0
62	2U	1	Total 1	O 1	0	0
62	2V	2	Total 2	O 2	0	0
62	2W	1	Total 1	O 1	0	0
62	2X	3	Total 3	O 3	0	0
62	2Y	1	Total 1	O 1	0	0
62	2Z	2	Total 2	O 2	0	0
62	20	6	Total 6	O 6	0	0
62	21	5	Total 5	O 5	0	0
62	22	1	Total 1	O 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
62	23	1	Total 1	O 1	0	0
62	25	3	Total 3	O 3	0	0
62	27	3	Total 3	O 3	0	0
62	28	4	Total 4	O 4	0	0
62	29	1	Total 1	O 1	0	0
62	2a	203	Total 203	O 203	0	0
62	2d	4	Total 4	O 4	0	0
62	2g	1	Total 1	O 1	0	0
62	2i	1	Total 1	O 1	0	0
62	2j	4	Total 4	O 4	0	0
62	2l	3	Total 3	O 3	0	0
62	2o	1	Total 1	O 1	0	0
62	2p	2	Total 2	O 2	0	0
62	2r	1	Total 1	O 1	0	0
62	2t	2	Total 2	O 2	0	0
62	2v	3	Total 3	O 3	0	0
62	2x	6	Total 6	O 6	0	0


- Molecule 1: 23S Ribosomal RNA




A2425	G2429	A2430	U2431	A2435	A2439	C2440	C2441	C2442	C2443	G2444	C2445	C2446	G2447	A2448	A2451	G2458	A2476	C2477	A2478	U2491	C2498	G2502	A2503	U2504	G2505	U2506	C2507	G2508	A2518	G2524	G2529	A2530	U2537	C2538	U2552	G2553	U2554	A2564	A2565	A2566	G2567	C2568	U2569	G2570													
G2319	A2320	G2321	A2322	G2323	G2324	G2325	C2326	A2327	A2328	C2329	G2330	G2331	A2332	G2333	A2334	A2335	A2336	A2346	C2347	C2350	G2351	A2352	C2359	A2360	A2361	C2364	G2365	A2377	A2378	G2379	G2383	G2384	C2385	U2390	G2396	C2397	U2398	C2399	C2404	G2405	U2406	G2407	U2408	G2409	G2410	A2422	C2424										
C2196	U2197	A2198	G2206	G2207	A2208	U2218	G2219	G2224	A2225	G2226	A2227	G2228	G2235	G2236	G2237	G2238	G2250	G2251	G2259	C2260	C2264	A2267	A2268	A2269	G2270	G2271	C2275	G2276	G2277	A2278	G2279	C2283	C2284	C2285	A2286	A2287	U2291	C2292	C2293	G2295	A2305	C2306	G2308														
C2129	U2130	G2131	U2132	G2133	U2134	A2135	C2136	C2137	C2138	C2139	G2140	G2141	C2142	U2143	U2144	C2145	C2146	G2147	G2148	G2149	U2150	G2151	G2152	G2153	G2154	G2155	G2156	G2157	A2158	G2159	G2160	C2161	G2162	G2163	C2164	G2165	G2166	U2167	G2168	A2169	A2170	A2171	U2172	A2173	C2174	C2175	C2176	C2177	C2178	G2181	G2182	C2183	G2184	U2189	G2190	G2191	G2192
A2030	A2031	G2032	A2033	U2034	G2035	C2036	C2039	C2043	G2049	C2055	G2056	C2059	A2060	G2061	G2069	U2074	U2075	G2080	U2086	G2087	C2097	U2098	U2099	G2100	G2101	C2105	G2106	C2107	C2108	U2109	C2110	C2111	G2112	U2113	A2114	G2115	G2116	A2117	U2118	A2119	G2120	A2121	U2122	G2123	G2124	G2125	A2126	C2128									
C1914	U1915	A1916	U1917	C1920	C1929	G1930	A1938	U1939	C1942	G1949	G1950	U1955	C1958	C1962	U1963	G1964	C1965	A1966	C1967	A1970	A1971	A1972	G1984	G1985	A1986	U1991	G1992	U1993	C1996	G1997	G1998	C1999	A2001	G2002	G2012	A2013	A2014	G2018	A2019	G2020	G2021	U2022	U1911	A1912	A1913												
A1664	A1665	G1666	G1667	C1670	U1671	G1674	C1675	A1676	C1686	G1687	U1689	U1693	G1696	A1700	A1701	G1702	G1703	U1709	C1710	A1722	U1739	G1740	A1741	A1753	C1754	A1755	G1756	A1759	A1762	G1763	G1764	G1769	A1773	U1778	U1779	A1780	G1781	C1782	A1783	A1784	A1785	A1786															
C1790	A1791	C1795	U1796	C1797	U1798	G1799	C1800	G1801	A1802	A1803	G1814	A1815	G1816	G1823	G1826	C1827	G1828	C1837	C1843	A1847	A1853	A1854	A1859	G1860	G1861	U1864	A1877	G1878	C1879	G1883	A1889	A1890	G1899	A1900	G1903	G1906	G2021	U2022	A1911	A1912	A1913																
A1664	A1665	G1666	G1667	C1670	U1671	G1674	C1675	A1676	C1686	G1687	U1689	U1693	G1696	A1700	A1701	G1702	G1703	U1709	C1710	A1722	U1739	G1740	A1741	A1753	C1754	A1755	G1756	A1759	A1762	G1763	G1764	G1769	A1773	U1778	U1779	A1780	G1781	C1782	A1783	A1784	A1785	A1786															
C1790	A1791	C1795	U1796	C1797	U1798	G1799	C1800	G1801	A1802	A1803	G1814	A1815	G1816	G1823	G1826	C1827	G1828	C1837	C1843	A1847	A1853	A1854	A1859	G1860	G1861	U1864	A1877	G1878	C1879	G1883	A1889	A1890	G1899	A1900	G1903	G1906	G2021	U2022	A1911	A1912	A1913																
A2030	A2031	G2032	A2033	U2034	G2035	C2036	C2039	C2043	G2049	C2055	G2056	C2059	A2060	G2061	G2069	U2074	U2075	G2080	U2086	G2087	C2097	U2098	U2099	G2100	G2101	C2105	G2106	C2107	C2108	U2109	C2110	C2111	G2112	U2113	A2114	G2115	G2116	A2117	U2118	A2119	G2120	A2121	U2122	G2123	G2124	G2125	A2126	C2128									
C2129	U2130	G2131	U2132	G2133	U2134	A2135	C2136	C2137	C2138	C2139	G2140	G2141	C2142	U2143	U2144	C2145	C2146	G2147	G2148	G2149	U2150	G2151	G2152	G2153	G2154	G2155	G2156	G2157	A2158	G2159	G2160	C2161	G2162	G2163	C2164	G2165	G2166	U2167	G2168	A2169	A2170	A2171	U2172	A2173	C2174	C2175	C2176	C2177	C2178	G2181	G2182	C2183	G2184	U2189	G2190	G2191	G2192
C2196	A2197	A2198	G2206	G2207	A2208	U2218	G2219	G2224	A2225	G2226	A2227	G2228	G2235	G2236	G2237	G2238	G2250	G2251	G2259	C2260	C2264	A2267	A2268	A2269	G2270	G2271	C2275	G2276	G2277	A2278	G2279	C2283	C2284	C2285	A2286	A2287	U2291	C2292	C2293	G2295	A2305	C2306	G2308														
G2319	A2320	G2321	A2322	G2323	G2324	G2325	C2326	A2327	A2328	C2441	G2329	G2330	G2331	A2332	A2333	G2334	A2335	A2336	A2346	C2347	C2350	G2351	A2352	C2359	A2360	A2361	C2364	G2365	A2377	A2378	G2379	G2383	G2384	C2385	U2390	G2396	C2397	U2398	C2399	C2404	G2405	U2406	G2407	U2408	G2409	G2410	A2422	C2424									




C1999	G1906	U1794	U1688	A1566	A1469	U1288	G1184	U	C1041	G975A	A900	A821
G2000	U1911	C1795	A1689	A1567	G1470	U1289	C1185	C	G1042	A980	A901	U826
A2001	A1912	U1796	U1693	G1568	A1471	C1289	G1186	A	C1043	A981	C902	U827
G2002	C1797	U1798	C1694	A1569	G1482	U1292	G1187	C	G	A982	C903	U828
C2006	U1914	U1799	G1695	U1578	G1490	C1293	U1188	U	A	A983	U905	G831
G2010	C1915	C1800	G1696	U1579	A1490	U1296	A1189	G	A	A984	G906	G832
U2011	G1801	G1801	G1697	A1579	U1394	G1296	U1198	U	A	A988	A909	U833
G2012	A1802	A1802	A1698	A1580	A1395	C1297	U1199	C	C	A989	A910	G834
A1803	C1803	A1803	G1699	G1581	A1494	C1298	C1200	A	A	A990	A911	U839
A2013	G1804	G1804	C1802	C1582	A1495	G1299	G1201	G	A	A991	C912	C840
A2014	U1805	U1805	A1701	A1583	A1496	U1300	A1204	C	C	C992	U913	
U2017	C1924	C1924	G1702	C1584	U1497	A1301	U1205	C	C	C993	C914	G848
G2018	A1810	A1810	G1703	A1586	U1405	A1302	U1206	A	G	C994	C915	A849
A1928	G1814	G1814	G1704	C1589	U1406	G1303	A1210	G	G	C995	C916	C850
A2019	A1815	A1815	C1710	U1590	C1502	U1309	U1211	C	A	A996	A917	U851
A2020	G1816	G1816	C1711	G1591	C1503	G1315	C1115	A	G	A997	A918	G852
C2021	U1930	U1930	C1712	U1592	C1504	C1316	G1117	G	A	C998	C919	G853
U2022	U1931	U1931	G1712	C1592	C1505	A1317	C1118	U	G	U999	G920	G854
G2023	G1826	G1826	G1719	G1593	C1506	C1314	A1220	U	U	A1000	G921	G855
G2027	C1827	C1827	G1720	G1594	A1507	U1316	C1221A	G	G	G1003	U922	C856
A2030	A1828	A1828	G1721	C1598	A1508	A1317	U1226	C	G	C1004	C923	C857
A2031	C1830	C1830	U1722	C1599	C1509	C1320	A1227	C	C	G1005	C924	U858
G2032	G1835	G1835	U1739	C1600	A1509B	G1325	G1228	U	U	C1006	C925	G859
U2033	U1836	U1836	G1740	A1603	G1510	G1332	C1230	U	A	C1007	A926	U860
A2034	C1837	C1837	A1741	C1607	U1514	G1332	G1231	A	G	C1008	G932	G862
C2036	G1840	G1840	C1744	A1608	G1515	G1334	G1232	A	A	A1009	A933	A863
G2037	U1847	U1847	G1746	A1609	U1518	U1335	G1235	G	A	A1010	C936	C864
A2042	A1848	A1848	C1751	A1610	G1519	A1336	G1236	C	C	U1011	U937	C865
C2043	G1954	G1954	G1754	G1622	G1520	G1337	U1239	A	G	U1012	G938	A866
G2048	G1857	G1857	G1755	G1630	G1527	U1340	G1240	C	C	U1013	A941	U868
G2049	A1858	A1858	G1756	A1631	A1528	U1341	A1241	C	C	U1014	G1015	G869
C2050	G1859	G1859	G1756	A1631A	U1530	C1345	G1248	A	A	G1015	G1016	G874
A2051	A1876	A1876	A1762	A1632	C1530	U1345	U1249	U	U	C1016	G944	G875
C2055	G1877	G1877	G1763	A1637	C1531	U1352	G1250	C	C	U1019	A945	A878
G2056	G1878	G1878	G1764	C1638	C1532	A1353	C1153	U	U	A1020	G946	G879
A2059	C1882	C1882	G1772	U1639	U	A1354	G1154	U	U	G1022	G948	G880
A2060	G1883	G1883	A1773	A1640	A	G1355	A1253	U	A	U1023	A953	G881
G2061	A1884	A1884	C1774	A1641	G1536	A1359	U1254	A	A	G1024	G954	G882
C2065	C1885	C1885	U1775	G1642	G1537	A1360	G1255	A	A	U1025	C957	G883
G2066	A1889	A1889	U1778	G1647	G1538	U1364	A1262	G	G	A1027	U957	C884
G2069	A1890	A1890	U1779	C1648	G1539	G1364	U1263	A	A	A1028	U958	C885
G2070	C1895	C1895	C1781	A1652	A1542	A1365	G1264	A	A	A1029	A959	C886
A2071	G1896	G1896	C1782	G1653	C1543	A1366	A1265	U	U	A1030	A960	A887
U2074	U1991	U1991	A1783	A1654	A1544	A1367	A1266	G	G	G1031	C961	C888
U2075	G1992	G1992	A1784	A1654	C1546	G1368	U1267	A	A	A1032	G962	C889
U2076	U1993	U1993	A1785	A1665	C1547	C1369	A1268	U	U	G1033	C966	A890
U2077	G1994	G1994	A1786	G1666	C1548	G1371	A1269	A	A	U1035	C967	C892
U2078	U1995	U1995	A1786	G1667	C1549	U1372	G1270	U	U	G1036	C971	U895
C2078	C1996	C1996	C1790	G1674	C1550	C1376	A1272	A	A	G1037	G972	A896
U2079	G1997	G1997	A1791	G1674	C1557	G1377	U1273	G	G	C1038	A973	C897
	G1998	G1998			A1558	A1378	A1278	C	C	C1040	C975	A899




• Molecule 3: 50S ribosomal protein L2




• Molecule 3: 50S ribosomal protein L2



• Molecule 4: 50S ribosomal protein L3



• Molecule 4: 50S ribosomal protein L3








- Molecule 5: 50S ribosomal protein L4





- Molecule 5: 50S ribosomal protein L4



- Molecule 6: 50S ribosomal protein L5





- Molecule 6: 50S ribosomal protein L5









- Molecule 7: 50S ribosomal protein L6





- Molecule 7: 50S ribosomal protein L6




- Molecule 8: 50S ribosomal protein L9




- Molecule 8: 50S ribosomal protein L9




- Molecule 9: 50S ribosomal protein L13




- Molecule 9: 50S ribosomal protein L13




- Molecule 10: 50S ribosomal protein L14



- Molecule 10: 50S ribosomal protein L14




- Molecule 11: 50S ribosomal protein L15




- Molecule 11: 50S ribosomal protein L15

Chain 2P: 




- Molecule 12: 50S ribosomal protein L16

Chain 1Q: 



- Molecule 12: 50S ribosomal protein L16

Chain 2Q: 



- Molecule 13: 50S ribosomal protein L17

Chain 1R: 




- Molecule 13: 50S ribosomal protein L17

Chain 2R: 





- Molecule 14: 50S ribosomal protein L18



Chain 1S: 




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19





- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20




- Molecule 16: 50S ribosomal protein L20




● Molecule 17: 50S ribosomal protein L21




● Molecule 17: 50S ribosomal protein L21




● Molecule 18: 50S ribosomal protein L22




● Molecule 18: 50S ribosomal protein L22




● Molecule 19: 50S ribosomal protein L23



● Molecule 19: 50S ribosomal protein L23




● Molecule 20: 50S ribosomal protein L24







- Molecule 20: 50S ribosomal protein L24





- Molecule 21: 50S ribosomal protein L25




- Molecule 21: 50S ribosomal protein L25




- Molecule 22: 50S ribosomal protein L27




- Molecule 22: 50S ribosomal protein L27








- Molecule 23: 50S ribosomal protein L28




- Molecule 23: 50S ribosomal protein L28




- Molecule 24: 50S ribosomal protein L29




- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30





- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31




- Molecule 26: 50S ribosomal protein L31




- Molecule 27: 50S ribosomal protein L32




- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33





- Molecule 28: 50S ribosomal protein L33



- Molecule 29: 50S ribosomal protein L34




- Molecule 29: 50S ribosomal protein L34




- Molecule 30: 50S ribosomal protein L35




- Molecule 30: 50S ribosomal protein L35




- Molecule 31: 50S ribosomal protein L36





- Molecule 31: 50S ribosomal protein L36





- Molecule 32: 16S Ribosomal RNA














- Molecule 36: 30S ribosomal protein S5




- Molecule 36: 30S ribosomal protein S5




- Molecule 37: 30S ribosomal protein S6




- Molecule 37: 30S ribosomal protein S6




- Molecule 38: 30S ribosomal protein S7




- Molecule 38: 30S ribosomal protein S7




- Molecule 39: 30S ribosomal protein S8




- Molecule 39: 30S ribosomal protein S8




- Molecule 40: 30S ribosomal protein S9







- Molecule 40: 30S ribosomal protein S9




- Molecule 41: 30S ribosomal protein S10




- Molecule 41: 30S ribosomal protein S10




- Molecule 42: 30S ribosomal protein S11




- Molecule 42: 30S ribosomal protein S11




- Molecule 43: 30S ribosomal protein S12




- Molecule 43: 30S ribosomal protein S12




- Molecule 44: 30S ribosomal protein S13



- Molecule 44: 30S ribosomal protein S13








- Molecule 45: 30S ribosomal protein S14 type Z





- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15



- Molecule 46: 30S ribosomal protein S15




- Molecule 47: 30S ribosomal protein S16




- Molecule 47: 30S ribosomal protein S16







• Molecule 48: 30S ribosomal protein S17




• Molecule 48: 30S ribosomal protein S17




• Molecule 49: 30S ribosomal protein S18




• Molecule 49: 30S ribosomal protein S18




- Molecule 50: 30S ribosomal protein S19




- Molecule 50: 30S ribosomal protein S19




- Molecule 51: 30S ribosomal protein S20




- Molecule 51: 30S ribosomal protein S20




- Molecule 52: 30S ribosomal protein Thx




- Molecule 52: 30S ribosomal protein Thx




- Molecule 53: mRNA




- Molecule 53: mRNA




- Molecule 54: A/E-site tRNAs




- Molecule 54: A/E-site tRNAs





- Molecule 54: A/E-site tRNAs







• Molecule 54: A/E-site tRNAs



• Molecule 55: P-site tRNA



• Molecule 55: P-site tRNA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	208.89Å 446.22Å 619.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	362.07 – 2.65 362.07 – 2.65	Depositor EDS
% Data completeness (in resolution range)	98.5 (362.07-2.65) 98.5 (362.07-2.65)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.30 (at 2.65Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.226 , 0.271 (Not available) , 0.261	Depositor DCC
R_{free} test set	81734 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	50.7	Xtriage
Anisotropy	0.191	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 69.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	299169	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 7MG, 2MU, 4SU, MG, UR3, K, FME, 4M2, M2G, 4OC, MIA, MA6, OMG, PSU, 5MU, 0TD, SF4, 5MC, 2MA, 2MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.28	0/69009	0.45	1/107712 (0.0%)
1	2A	0.23	0/67293	0.44	1/105034 (0.0%)
2	1B	0.22	0/2882	0.37	0/4494
2	2B	0.23	0/2879	0.42	0/4487
3	1D	0.48	0/2186	0.85	0/2944
3	2D	0.44	0/2186	0.85	0/2944
4	1E	0.48	0/1592	0.87	2/2149 (0.1%)
4	2E	0.41	0/1592	0.89	2/2149 (0.1%)
5	1F	0.47	0/1619	0.86	1/2193 (0.0%)
5	2F	0.39	0/1615	0.90	2/2188 (0.1%)
6	1G	0.40	0/1454	0.86	5/1964 (0.3%)
6	2G	0.37	0/1453	0.91	4/1963 (0.2%)
7	1H	0.42	0/1356	0.85	1/1834 (0.1%)
7	2H	0.41	0/1356	0.92	0/1834
8	1I	0.37	0/1112	0.91	1/1514 (0.1%)
8	2I	0.37	0/1079	0.85	0/1475
9	1N	0.47	0/1144	0.84	0/1543
9	2N	0.38	0/1144	0.91	6/1543 (0.4%)
10	1O	0.49	0/943	0.83	0/1269
10	2O	0.38	0/943	0.81	0/1269
11	1P	0.46	0/1152	0.83	0/1533
11	2P	0.39	0/1152	0.96	3/1533 (0.2%)
12	1Q	0.48	0/1143	0.83	0/1527
12	2Q	0.39	0/1143	0.83	0/1527
13	1R	0.47	0/982	0.79	0/1312
13	2R	0.41	0/982	0.78	0/1312
14	1S	0.41	0/883	0.83	0/1176
14	2S	0.37	0/880	0.88	0/1172
15	1T	0.41	0/1105	0.78	0/1477
15	2T	0.38	0/1097	0.81	0/1468
16	1U	0.52	0/977	0.85	1/1301 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.41	0/977	0.85	0/1301
17	1V	0.45	0/782	0.78	0/1049
17	2V	0.40	0/782	0.83	0/1049
18	1W	0.48	0/897	0.81	0/1205
18	2W	0.44	0/897	0.83	0/1205
19	1X	0.47	0/764	0.86	2/1025 (0.2%)
19	2X	0.39	0/764	0.80	0/1025
20	1Y	0.42	0/819	0.88	1/1095 (0.1%)
20	2Y	0.36	0/819	0.94	4/1095 (0.4%)
21	1Z	0.38	0/1267	0.86	0/1717
21	2Z	0.40	0/1299	0.96	7/1763 (0.4%)
22	10	0.45	0/662	0.95	5/881 (0.6%)
22	20	0.36	0/662	0.93	2/881 (0.2%)
23	11	0.46	0/762	0.79	0/1014
23	21	0.40	0/762	0.83	0/1014
24	12	0.44	0/590	0.78	0/781
24	22	0.36	0/590	0.78	0/781
25	13	0.47	0/474	0.86	0/635
25	23	0.37	0/469	0.86	0/630
26	14	0.41	0/565	1.03	3/761 (0.4%)
26	24	0.44	0/545	1.12	6/737 (0.8%)
27	15	0.49	0/469	0.87	0/635
27	25	0.41	0/469	0.74	0/635
28	16	0.44	0/460	0.75	0/613
28	26	0.35	0/456	0.70	0/608
29	17	0.46	0/426	0.91	0/561
29	27	0.51	0/426	0.89	1/561 (0.2%)
30	18	0.45	0/525	0.81	0/691
30	28	0.40	0/525	0.78	0/691
31	19	0.42	0/310	0.79	0/407
31	29	0.37	0/310	0.87	0/407
32	1a	0.21	0/35795	0.40	0/55864
32	2a	0.21	0/35886	0.41	0/56005
33	1b	0.39	0/1881	0.95	9/2542 (0.4%)
33	2b	0.41	0/1860	1.00	7/2518 (0.3%)
34	1c	0.37	0/1572	0.80	0/2126
34	2c	0.40	0/1566	0.94	5/2119 (0.2%)
35	1d	0.38	0/1685	0.88	6/2262 (0.3%)
35	2d	0.39	0/1704	0.86	3/2284 (0.1%)
36	1e	0.40	0/1145	0.87	0/1543
36	2e	0.41	0/1149	0.96	0/1548
37	1f	0.38	0/823	0.75	0/1115
37	2f	0.38	0/829	0.76	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.39	0/1250	0.85	1/1679 (0.1%)
38	2g	0.36	0/1254	0.87	2/1683 (0.1%)
39	1h	0.37	0/1108	0.89	2/1494 (0.1%)
39	2h	0.34	0/1108	0.94	3/1494 (0.2%)
40	1i	0.37	0/1002	0.84	0/1346
40	2i	0.36	0/997	0.83	0/1343
41	1j	0.38	0/722	1.02	6/982 (0.6%)
41	2j	0.44	0/727	0.90	2/988 (0.2%)
42	1k	0.39	0/844	0.82	1/1145 (0.1%)
42	2k	0.38	0/848	0.83	0/1149
43	1l	0.40	0/937	0.78	1/1260 (0.1%)
43	2l	0.36	0/937	0.91	5/1260 (0.4%)
44	1m	0.37	0/969	0.88	1/1302 (0.1%)
44	2m	0.40	0/961	0.90	2/1291 (0.2%)
45	1n	0.37	0/501	0.79	1/664 (0.2%)
45	2n	0.34	0/501	0.91	2/664 (0.3%)
46	1o	0.37	0/739	0.82	0/985
46	2o	0.35	0/739	0.81	0/985
47	1p	0.35	0/697	0.85	1/939 (0.1%)
47	2p	0.37	0/693	0.81	0/935
48	1q	0.35	0/836	0.84	0/1117
48	2q	0.35	0/836	0.85	3/1117 (0.3%)
49	1r	0.39	0/560	0.80	0/746
49	2r	0.35	0/560	0.78	0/746
50	1s	0.35	0/667	0.84	0/900
50	2s	0.44	0/661	1.00	2/893 (0.2%)
51	1t	0.36	0/730	0.87	0/965
51	2t	0.39	0/729	0.88	1/965 (0.1%)
52	1u	0.35	0/203	0.89	0/266
52	2u	0.34	0/203	0.81	0/266
53	1v	0.19	0/314	0.30	0/487
53	2v	0.21	0/310	0.36	0/480
54	1w	0.25	0/1602	0.46	0/2493
54	1y	0.27	1/1602 (0.1%)	0.51	0/2493
54	2w	0.27	1/1579 (0.1%)	0.45	0/2455
54	2y	0.27	1/1579 (0.1%)	0.45	0/2455
55	1x	0.32	0/1725	0.49	1/2689 (0.0%)
55	2x	0.30	0/1725	0.57	3/2689 (0.1%)
All	All	0.30	3/316707 (0.0%)	0.58	131/474152 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
38	2g	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	2w	8	4SU	O3'-P	5.37	1.61	1.56
54	1y	8	4SU	O3'-P	5.01	1.61	1.56
54	2y	8	4SU	O3'-P	5.01	1.61	1.56

The worst 5 of 131 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	2x	76	A	O4'-C1'-N9	15.54	131.50	108.20
22	20	82	ARG	CA-C-N	9.90	129.99	119.89
22	20	82	ARG	C-N-CA	9.90	129.99	119.89
21	2Z	171	ILE	N-CA-C	8.13	119.12	111.48
33	2b	129	GLU	N-CA-C	-8.12	101.99	112.23

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
38	2g	79	ARG	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61852	0	31193	631	0
1	2A	60322	0	30423	856	0
2	1B	2577	0	1305	20	0
2	2B	2575	0	1303	49	0
3	1D	2136	0	2218	55	0
3	2D	2136	0	2218	56	0
4	1E	1559	0	1618	39	0
4	2E	1559	0	1618	26	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	1F	1584	0	1625	40	0
5	2F	1580	0	1619	54	0
6	1G	1429	0	1447	33	0
6	2G	1428	0	1438	49	0
7	1H	1330	0	1407	25	0
7	2H	1330	0	1407	40	0
8	1I	1097	0	1140	27	0
8	2I	1064	0	1082	24	0
9	1N	1117	0	1184	25	0
9	2N	1117	0	1184	23	0
10	1O	933	0	996	20	0
10	2O	933	0	996	21	0
11	1P	1135	0	1211	27	0
11	2P	1135	0	1212	38	0
12	1Q	1122	0	1179	21	0
12	2Q	1122	0	1179	34	0
13	1R	968	0	1033	18	0
13	2R	968	0	1033	26	0
14	1S	873	0	927	20	0
14	2S	870	0	923	15	0
15	1T	1091	0	1151	16	0
15	2T	1083	0	1136	21	0
16	1U	959	0	1019	12	0
16	2U	959	0	1019	25	0
17	1V	771	0	830	15	0
17	2V	771	0	830	20	0
18	1W	886	0	940	9	0
18	2W	886	0	940	10	0
19	1X	750	0	814	16	0
19	2X	750	0	814	15	0
20	1Y	806	0	881	13	0
20	2Y	806	0	881	17	0
21	1Z	1240	0	1240	25	0
21	2Z	1271	0	1273	50	0
22	10	653	0	674	16	0
22	20	653	0	674	17	0
23	11	755	0	826	13	0
23	21	755	0	826	23	0
24	12	588	0	643	13	0
24	22	588	0	643	16	0
25	13	469	0	518	9	0
25	23	464	0	514	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	14	552	0	533	19	0
26	24	532	0	503	14	0
27	15	455	0	465	11	0
27	25	455	0	465	12	0
28	16	453	0	473	8	0
28	26	449	0	469	13	0
29	17	418	0	467	7	0
29	27	418	0	467	5	0
30	18	517	0	582	17	0
30	28	517	0	582	15	0
31	19	307	0	335	2	0
31	29	307	0	335	8	0
32	1a	32246	0	16295	394	0
32	2a	32327	0	16340	523	0
33	1b	1846	0	1867	64	0
33	2b	1825	0	1828	73	0
34	1c	1548	0	1535	22	0
34	2c	1542	0	1517	57	0
35	1d	1655	0	1672	45	0
35	2d	1674	0	1714	60	0
36	1e	1129	0	1185	31	0
36	2e	1133	0	1191	32	0
37	1f	810	0	804	21	0
37	2f	816	0	808	20	0
38	1g	1231	0	1238	23	0
38	2g	1235	0	1249	34	0
39	1h	1088	0	1126	35	0
39	2h	1088	0	1126	35	0
40	1i	983	0	986	37	0
40	2i	978	0	966	40	0
41	1j	709	0	650	26	0
41	2j	714	0	672	34	0
42	1k	829	0	825	14	0
42	2k	833	0	836	14	0
43	1l	932	0	981	15	0
43	2l	932	0	981	16	0
44	1m	958	0	1002	22	0
44	2m	950	0	988	54	0
45	1n	492	0	529	14	0
45	2n	492	0	529	22	0
46	1o	728	0	760	9	0
46	2o	728	0	760	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
47	1p	681	0	697	22	0
47	2p	677	0	686	31	0
48	1q	823	0	891	27	0
48	2q	823	0	891	23	0
49	1r	555	0	618	14	0
49	2r	555	0	618	16	0
50	1s	652	0	662	21	0
50	2s	646	0	644	27	0
51	1t	728	0	798	20	0
51	2t	727	0	796	12	0
52	1u	199	0	208	6	0
52	2u	199	0	208	8	0
53	1v	281	0	139	0	0
53	2v	277	0	140	4	0
54	1w	1588	0	820	32	0
54	1y	1581	0	805	40	0
54	2w	1561	0	796	34	0
54	2y	1561	0	796	35	0
55	1x	1625	0	828	17	0
55	2x	1625	0	828	19	0
56	10	6	0	0	0	0
56	11	2	0	0	0	0
56	12	2	0	0	0	0
56	13	1	0	0	0	0
56	15	4	0	0	0	0
56	16	2	0	0	0	0
56	17	1	0	0	0	0
56	18	1	0	0	0	0
56	19	2	0	0	0	0
56	1A	935	0	0	0	0
56	1B	25	0	0	0	0
56	1D	9	0	0	0	0
56	1E	8	0	0	0	0
56	1F	8	0	0	0	0
56	1G	5	0	0	0	0
56	1I	1	0	0	0	0
56	1N	6	0	0	0	0
56	1O	3	0	0	0	0
56	1P	3	0	0	0	0
56	1Q	5	0	0	0	0
56	1R	2	0	0	0	0
56	1S	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	1T	2	0	0	0	0
56	1U	4	0	0	0	0
56	1V	3	0	0	0	0
56	1W	4	0	0	0	0
56	1X	3	0	0	0	0
56	1Y	2	0	0	0	0
56	1Z	3	0	0	0	0
56	1a	234	0	0	0	0
56	1b	2	0	0	0	0
56	1c	1	0	0	0	0
56	1d	1	0	0	0	0
56	1e	1	0	0	0	0
56	1f	1	0	0	0	0
56	1g	1	0	0	0	0
56	1l	3	0	0	0	0
56	1n	1	0	0	0	0
56	1r	1	0	0	0	0
56	1s	1	0	0	0	0
56	1t	1	0	0	0	0
56	1v	1	0	0	0	0
56	1w	5	0	0	0	0
56	1x	14	0	0	0	0
56	1y	7	0	0	0	0
56	20	3	0	0	0	0
56	21	2	0	0	0	0
56	23	1	0	0	0	0
56	25	1	0	0	0	0
56	28	1	0	0	0	0
56	2A	679	0	0	0	0
56	2B	21	0	0	0	0
56	2D	4	0	0	0	0
56	2E	7	0	0	0	0
56	2F	5	0	0	0	0
56	2G	1	0	0	0	0
56	2N	1	0	0	0	0
56	2O	2	0	0	0	0
56	2Q	3	0	0	0	0
56	2R	1	0	0	0	0
56	2T	1	0	0	0	0
56	2U	2	0	0	0	0
56	2V	3	0	0	0	0
56	2X	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	2Z	1	0	0	0	0
56	2a	200	0	0	0	0
56	2d	1	0	0	0	0
56	2e	2	0	0	0	0
56	2f	2	0	0	0	0
56	2g	1	0	0	0	0
56	2j	2	0	0	0	0
56	2l	2	0	0	0	0
56	2p	1	0	0	0	0
56	2q	3	0	0	0	0
56	2r	1	0	0	0	0
56	2t	1	0	0	0	0
56	2v	2	0	0	0	0
56	2w	3	0	0	0	0
56	2x	2	0	0	0	0
57	1A	57	0	50	6	0
57	2A	57	0	50	6	0
58	1A	1	0	0	0	0
58	2A	1	0	0	0	0
59	14	1	0	0	0	0
59	15	1	0	0	0	0
59	16	1	0	0	0	0
59	19	1	0	0	0	0
59	1Y	1	0	0	0	0
59	1n	1	0	0	0	0
59	24	1	0	0	0	0
59	25	1	0	0	0	0
59	26	1	0	0	0	0
59	29	1	0	0	0	0
59	2Y	1	0	0	0	0
59	2n	1	0	0	0	0
60	1d	8	0	0	0	0
60	2d	8	0	0	0	0
61	1x	10	0	10	1	0
61	2x	10	0	10	0	0
62	10	6	0	0	0	0
62	11	3	0	0	0	0
62	12	4	0	0	1	0
62	13	5	0	0	0	0
62	15	1	0	0	0	0
62	17	6	0	0	0	0
62	18	10	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
62	19	2	0	0	0	0
62	1A	1741	0	0	69	0
62	1B	49	0	0	1	0
62	1D	21	0	0	1	0
62	1E	27	0	0	2	0
62	1F	22	0	0	1	0
62	1G	3	0	0	0	0
62	1I	1	0	0	0	0
62	1N	6	0	0	0	0
62	1O	4	0	0	0	0
62	1P	21	0	0	1	0
62	1Q	5	0	0	0	0
62	1R	5	0	0	0	0
62	1S	6	0	0	0	0
62	1T	13	0	0	0	0
62	1U	12	0	0	0	0
62	1V	10	0	0	0	0
62	1W	6	0	0	1	0
62	1X	4	0	0	1	0
62	1Y	4	0	0	1	0
62	1Z	1	0	0	0	0
62	1a	309	0	0	18	0
62	1d	1	0	0	0	0
62	1g	1	0	0	0	0
62	1j	1	0	0	0	0
62	1l	3	0	0	0	0
62	1m	1	0	0	0	0
62	1o	2	0	0	0	0
62	1p	2	0	0	0	0
62	1q	1	0	0	0	0
62	1r	1	0	0	0	0
62	1v	6	0	0	0	0
62	1w	6	0	0	0	0
62	1x	13	0	0	0	0
62	1y	5	0	0	0	0
62	20	6	0	0	0	0
62	21	5	0	0	0	0
62	22	1	0	0	0	0
62	23	1	0	0	0	0
62	25	3	0	0	0	0
62	27	3	0	0	0	0
62	28	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
62	29	1	0	0	0	0
62	2A	1031	0	0	89	0
62	2B	10	0	0	1	0
62	2D	16	0	0	4	0
62	2E	10	0	0	1	0
62	2F	7	0	0	0	0
62	2I	2	0	0	0	0
62	2N	1	0	0	0	0
62	2O	1	0	0	0	0
62	2P	14	0	0	2	0
62	2Q	1	0	0	0	0
62	2R	2	0	0	0	0
62	2T	3	0	0	0	0
62	2U	1	0	0	0	0
62	2V	2	0	0	0	0
62	2W	1	0	0	1	0
62	2X	3	0	0	0	0
62	2Y	1	0	0	1	0
62	2Z	2	0	0	0	0
62	2a	203	0	0	16	0
62	2d	4	0	0	0	0
62	2g	1	0	0	0	0
62	2i	1	0	0	0	0
62	2j	4	0	0	1	0
62	2l	3	0	0	0	0
62	2o	1	0	0	1	0
62	2p	2	0	0	0	0
62	2r	1	0	0	0	0
62	2t	2	0	0	0	0
62	2v	3	0	0	0	0
62	2x	6	0	0	2	0
All	All	299169	0	196829	4372	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 4372 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
54:2y:52:G:H1	54:2y:62:C:N4	1.54	1.06
1:1A:1082:U:H3	1:1A:1086:A:N6	1.56	1.02

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:N3	1:1A:1086:A:N6	2.09	1.01
1:1A:1082:U:O4	1:1A:1086:A:N1	1.95	0.99
54:1y:19:G:H1	54:1y:56:C:H42	1.09	0.99

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	260 (95%)	12 (4%)	1 (0%)	30	45
3	2D	273/276 (99%)	263 (96%)	9 (3%)	1 (0%)	30	45
4	1E	202/206 (98%)	194 (96%)	7 (4%)	1 (0%)	24	39
4	2E	202/206 (98%)	193 (96%)	7 (4%)	2 (1%)	12	20
5	1F	201/210 (96%)	198 (98%)	2 (1%)	1 (0%)	24	39
5	2F	201/210 (96%)	197 (98%)	2 (1%)	2 (1%)	12	20
6	1G	179/182 (98%)	167 (93%)	9 (5%)	3 (2%)	7	12
6	2G	179/182 (98%)	167 (93%)	9 (5%)	3 (2%)	7	12
7	1H	172/180 (96%)	156 (91%)	15 (9%)	1 (1%)	21	34
7	2H	172/180 (96%)	157 (91%)	14 (8%)	1 (1%)	21	34
8	1I	144/148 (97%)	130 (90%)	11 (8%)	3 (2%)	5	9
8	2I	144/148 (97%)	130 (90%)	13 (9%)	1 (1%)	18	30
9	1N	138/140 (99%)	134 (97%)	4 (3%)	0	100	100
9	2N	138/140 (99%)	133 (96%)	4 (3%)	1 (1%)	18	30
10	1O	120/122 (98%)	113 (94%)	7 (6%)	0	100	100
10	2O	120/122 (98%)	114 (95%)	6 (5%)	0	100	100
11	1P	147/150 (98%)	139 (95%)	7 (5%)	1 (1%)	18	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	2P	147/150 (98%)	136 (92%)	10 (7%)	1 (1%)	18	30
12	1Q	139/141 (99%)	136 (98%)	3 (2%)	0	100	100
12	2Q	139/141 (99%)	135 (97%)	3 (2%)	1 (1%)	18	30
13	1R	116/118 (98%)	113 (97%)	3 (3%)	0	100	100
13	2R	116/118 (98%)	113 (97%)	3 (3%)	0	100	100
14	1S	108/112 (96%)	103 (95%)	5 (5%)	0	100	100
14	2S	108/112 (96%)	101 (94%)	7 (6%)	0	100	100
15	1T	129/146 (88%)	119 (92%)	10 (8%)	0	100	100
15	2T	129/146 (88%)	119 (92%)	10 (8%)	0	100	100
16	1U	114/118 (97%)	114 (100%)	0	0	100	100
16	2U	114/118 (97%)	114 (100%)	0	0	100	100
17	1V	99/101 (98%)	94 (95%)	4 (4%)	1 (1%)	12	20
17	2V	99/101 (98%)	94 (95%)	4 (4%)	1 (1%)	12	20
18	1W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
18	2W	110/113 (97%)	108 (98%)	2 (2%)	0	100	100
19	1X	93/96 (97%)	92 (99%)	1 (1%)	0	100	100
19	2X	93/96 (97%)	90 (97%)	2 (2%)	1 (1%)	11	19
20	1Y	105/110 (96%)	100 (95%)	3 (3%)	2 (2%)	6	10
20	2Y	105/110 (96%)	102 (97%)	3 (3%)	0	100	100
21	1Z	148/206 (72%)	131 (88%)	16 (11%)	1 (1%)	18	30
21	2Z	156/206 (76%)	133 (85%)	23 (15%)	0	100	100
22	10	81/85 (95%)	79 (98%)	2 (2%)	0	100	100
22	20	81/85 (95%)	77 (95%)	4 (5%)	0	100	100
23	11	95/98 (97%)	93 (98%)	1 (1%)	1 (1%)	11	19
23	21	95/98 (97%)	92 (97%)	2 (2%)	1 (1%)	11	19
24	12	68/72 (94%)	65 (96%)	3 (4%)	0	100	100
24	22	68/72 (94%)	66 (97%)	2 (3%)	0	100	100
25	13	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
25	23	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
26	14	67/71 (94%)	54 (81%)	10 (15%)	3 (4%)	2	2
26	24	67/71 (94%)	51 (76%)	10 (15%)	6 (9%)	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	15	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
27	25	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
28	16	51/54 (94%)	51 (100%)	0	0	100	100
28	26	51/54 (94%)	51 (100%)	0	0	100	100
29	17	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
29	27	46/49 (94%)	44 (96%)	1 (2%)	1 (2%)	5	9
30	18	62/65 (95%)	62 (100%)	0	0	100	100
30	28	62/65 (95%)	62 (100%)	0	0	100	100
31	19	35/37 (95%)	35 (100%)	0	0	100	100
31	29	35/37 (95%)	35 (100%)	0	0	100	100
33	1b	229/256 (90%)	200 (87%)	20 (9%)	9 (4%)	2	3
33	2b	229/256 (90%)	201 (88%)	20 (9%)	8 (4%)	3	4
34	1c	204/239 (85%)	185 (91%)	17 (8%)	2 (1%)	12	20
34	2c	204/239 (85%)	187 (92%)	15 (7%)	2 (1%)	12	20
35	1d	206/209 (99%)	195 (95%)	10 (5%)	1 (0%)	24	39
35	2d	206/209 (99%)	194 (94%)	11 (5%)	1 (0%)	24	39
36	1e	146/162 (90%)	134 (92%)	11 (8%)	1 (1%)	18	30
36	2e	146/162 (90%)	136 (93%)	10 (7%)	0	100	100
37	1f	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
37	2f	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
38	1g	153/156 (98%)	146 (95%)	7 (5%)	0	100	100
38	2g	153/156 (98%)	146 (95%)	6 (4%)	1 (1%)	18	30
39	1h	135/138 (98%)	132 (98%)	3 (2%)	0	100	100
39	2h	135/138 (98%)	131 (97%)	3 (2%)	1 (1%)	18	30
40	1i	125/128 (98%)	107 (86%)	17 (14%)	1 (1%)	16	27
40	2i	125/128 (98%)	108 (86%)	15 (12%)	2 (2%)	7	12
41	1j	95/105 (90%)	83 (87%)	8 (8%)	4 (4%)	2	3
41	2j	94/105 (90%)	81 (86%)	8 (8%)	5 (5%)	1	2
42	1k	112/129 (87%)	103 (92%)	5 (4%)	4 (4%)	2	4
42	2k	112/129 (87%)	104 (93%)	4 (4%)	4 (4%)	2	4
43	1l	119/132 (90%)	113 (95%)	6 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
43	2l	119/132 (90%)	111 (93%)	8 (7%)	0	100	100
44	1m	121/126 (96%)	112 (93%)	9 (7%)	0	100	100
44	2m	120/126 (95%)	110 (92%)	7 (6%)	3 (2%)	4	7
45	1n	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
45	2n	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
46	1o	86/89 (97%)	83 (96%)	3 (4%)	0	100	100
46	2o	86/89 (97%)	82 (95%)	3 (4%)	1 (1%)	10	17
47	1p	80/88 (91%)	76 (95%)	3 (4%)	1 (1%)	9	16
47	2p	80/88 (91%)	75 (94%)	4 (5%)	1 (1%)	9	16
48	1q	97/105 (92%)	94 (97%)	3 (3%)	0	100	100
48	2q	97/105 (92%)	94 (97%)	3 (3%)	0	100	100
49	1r	66/88 (75%)	62 (94%)	4 (6%)	0	100	100
49	2r	66/88 (75%)	62 (94%)	4 (6%)	0	100	100
50	1s	81/93 (87%)	73 (90%)	8 (10%)	0	100	100
50	2s	81/93 (87%)	74 (91%)	6 (7%)	1 (1%)	10	17
51	1t	94/106 (89%)	86 (92%)	3 (3%)	5 (5%)	1	2
51	2t	94/106 (89%)	86 (92%)	3 (3%)	5 (5%)	1	2
52	1u	21/27 (78%)	19 (90%)	2 (10%)	0	100	100
52	2u	21/27 (78%)	18 (86%)	3 (14%)	0	100	100
All	All	11370/12128 (94%)	10690 (94%)	575 (5%)	105 (1%)	14	24

5 of 105 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	1D	275	LYS
5	1F	130	ALA
6	1G	47	LYS
6	1G	51	ARG
7	1H	126	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	215/218 (99%)	202 (94%)	13 (6%)	17	30
3	2D	215/218 (99%)	205 (95%)	10 (5%)	23	40
4	1E	164/166 (99%)	149 (91%)	15 (9%)	9	14
4	2E	164/166 (99%)	150 (92%)	14 (8%)	10	17
5	1F	160/166 (96%)	143 (89%)	17 (11%)	6	10
5	2F	159/166 (96%)	147 (92%)	12 (8%)	12	21
6	1G	144/156 (92%)	132 (92%)	12 (8%)	10	18
6	2G	143/156 (92%)	137 (96%)	6 (4%)	26	45
7	1H	144/148 (97%)	141 (98%)	3 (2%)	47	69
7	2H	144/148 (97%)	140 (97%)	4 (3%)	38	60
8	1I	113/124 (91%)	105 (93%)	8 (7%)	13	23
8	2I	105/124 (85%)	99 (94%)	6 (6%)	18	32
9	1N	118/119 (99%)	111 (94%)	7 (6%)	18	30
9	2N	118/119 (99%)	111 (94%)	7 (6%)	18	30
10	1O	100/100 (100%)	99 (99%)	1 (1%)	68	81
10	2O	100/100 (100%)	97 (97%)	3 (3%)	36	57
11	1P	115/116 (99%)	106 (92%)	9 (8%)	11	20
11	2P	115/116 (99%)	109 (95%)	6 (5%)	21	36
12	1Q	111/111 (100%)	109 (98%)	2 (2%)	51	72
12	2Q	111/111 (100%)	107 (96%)	4 (4%)	31	51
13	1R	101/101 (100%)	93 (92%)	8 (8%)	11	19
13	2R	101/101 (100%)	94 (93%)	7 (7%)	14	24
14	1S	86/88 (98%)	81 (94%)	5 (6%)	18	31
14	2S	85/88 (97%)	82 (96%)	3 (4%)	32	52
15	1T	115/127 (91%)	110 (96%)	5 (4%)	26	44
15	2T	113/127 (89%)	109 (96%)	4 (4%)	32	52
16	1U	93/94 (99%)	90 (97%)	3 (3%)	34	55
16	2U	93/94 (99%)	92 (99%)	1 (1%)	65	80
17	1V	80/82 (98%)	75 (94%)	5 (6%)	16	29
17	2V	80/82 (98%)	76 (95%)	4 (5%)	22	37

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	1W	90/92 (98%)	85 (94%)	5 (6%)	19	32
18	2W	90/92 (98%)	84 (93%)	6 (7%)	15	25
19	1X	77/78 (99%)	76 (99%)	1 (1%)	61	77
19	2X	77/78 (99%)	76 (99%)	1 (1%)	61	77
20	1Y	85/91 (93%)	81 (95%)	4 (5%)	23	40
20	2Y	85/91 (93%)	84 (99%)	1 (1%)	63	79
21	1Z	135/179 (75%)	130 (96%)	5 (4%)	30	50
21	2Z	137/179 (76%)	131 (96%)	6 (4%)	25	43
22	10	65/67 (97%)	62 (95%)	3 (5%)	24	41
22	20	65/67 (97%)	64 (98%)	1 (2%)	57	75
23	11	80/83 (96%)	75 (94%)	5 (6%)	16	29
23	21	80/83 (96%)	75 (94%)	5 (6%)	16	29
24	12	65/67 (97%)	65 (100%)	0	100	100
24	22	65/67 (97%)	64 (98%)	1 (2%)	57	75
25	13	51/52 (98%)	49 (96%)	2 (4%)	28	48
25	23	50/52 (96%)	48 (96%)	2 (4%)	28	47
26	14	59/63 (94%)	57 (97%)	2 (3%)	32	53
26	24	53/63 (84%)	49 (92%)	4 (8%)	12	21
27	15	50/52 (96%)	47 (94%)	3 (6%)	17	30
27	25	50/52 (96%)	46 (92%)	4 (8%)	11	19
28	16	51/52 (98%)	49 (96%)	2 (4%)	28	48
28	26	50/52 (96%)	48 (96%)	2 (4%)	28	47
29	17	41/42 (98%)	40 (98%)	1 (2%)	43	65
29	27	41/42 (98%)	41 (100%)	0	100	100
30	18	54/55 (98%)	52 (96%)	2 (4%)	30	50
30	28	54/55 (98%)	52 (96%)	2 (4%)	30	50
31	19	34/34 (100%)	34 (100%)	0	100	100
31	29	34/34 (100%)	34 (100%)	0	100	100
33	1b	192/220 (87%)	187 (97%)	5 (3%)	40	63
33	2b	187/220 (85%)	183 (98%)	4 (2%)	47	69
34	1c	142/188 (76%)	140 (99%)	2 (1%)	59	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	2c	140/188 (74%)	137 (98%)	3 (2%)	47	69
35	1d	169/181 (93%)	164 (97%)	5 (3%)	36	57
35	2d	173/181 (96%)	168 (97%)	5 (3%)	37	58
36	1e	113/123 (92%)	110 (97%)	3 (3%)	39	61
36	2e	114/123 (93%)	112 (98%)	2 (2%)	51	72
37	1f	84/90 (93%)	81 (96%)	3 (4%)	31	51
37	2f	85/90 (94%)	83 (98%)	2 (2%)	43	65
38	1g	119/127 (94%)	118 (99%)	1 (1%)	73	85
38	2g	120/127 (94%)	120 (100%)	0	100	100
39	1h	114/119 (96%)	111 (97%)	3 (3%)	40	63
39	2h	114/119 (96%)	111 (97%)	3 (3%)	40	63
40	1i	90/99 (91%)	86 (96%)	4 (4%)	25	43
40	2i	89/99 (90%)	87 (98%)	2 (2%)	45	67
41	1j	66/92 (72%)	64 (97%)	2 (3%)	36	57
41	2j	69/92 (75%)	66 (96%)	3 (4%)	26	44
42	1k	82/99 (83%)	80 (98%)	2 (2%)	43	65
42	2k	83/99 (84%)	81 (98%)	2 (2%)	43	65
43	1l	96/108 (89%)	94 (98%)	2 (2%)	47	69
43	2l	96/108 (89%)	93 (97%)	3 (3%)	35	56
44	1m	93/101 (92%)	90 (97%)	3 (3%)	34	55
44	2m	92/101 (91%)	89 (97%)	3 (3%)	33	55
45	1n	49/50 (98%)	47 (96%)	2 (4%)	27	46
45	2n	49/50 (98%)	46 (94%)	3 (6%)	17	30
46	1o	78/80 (98%)	77 (99%)	1 (1%)	61	77
46	2o	78/80 (98%)	76 (97%)	2 (3%)	40	63
47	1p	69/74 (93%)	62 (90%)	7 (10%)	7	11
47	2p	68/74 (92%)	61 (90%)	7 (10%)	7	10
48	1q	94/97 (97%)	94 (100%)	0	100	100
48	2q	94/97 (97%)	93 (99%)	1 (1%)	65	80
49	1r	59/77 (77%)	57 (97%)	2 (3%)	32	53
49	2r	59/77 (77%)	57 (97%)	2 (3%)	32	53

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
50	1s	69/80 (86%)	69 (100%)	0	100	100
50	2s	67/80 (84%)	66 (98%)	1 (2%)	57	75
51	1t	70/82 (85%)	67 (96%)	3 (4%)	26	44
51	2t	70/82 (85%)	68 (97%)	2 (3%)	37	58
52	1u	18/22 (82%)	18 (100%)	0	100	100
52	2u	18/22 (82%)	18 (100%)	0	100	100
All	All	9304/10064 (92%)	8930 (96%)	374 (4%)	28	47

5 of 374 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	2F	191	ARG
17	2V	61	VAL
6	2G	140	ILE
11	2P	59	LEU
21	2Z	135	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 122 such sidechains are listed below:

Mol	Chain	Res	Type
3	2D	126	GLN
40	2i	117	HIS
14	2S	38	GLN
40	2i	73	GLN
50	2s	65	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2864/2915 (98%)	440 (15%)	28 (0%)
1	2A	2791/2915 (95%)	462 (16%)	26 (0%)
2	1B	120/121 (99%)	9 (7%)	1 (0%)
2	2B	118/121 (97%)	27 (22%)	0
32	1a	1497/1521 (98%)	220 (14%)	0
32	2a	1501/1521 (98%)	226 (15%)	0
53	1v	12/27 (44%)	3 (25%)	0
53	2v	12/27 (44%)	3 (25%)	0
54	1w	72/76 (94%)	27 (37%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
54	1y	72/76 (94%)	24 (33%)	0
54	2w	70/76 (92%)	21 (30%)	0
54	2y	70/76 (92%)	16 (22%)	0
55	1x	75/77 (97%)	12 (16%)	0
55	2x	75/77 (97%)	13 (17%)	0
All	All	9349/9626 (97%)	1503 (16%)	55 (0%)

5 of 1503 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	12	U
1	1A	34	C
1	1A	45	C
1	1A	55	G
1	1A	58	G

5 of 55 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	1B	1	U
1	2A	528	A
1	2A	2756	U
1	2A	1913	A
1	2A	195	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

84 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
54	MIA	1w	37	54	28,31,32	2.41	6 (21%)	38,44,47	2.68	13 (34%)
54	PSU	2y	55	54	18,21,22	1.41	2 (11%)	21,30,33	2.10	3 (14%)
54	7MG	2w	46	54	23,26,27	1.30	2 (8%)	27,39,42	2.65	8 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PSU	1A	2605	1	18,21,22	1.40	3 (16%)	21,30,33	2.07	4 (19%)
32	5MC	1a	1404	32	19,22,23	1.53	2 (10%)	26,32,35	1.11	2 (7%)
1	5MU	2A	1939	1,56	19,22,23	1.42	5 (26%)	27,32,35	2.10	6 (22%)
54	PSU	1w	39	54	18,21,22	1.36	2 (11%)	21,30,33	2.14	4 (19%)
55	4SU	1x	8	55	18,21,22	2.02	5 (27%)	25,30,33	1.30	4 (16%)
54	4SU	1y	8	54	18,21,22	1.82	5 (27%)	25,30,33	1.92	5 (20%)
43	0TD	1l	92	43	8,9,10	4.74	1 (12%)	6,11,13	7.33	2 (33%)
54	5MU	1y	54	54	19,22,23	1.44	5 (26%)	27,32,35	1.96	5 (18%)
55	PSU	2x	55	55	18,21,22	1.36	2 (11%)	21,30,33	2.05	4 (19%)
32	5MC	2a	1400	32	19,22,23	1.69	3 (15%)	26,32,35	1.17	3 (11%)
32	5MC	1a	1400	32	19,22,23	1.61	3 (15%)	26,32,35	1.09	3 (11%)
54	PSU	2y	32	54	18,21,22	1.40	2 (11%)	21,30,33	1.99	4 (19%)
1	PSU	2A	1917	1	18,21,22	1.38	2 (11%)	21,30,33	2.07	4 (19%)
32	UR3	2a	1498	32	19,22,23	1.13	1 (5%)	26,32,35	1.78	3 (11%)
55	5MC	2x	32	55	19,22,23	1.57	3 (15%)	26,32,35	1.23	4 (15%)
32	UR3	1a	1498	32	19,22,23	1.00	1 (5%)	26,32,35	1.67	3 (11%)
1	2MU	2A	2552	1,56	19,22,24	1.27	3 (15%)	25,31,36	1.73	6 (24%)
54	5MU	1w	54	54	19,22,23	1.37	5 (26%)	27,32,35	1.93	6 (22%)
1	PSU	1A	1911	1	18,21,22	1.40	2 (11%)	21,30,33	2.06	4 (19%)
55	5MU	2x	54	55	19,22,23	1.39	4 (21%)	27,32,35	1.94	7 (25%)
32	M2G	2a	966	32	24,27,28	1.31	4 (16%)	33,40,43	1.89	5 (15%)
1	5MC	2A	1962	1,56	19,22,23	1.78	3 (15%)	26,32,35	1.20	3 (11%)
1	4OC	2A	1920	1	19,22,24	0.76	0	25,31,35	0.92	1 (4%)
32	PSU	1a	516	32,56	18,21,22	1.40	3 (16%)	21,30,33	2.12	5 (23%)
54	PSU	2w	55	54	18,21,22	1.38	2 (11%)	21,30,33	1.97	4 (19%)
1	OMG	2A	2251	1,56,55	23,26,27	1.22	3 (13%)	32,38,41	2.04	6 (18%)
54	PSU	1y	39	54	18,21,22	1.40	2 (11%)	21,30,33	2.08	3 (14%)
32	MA6	1a	1519	32	23,26,27	1.52	4 (17%)	33,38,41	2.37	12 (36%)
54	MIA	2w	37	54	21,24,32	1.61	3 (14%)	30,35,47	2.10	7 (23%)
1	5MC	1A	1962	1,56	19,22,23	1.56	3 (15%)	26,32,35	1.17	3 (11%)
32	5MC	2a	967	32	19,22,23	1.77	3 (15%)	26,32,35	1.15	3 (11%)
54	PSU	2y	39	54	18,21,22	1.39	3 (16%)	21,30,33	2.10	4 (19%)
54	4SU	1w	8	54	18,21,22	1.80	5 (27%)	25,30,33	2.07	4 (16%)
1	5MU	1A	1939	1	19,22,23	1.46	5 (26%)	27,32,35	2.22	5 (18%)
43	0TD	2l	92	43	8,9,10	4.48	1 (12%)	6,11,13	2.43	3 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	5MC	2a	1407	32	19,22,23	1.65	3 (15%)	26,32,35	1.13	3 (11%)
1	2MU	1A	2552	1,56	19,22,24	1.27	2 (10%)	25,31,36	2.06	6 (24%)
32	MA6	2a	1518	32	23,26,27	1.59	4 (17%)	33,38,41	2.30	13 (39%)
54	PSU	1y	32	54	18,21,22	1.33	2 (11%)	21,30,33	1.99	4 (19%)
54	7MG	1y	46	54	23,26,27	1.33	5 (21%)	27,39,42	2.70	7 (25%)
1	2MA	1A	2503	1,56	22,25,26	1.38	3 (13%)	32,37,40	2.42	9 (28%)
32	M2G	1a	966	32	24,27,28	1.26	4 (16%)	33,40,43	1.80	6 (18%)
32	2MG	2a	1207	32	23,26,27	1.20	2 (8%)	33,38,41	2.28	8 (24%)
32	MA6	2a	1519	32	23,26,27	1.59	4 (17%)	33,38,41	2.37	13 (39%)
32	5MC	2a	1404	32	19,22,23	1.71	3 (15%)	26,32,35	1.15	3 (11%)
32	7MG	2a	527	32,56	23,26,27	1.36	4 (17%)	27,39,42	2.57	6 (22%)
55	PSU	1x	55	55	18,21,22	1.30	2 (11%)	21,30,33	2.11	4 (19%)
1	5MU	2A	1915	1	19,22,23	1.44	6 (31%)	27,32,35	2.19	6 (22%)
55	5MU	1x	54	56,55	19,22,23	1.39	6 (31%)	27,32,35	1.83	6 (22%)
1	5MU	1A	1915	1	19,22,23	1.31	5 (26%)	27,32,35	2.21	6 (22%)
54	PSU	2w	32	54	18,21,22	1.36	2 (11%)	21,30,33	1.96	3 (14%)
54	PSU	1w	32	56,54	18,21,22	1.35	2 (11%)	21,30,33	2.06	4 (19%)
1	4OC	1A	1920	1	19,22,24	0.79	0	25,31,35	0.98	1 (4%)
54	PSU	1w	55	54	18,21,22	1.40	2 (11%)	21,30,33	2.05	3 (14%)
32	4OC	1a	1402	32	20,23,24	0.74	0	25,32,35	0.95	1 (4%)
54	7MG	1w	46	54	23,26,27	1.34	3 (13%)	27,39,42	2.67	7 (25%)
1	5MC	2A	1942	1	19,22,23	1.82	3 (15%)	26,32,35	1.23	3 (11%)
32	MA6	1a	1518	32	23,26,27	1.57	4 (17%)	33,38,41	2.29	13 (39%)
54	7MG	2y	46	54	23,26,27	1.35	4 (17%)	27,39,42	2.70	7 (25%)
54	PSU	2w	39	54	18,21,22	1.38	2 (11%)	21,30,33	1.67	4 (19%)
32	4OC	2a	1402	32	20,23,24	0.75	1 (5%)	25,32,35	1.04	1 (4%)
32	5MC	1a	1407	32	19,22,23	1.62	3 (15%)	26,32,35	1.10	2 (7%)
54	PSU	1y	55	54	18,21,22	1.42	2 (11%)	21,30,33	2.03	3 (14%)
1	PSU	1A	1917	1	18,21,22	1.40	2 (11%)	21,30,33	2.06	3 (14%)
54	MIA	1y	37	54	21,24,32	1.60	4 (19%)	30,35,47	2.11	7 (23%)
32	2MG	1a	1207	32	23,26,27	1.24	3 (13%)	33,38,41	2.30	9 (27%)
32	7MG	1a	527	32,56	23,26,27	1.40	4 (17%)	27,39,42	2.59	7 (25%)
54	5MU	2w	54	54	19,22,23	1.42	5 (26%)	27,32,35	1.79	6 (22%)
32	PSU	2a	516	32	18,21,22	1.32	3 (16%)	21,30,33	2.04	5 (23%)
32	5MC	1a	967	32	19,22,23	1.53	3 (15%)	26,32,35	1.08	2 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
54	4SU	2w	8	54	18,21,22	1.74	5 (27%)	25,30,33	1.88	4 (16%)
55	5MC	1x	32	55	19,22,23	1.69	3 (15%)	26,32,35	1.19	2 (7%)
1	OMG	1A	2251	1,56,55	23,26,27	1.21	3 (13%)	32,38,41	2.05	6 (18%)
1	2MA	2A	2503	1,56	22,25,26	1.49	6 (27%)	32,37,40	2.33	9 (28%)
54	MIA	2y	37	54	21,24,32	1.62	4 (19%)	30,35,47	2.07	9 (30%)
54	4SU	2y	8	54	18,21,22	1.80	4 (22%)	25,30,33	2.27	5 (20%)
55	4SU	2x	8	55	18,21,22	2.08	6 (33%)	25,30,33	1.61	4 (16%)
54	5MU	2y	54	54	19,22,23	1.47	4 (21%)	27,32,35	2.04	8 (29%)
1	PSU	2A	2605	1	18,21,22	1.31	2 (11%)	21,30,33	2.12	5 (23%)
1	5MC	1A	1942	1,56	19,22,23	1.60	3 (15%)	26,32,35	1.15	2 (7%)
1	PSU	2A	1911	1	18,21,22	1.32	2 (11%)	21,30,33	1.94	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
54	MIA	1w	37	54	-	1/15/33/34	0/3/3/3
54	PSU	2y	55	54	-	1/7/25/26	0/2/2/2
54	7MG	2w	46	54	-	3/7/37/38	0/3/3/3
1	PSU	1A	2605	1	-	0/7/25/26	0/2/2/2
32	5MC	1a	1404	32	-	0/7/25/26	0/2/2/2
1	5MU	2A	1939	1,56	-	0/7/25/26	0/2/2/2
54	PSU	1w	39	54	-	0/7/25/26	0/2/2/2
55	4SU	1x	8	55	-	0/7/25/26	0/2/2/2
54	4SU	1y	8	54	-	0/7/25/26	0/2/2/2
43	0TD	1l	92	43	-	1/7/12/14	-
54	5MU	1y	54	54	-	0/7/25/26	0/2/2/2
55	PSU	2x	55	55	-	0/7/25/26	0/2/2/2
32	5MC	2a	1400	32	-	4/7/25/26	0/2/2/2
32	5MC	1a	1400	32	-	2/7/25/26	0/2/2/2
54	PSU	2y	32	54	-	0/7/25/26	0/2/2/2
1	PSU	2A	1917	1	-	0/7/25/26	0/2/2/2
32	UR3	2a	1498	32	-	2/7/25/26	0/2/2/2
55	5MC	2x	32	55	-	0/7/25/26	0/2/2/2
32	UR3	1a	1498	32	-	0/7/25/26	0/2/2/2
1	2MU	2A	2552	1,56	-	1/9/27/28	0/2/2/2
54	5MU	1w	54	54	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
55	5MU	2x	54	55	-	0/7/25/26	0/2/2/2
32	M2G	2a	966	32	-	0/11/29/30	0/3/3/3
1	5MC	2A	1962	1,56	-	0/7/25/26	0/2/2/2
1	4OC	2A	1920	1	-	1/9/27/30	0/2/2/2
32	PSU	1a	516	32,56	-	0/7/25/26	0/2/2/2
54	PSU	2w	55	54	-	0/7/25/26	0/2/2/2
1	OMG	2A	2251	1,56,55	-	1/9/27/28	0/3/3/3
54	PSU	1y	39	54	-	0/7/25/26	0/2/2/2
32	MA6	1a	1519	32	-	3/11/29/30	0/3/3/3
54	MIA	2w	37	54	-	0/7/25/34	0/3/3/3
1	5MC	1A	1962	1,56	-	0/7/25/26	0/2/2/2
32	5MC	2a	967	32	-	0/7/25/26	0/2/2/2
54	PSU	2y	39	54	-	0/7/25/26	0/2/2/2
54	4SU	1w	8	54	-	0/7/25/26	0/2/2/2
1	5MU	1A	1939	1	-	0/7/25/26	0/2/2/2
43	0TD	2l	92	43	-	2/7/12/14	-
32	5MC	2a	1407	32	-	0/7/25/26	0/2/2/2
1	2MU	1A	2552	1,56	-	0/9/27/28	0/2/2/2
32	MA6	2a	1518	32	-	3/11/29/30	0/3/3/3
54	PSU	1y	32	54	-	0/7/25/26	0/2/2/2
54	7MG	1y	46	54	-	5/7/37/38	0/3/3/3
1	2MA	1A	2503	1,56	-	0/7/25/26	0/3/3/3
32	M2G	1a	966	32	-	0/11/29/30	0/3/3/3
32	2MG	2a	1207	32	-	0/9/27/28	0/3/3/3
32	MA6	2a	1519	32	-	3/11/29/30	0/3/3/3
32	5MC	2a	1404	32	-	0/7/25/26	0/2/2/2
32	7MG	2a	527	32,56	-	3/7/37/38	0/3/3/3
55	PSU	1x	55	55	-	0/7/25/26	0/2/2/2
1	5MU	2A	1915	1	-	0/7/25/26	0/2/2/2
55	5MU	1x	54	56,55	-	0/7/25/26	0/2/2/2
1	5MU	1A	1915	1	-	0/7/25/26	0/2/2/2
54	PSU	2w	32	54	-	0/7/25/26	0/2/2/2
54	PSU	1w	32	56,54	-	0/7/25/26	0/2/2/2
1	4OC	1A	1920	1	-	1/9/27/30	0/2/2/2
54	PSU	1w	55	54	-	0/7/25/26	0/2/2/2
32	4OC	1a	1402	32	-	2/9/29/30	0/2/2/2
54	7MG	1w	46	54	-	2/7/37/38	0/3/3/3
1	5MC	2A	1942	1	-	0/7/25/26	0/2/2/2
32	MA6	1a	1518	32	-	1/11/29/30	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
54	7MG	2y	46	54	-	4/7/37/38	0/3/3/3
54	PSU	2w	39	54	-	0/7/25/26	0/2/2/2
32	4OC	2a	1402	32	-	2/9/29/30	0/2/2/2
32	5MC	1a	1407	32	-	0/7/25/26	0/2/2/2
54	PSU	1y	55	54	-	2/7/25/26	0/2/2/2
1	PSU	1A	1917	1	-	0/7/25/26	0/2/2/2
54	MIA	1y	37	54	-	2/7/25/34	0/3/3/3
32	2MG	1a	1207	32	-	0/9/27/28	0/3/3/3
32	7MG	1a	527	32,56	-	2/7/37/38	0/3/3/3
54	5MU	2w	54	54	-	0/7/25/26	0/2/2/2
32	PSU	2a	516	32	-	0/7/25/26	0/2/2/2
32	5MC	1a	967	32	-	1/7/25/26	0/2/2/2
54	4SU	2w	8	54	-	0/7/25/26	0/2/2/2
55	5MC	1x	32	55	-	0/7/25/26	0/2/2/2
1	OMG	1A	2251	1,56,55	-	0/9/27/28	0/3/3/3
1	2MA	2A	2503	1,56	-	0/7/25/26	0/3/3/3
54	MIA	2y	37	54	-	2/7/25/34	0/3/3/3
54	4SU	2y	8	54	-	0/7/25/26	0/2/2/2
55	4SU	2x	8	55	-	1/7/25/26	0/2/2/2
54	5MU	2y	54	54	-	3/7/25/26	0/2/2/2
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
1	5MC	1A	1942	1,56	-	0/7/25/26	0/2/2/2
1	PSU	2A	1911	1	-	1/7/25/26	0/2/2/2

The worst 5 of 262 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	1l	92	0TD	CB-SB	-12.99	1.69	1.82
43	2l	92	0TD	CB-SB	-12.34	1.69	1.82
54	1w	37	MIA	C2-S10	-7.60	1.69	1.75
54	1w	37	MIA	C13-C14	6.96	1.53	1.32
1	2A	1942	5MC	C5-C4	6.71	1.49	1.44

The worst 5 of 424 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	1l	92	0TD	CSB-SB-CB	17.51	133.84	102.36
54	2y	46	7MG	N9-C4-N3	9.55	139.45	125.46
54	1y	46	7MG	N9-C4-N3	9.47	139.33	125.46
54	1w	46	7MG	N9-C4-N3	9.20	138.94	125.46
32	1a	527	7MG	N9-C4-N3	8.99	138.64	125.46

There are no chirality outliers.

5 of 62 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
32	1a	1400	5MC	O4'-C4'-C5'-O5'
32	1a	1400	5MC	C3'-C4'-C5'-O5'
32	1a	1519	MA6	O4'-C4'-C5'-O5'
1	2A	2251	OMG	C1'-C2'-O2'-CM2
32	2a	1498	UR3	O4'-C4'-C5'-O5'

There are no ring outliers.

34 monomers are involved in 44 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
54	1w	37	MIA	1	0
54	2w	46	7MG	2	0
1	2A	1939	5MU	1	0
54	1w	39	PSU	1	0
55	1x	8	4SU	2	0
43	1l	92	0TD	1	0
54	1y	54	5MU	1	0
55	2x	55	PSU	1	0
32	1a	1400	5MC	2	0
54	2y	32	PSU	1	0
55	2x	32	5MC	1	0
1	2A	2552	2MU	2	0
1	2A	2251	OMG	2	0
32	1a	1519	MA6	1	0
32	2a	967	5MC	1	0
1	1A	1939	5MU	1	0
43	2l	92	0TD	1	0
32	2a	1518	MA6	5	0
1	1A	2503	2MA	1	0
32	2a	1207	2MG	1	0
32	2a	1519	MA6	2	0
55	1x	55	PSU	1	0
55	1x	54	5MU	1	0
1	1A	1915	5MU	1	0
32	1a	1402	4OC	2	0
54	1w	46	7MG	1	0
1	2A	1942	5MC	1	0
32	1a	1518	MA6	1	0
54	2y	46	7MG	1	0
32	2a	1402	4OC	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1A	1917	PSU	1	0
54	1y	37	MIA	1	0
54	2w	8	4SU	1	0
1	2A	2503	2MA	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2312 ligands modelled in this entry, 2306 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
60	SF4	2d	501	35	0,12,12	-	-	-		
57	4M2	1A	3894	-	62,62,62	3.24	13 (20%)	73,90,90	2.34	22 (30%)
61	FME	2x	3003	55	8,9,10	0.45	0	8,9,11	1.30	1 (12%)
60	SF4	1d	501	35	0,12,12	-	-	-		
57	4M2	2A	3670	-	62,62,62	3.21	15 (24%)	73,90,90	2.28	22 (30%)
61	FME	1x	115	55	8,9,10	0.36	0	8,9,11	1.50	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	SF4	2d	501	35	-	-	0/6/5/5
57	4M2	1A	3894	-	-	14/36/93/93	0/6/6/6
61	FME	2x	3003	55	-	4/7/9/11	-
60	SF4	1d	501	35	-	-	0/6/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	4M2	2A	3670	-	-	8/36/93/93	0/6/6/6
61	FME	1x	115	55	-	4/7/9/11	-

The worst 5 of 28 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
57	1A	3894	4M2	CAN-CBI	21.86	1.56	1.34
57	2A	3670	4M2	CAN-CBI	21.61	1.56	1.34
57	2A	3670	4M2	CBS-CBL	-7.46	1.41	1.51
57	1A	3894	4M2	CBS-CBL	-6.96	1.42	1.51
57	1A	3894	4M2	CBX-CBT	-4.31	1.47	1.52

The worst 5 of 46 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	1A	3894	4M2	CBN-OBF-CBX	-7.66	107.03	117.82
57	2A	3670	4M2	N3-C2-N1	-7.57	117.12	128.58
57	2A	3670	4M2	CBN-OBF-CBX	-7.55	107.18	117.82
57	1A	3894	4M2	N3-C2-N1	-7.02	117.96	128.58
57	1A	3894	4M2	OBH-CCC-N9	-6.04	96.49	108.09

There are no chirality outliers.

5 of 30 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	1A	3894	4M2	C5-C6-N6-CAF
57	1A	3894	4M2	CAV-CBK-OBA-CAA
57	1A	3894	4M2	CBL-CBK-OBA-CAA
57	2A	3670	4M2	CAV-CBK-OBA-CAA
61	1x	115	FME	O1-CN-N-CA


There are no ring outliers.


3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
57	1A	3894	4M2	6	0
57	2A	3670	4M2	6	0
61	1x	115	FME	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1A	2860/2915 (98%)	0.02	172 (6%) 27 21	22, 42, 92, 106	0
1	2A	2789/2915 (95%)	0.13	129 (4%) 37 29	26, 46, 90, 104	0
2	1B	120/121 (99%)	0.47	2 (1%) 69 64	37, 59, 71, 89	0
2	2B	120/121 (99%)	1.28	15 (12%) 8 6	46, 66, 77, 90	0
3	1D	275/276 (99%)	0.19	7 (2%) 58 52	21, 42, 59, 79	0
3	2D	275/276 (99%)	0.32	6 (2%) 62 56	23, 44, 61, 80	0
4	1E	204/206 (99%)	0.36	6 (2%) 53 46	20, 45, 65, 78	0
4	2E	204/206 (99%)	0.40	8 (3%) 43 35	21, 49, 68, 79	0
5	1F	203/210 (96%)	0.60	8 (3%) 43 35	23, 51, 73, 89	0
5	2F	203/210 (96%)	0.61	4 (1%) 65 59	25, 56, 75, 91	0
6	1G	181/182 (99%)	1.21	28 (15%) 5 4	48, 67, 80, 92	0
6	2G	181/182 (99%)	1.55	39 (21%) 2 1	52, 71, 82, 95	0
7	1H	174/180 (96%)	1.18	18 (10%) 12 9	48, 65, 75, 82	0
7	2H	174/180 (96%)	1.54	46 (26%) 1 1	52, 70, 80, 83	0
8	1I	146/148 (98%)	1.09	13 (8%) 15 12	47, 74, 83, 89	0
8	2I	146/148 (98%)	1.39	26 (17%) 4 2	49, 74, 84, 86	0
9	1N	140/140 (100%)	0.73	6 (4%) 40 32	31, 48, 69, 79	0
9	2N	140/140 (100%)	0.66	5 (3%) 46 38	36, 53, 72, 80	0
10	1O	122/122 (100%)	-0.13	1 (0%) 82 79	25, 38, 58, 63	0
10	2O	122/122 (100%)	0.65	4 (3%) 49 40	39, 57, 72, 76	0
11	1P	149/150 (99%)	0.70	10 (6%) 24 18	23, 52, 75, 81	0
11	2P	149/150 (99%)	0.73	5 (3%) 48 40	26, 58, 78, 83	0
12	1Q	141/141 (100%)	0.64	8 (5%) 29 23	30, 49, 64, 80	0
12	2Q	141/141 (100%)	0.97	15 (10%) 11 9	37, 54, 68, 80	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	0.20	0 100 100	30, 40, 55, 67	0
13	2R	118/118 (100%)	0.17	1 (0%) 82 79	32, 43, 57, 69	0
14	1S	110/112 (98%)	0.89	4 (3%) 46 38	45, 59, 71, 75	0
14	2S	110/112 (98%)	1.65	33 (30%) 1 0	52, 64, 74, 77	0
15	1T	131/146 (89%)	0.70	10 (7%) 20 15	37, 50, 73, 84	0
15	2T	131/146 (89%)	0.62	6 (4%) 37 29	41, 53, 74, 84	0
16	1U	116/118 (98%)	0.35	3 (2%) 57 51	26, 42, 58, 75	0
16	2U	116/118 (98%)	0.53	2 (1%) 69 64	32, 47, 62, 77	0
17	1V	101/101 (100%)	0.61	7 (6%) 23 17	29, 51, 66, 77	0
17	2V	101/101 (100%)	0.78	2 (1%) 65 59	33, 58, 70, 77	0
18	1W	112/113 (99%)	-0.08	1 (0%) 81 78	25, 37, 59, 86	0
18	2W	112/113 (99%)	0.19	2 (1%) 67 63	29, 40, 61, 88	0
19	1X	95/96 (98%)	0.02	5 (5%) 32 25	22, 35, 60, 84	0
19	2X	95/96 (98%)	0.78	7 (7%) 20 15	40, 60, 75, 82	0
20	1Y	107/110 (97%)	0.99	5 (4%) 36 28	44, 59, 72, 85	0
20	2Y	107/110 (97%)	1.14	12 (11%) 10 8	49, 62, 75, 87	0
21	1Z	154/206 (74%)	1.29	26 (16%) 4 3	46, 71, 88, 93	0
21	2Z	160/206 (77%)	1.82	58 (36%) 1 0	52, 76, 90, 94	0
22	10	83/85 (97%)	0.24	8 (9%) 13 11	25, 36, 66, 88	0
22	20	83/85 (97%)	1.44	18 (21%) 2 1	47, 65, 77, 91	0
23	11	97/98 (98%)	0.50	5 (5%) 33 25	30, 47, 69, 79	0
23	21	97/98 (98%)	0.68	3 (3%) 51 43	30, 51, 72, 80	0
24	12	70/72 (97%)	0.85	4 (5%) 29 23	39, 56, 67, 77	0
24	22	70/72 (97%)	0.76	2 (2%) 53 46	45, 61, 69, 77	0
25	13	59/60 (98%)	0.50	3 (5%) 33 26	33, 46, 68, 76	0
25	23	59/60 (98%)	0.80	3 (5%) 33 26	38, 52, 70, 79	0
26	14	69/71 (97%)	1.05	9 (13%) 7 6	47, 72, 90, 94	0
26	24	69/71 (97%)	1.93	28 (40%) 0 0	73, 86, 96, 98	0
27	15	59/60 (98%)	-0.25	0 100 100	19, 32, 51, 62	0
27	25	59/60 (98%)	0.24	0 100 100	32, 49, 66, 73	0
28	16	53/54 (98%)	-0.16	0 100 100	28, 39, 56, 61	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.89	4 (7%)	20	15	41, 58, 70, 77	0
29	17	48/49 (97%)	-0.01	3 (6%)	26	19	24, 30, 58, 73	0
29	27	48/49 (97%)	0.10	3 (6%)	26	19	25, 33, 60, 75	0
30	18	64/65 (98%)	0.38	0	100	100	30, 41, 49, 58	0
30	28	64/65 (98%)	0.39	0	100	100	35, 45, 53, 59	0
31	19	37/37 (100%)	0.79	1 (2%)	56	49	39, 49, 63, 67	0
31	29	37/37 (100%)	0.96	3 (8%)	18	13	43, 55, 65, 70	0
32	1a	1488/1521 (97%)	0.91	98 (6%)	24	18	41, 69, 92, 105	0
32	2a	1491/1521 (98%)	1.20	288 (19%)	3	2	45, 72, 93, 104	0
33	1b	231/256 (90%)	1.57	65 (28%)	1	1	67, 82, 90, 96	0
33	2b	231/256 (90%)	2.11	121 (52%)	0	0	70, 84, 90, 96	0
34	1c	206/239 (86%)	1.32	33 (16%)	5	3	64, 76, 85, 95	0
34	2c	206/239 (86%)	1.88	85 (41%)	0	0	68, 79, 86, 95	0
35	1d	208/209 (99%)	1.42	44 (21%)	2	1	55, 70, 80, 86	0
35	2d	208/209 (99%)	1.69	62 (29%)	1	0	58, 71, 81, 86	0
36	1e	148/162 (91%)	1.17	17 (11%)	9	8	58, 70, 79, 91	0
36	2e	148/162 (91%)	1.64	40 (27%)	1	1	61, 73, 82, 90	0
37	1f	100/101 (99%)	0.81	3 (3%)	52	45	54, 66, 77, 83	0
37	2f	100/101 (99%)	1.04	9 (9%)	15	12	54, 68, 77, 83	0
38	1g	155/156 (99%)	1.23	23 (14%)	5	4	63, 73, 85, 97	0
38	2g	155/156 (99%)	1.69	40 (25%)	1	1	66, 75, 87, 98	0
39	1h	137/138 (99%)	1.25	17 (12%)	8	7	61, 72, 79, 85	0
39	2h	137/138 (99%)	1.60	34 (24%)	2	1	62, 75, 81, 86	0
40	1i	127/128 (99%)	1.39	22 (17%)	4	3	49, 75, 83, 92	0
40	2i	127/128 (99%)	2.45	85 (66%)	0	0	73, 84, 92, 96	0
41	1j	97/105 (92%)	1.46	21 (21%)	2	1	45, 75, 86, 93	0
41	2j	96/105 (91%)	2.78	74 (77%)	0	0	72, 85, 93, 98	0
42	1k	114/129 (88%)	0.97	8 (7%)	22	17	46, 68, 80, 86	0
42	2k	114/129 (88%)	1.25	17 (14%)	5	4	48, 70, 81, 89	0
43	1l	121/132 (91%)	0.79	10 (8%)	17	12	44, 58, 70, 74	0
43	2l	121/132 (91%)	0.93	7 (5%)	29	22	47, 61, 72, 75	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	123/126 (97%)	1.03	9 (7%) 21 15	51, 67, 77, 85	0
44	2m	122/126 (96%)	2.05	56 (45%) 0 0	70, 83, 88, 92	0
45	1n	60/61 (98%)	1.07	7 (11%) 9 7	50, 62, 74, 76	0
45	2n	60/61 (98%)	3.20	55 (91%) 0 0	75, 83, 90, 93	0
46	1o	88/89 (98%)	1.20	14 (15%) 5 3	50, 68, 79, 82	0
46	2o	88/89 (98%)	1.23	8 (9%) 15 11	53, 69, 80, 83	0
47	1p	82/88 (93%)	1.92	40 (48%) 0 0	58, 70, 77, 82	0
47	2p	82/88 (93%)	1.56	20 (24%) 2 1	57, 70, 78, 84	0
48	1q	99/105 (94%)	1.28	13 (13%) 7 6	59, 71, 79, 83	0
48	2q	99/105 (94%)	1.35	20 (20%) 3 1	59, 73, 80, 83	0
49	1r	68/88 (77%)	0.84	7 (10%) 12 9	52, 64, 78, 81	0
49	2r	68/88 (77%)	1.34	8 (11%) 9 7	60, 74, 83, 87	0
50	1s	83/93 (89%)	1.10	7 (8%) 17 12	66, 75, 83, 95	0
50	2s	83/93 (89%)	2.11	41 (49%) 0 0	70, 78, 85, 96	0
51	1t	96/106 (90%)	1.42	20 (20%) 2 1	57, 70, 82, 88	0
51	2t	96/106 (90%)	1.29	17 (17%) 4 2	59, 70, 83, 85	0
52	1u	23/27 (85%)	1.97	10 (43%) 0 0	64, 70, 77, 79	0
52	2u	23/27 (85%)	2.18	14 (60%) 0 0	68, 74, 78, 81	0
53	1v	14/27 (51%)	1.08	2 (14%) 6 5	51, 71, 93, 96	0
53	2v	13/27 (48%)	1.71	4 (30%) 1 0	56, 68, 87, 96	0
54	1w	67/76 (88%)	1.25	12 (17%) 3 2	62, 87, 96, 105	0
54	1y	67/76 (88%)	1.25	10 (14%) 5 4	41, 93, 98, 100	0
54	2w	66/76 (86%)	1.55	11 (16%) 4 3	66, 88, 96, 99	0
54	2y	66/76 (86%)	1.58	18 (27%) 1 1	44, 94, 99, 100	0
55	1x	72/77 (93%)	0.30	2 (2%) 55 48	25, 59, 82, 92	0
55	2x	72/77 (93%)	0.92	3 (4%) 40 32	43, 79, 90, 94	0
All	All	20877/21754 (95%)	0.78	2513 (12%) 9 7	19, 62, 88, 106	0

The worst 5 of 2513 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
38	2g	81	GLY	7.6
1	1A	885	C	7.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
38	1g	82	GLY	7.4
23	21	2	SER	7.4
38	2g	82	GLY	7.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
54	PSU	2y	55	20/21	0.40	0.22	83,99,115,129	0
54	PSU	1y	55	20/21	0.49	0.18	82,98,110,129	0
54	5MU	2y	54	21/22	0.50	0.20	87,93,116,137	0
54	7MG	2y	46	24/25	0.66	0.17	82,95,104,125	0
54	MIA	2y	37	22/30	0.66	0.16	68,80,89,112	0
54	5MU	1y	54	21/22	0.68	0.15	80,93,103,130	0
54	PSU	2y	32	20/21	0.68	0.16	79,88,94,98	0
54	7MG	1y	46	24/25	0.69	0.14	81,93,105,133	0
54	7MG	2w	46	24/25	0.70	0.15	69,93,102,115	0
54	4SU	2y	8	20/21	0.74	0.14	87,95,107,114	0
54	4SU	1y	8	20/21	0.77	0.12	84,90,107,112	0
54	PSU	2y	39	20/21	0.78	0.16	75,87,93,93	0
54	MIA	1y	37	22/30	0.79	0.13	74,81,87,100	0
54	5MU	2w	54	21/22	0.80	0.15	60,71,83,85	0
54	7MG	1w	46	24/25	0.80	0.13	71,81,95,125	0
32	2MG	2a	1207	24/25	0.82	0.16	72,87,94,98	0
54	PSU	2w	55	20/21	0.82	0.13	57,80,90,92	0
54	4SU	2w	8	20/21	0.82	0.14	64,91,96,98	0
32	M2G	2a	966	25/26	0.85	0.18	45,64,88,101	0
54	PSU	2w	32	20/21	0.85	0.17	63,79,90,93	0
55	4SU	2x	8	20/21	0.85	0.12	66,80,86,89	0
54	PSU	1y	32	20/21	0.86	0.13	75,86,94,98	0
54	PSU	1y	39	20/21	0.87	0.14	73,85,90,93	0
32	5MC	2a	967	21/22	0.88	0.15	60,75,80,91	0
54	MIA	2w	37	22/30	0.88	0.16	49,73,85,86	0
43	0TD	2l	92	10/11	0.88	0.12	50,61,67,77	0
54	4SU	1w	8	20/21	0.88	0.11	70,77,91,94	0
55	5MU	2x	54	21/22	0.89	0.12	69,81,87,96	0
55	PSU	2x	55	20/21	0.90	0.11	63,78,85,86	0
1	5MU	2A	1915	21/22	0.91	0.11	56,63,68,75	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
32	PSU	2a	516	20/21	0.91	0.11	56,64,70,74	0
32	7MG	2a	527	24/25	0.91	0.12	53,64,78,82	0
32	5MC	2a	1400	21/22	0.91	0.14	61,72,78,82	0
32	4OC	2a	1402	22/23	0.91	0.12	49,66,75,76	0
54	PSU	1w	55	20/21	0.91	0.10	55,77,90,90	0
1	4OC	2A	1920	21/23	0.92	0.10	45,51,56,64	0
43	0TD	1l	92	10/11	0.92	0.15	44,58,62,69	0
32	5MC	2a	1404	21/22	0.92	0.13	52,59,71,74	0
32	MA6	2a	1518	24/25	0.92	0.14	53,67,73,75	0
32	MA6	2a	1519	24/25	0.92	0.14	45,65,75,82	0
54	PSU	2w	39	20/21	0.92	0.13	63,72,81,83	0
1	PSU	2A	1917	20/21	0.92	0.09	47,56,61,63	0
32	5MC	2a	1407	21/22	0.93	0.11	36,55,59,60	0
1	PSU	2A	1911	20/21	0.93	0.09	40,51,56,58	0
54	PSU	1w	32	20/21	0.93	0.12	59,74,84,92	0
55	5MC	2x	32	21/22	0.93	0.13	66,71,79,82	0
55	5MU	1x	54	21/22	0.93	0.10	52,64,69,72	0
1	5MC	2A	1962	21/22	0.93	0.10	34,40,48,53	0
55	PSU	1x	55	20/21	0.93	0.09	51,62,74,75	0
54	5MU	1w	54	21/22	0.93	0.09	51,64,74,75	0
32	UR3	2a	1498	21/22	0.94	0.12	41,54,63,70	0
1	5MU	1A	1915	21/22	0.94	0.11	50,58,65,70	0
1	5MC	2A	1942	21/22	0.94	0.11	44,47,58,74	0
54	PSU	1w	39	20/21	0.94	0.11	58,68,76,78	0
32	2MG	1a	1207	24/25	0.94	0.10	48,66,70,78	0
55	4SU	1x	8	20/21	0.95	0.09	43,54,68,74	0
32	PSU	1a	516	20/21	0.95	0.11	53,61,67,70	0
55	5MC	1x	32	21/22	0.95	0.11	35,48,56,75	0
1	5MU	2A	1939	21/22	0.95	0.10	26,34,39,41	0
32	4OC	1a	1402	22/23	0.96	0.10	33,44,54,59	0
32	5MC	1a	1407	21/22	0.96	0.10	27,38,45,47	0
1	OMG	2A	2251	24/25	0.96	0.08	27,33,39,39	0
1	PSU	2A	2605	20/21	0.96	0.08	25,32,38,39	0
1	5MC	1A	1942	21/22	0.96	0.10	38,47,55,63	0
54	MIA	1w	37	29/30	0.96	0.11	44,56,67,77	0
1	PSU	1A	1917	20/21	0.96	0.12	47,53,60,62	0
32	7MG	1a	527	24/25	0.96	0.08	33,43,56,62	0
32	M2G	1a	966	25/26	0.96	0.10	37,51,54,61	0
32	5MC	1a	967	21/22	0.96	0.10	42,51,61,68	0
1	4OC	1A	1920	21/23	0.96	0.10	38,47,52,61	0
32	5MC	1a	1400	21/22	0.97	0.09	36,44,55,65	0
1	2MU	1A	2552	21/23	0.97	0.07	25,34,40,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	2MA	2A	2503	23/24	0.97	0.06	21,25,31,36	0
1	2MU	2A	2552	21/23	0.97	0.07	27,37,41,43	0
32	5MC	1a	1404	21/22	0.97	0.09	23,37,50,52	0
1	5MU	1A	1939	21/22	0.97	0.08	21,29,37,41	0
32	UR3	1a	1498	21/22	0.97	0.09	30,40,45,52	0
32	MA6	1a	1518	24/25	0.97	0.09	32,41,49,57	0
32	MA6	1a	1519	24/25	0.97	0.10	27,43,51,60	0
1	PSU	1A	1911	20/21	0.98	0.07	41,47,54,55	0
1	PSU	1A	2605	20/21	0.98	0.07	21,29,35,36	0
1	5MC	1A	1962	21/22	0.98	0.08	29,38,43,46	0
1	OMG	1A	2251	24/25	0.98	0.07	19,30,34,37	0
1	2MA	1A	2503	23/24	0.98	0.07	17,22,30,33	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1793	1/1	0.46	0.22	86,86,86,86	0
56	MG	2A	3547	1/1	0.47	0.21	70,70,70,70	0
56	MG	2a	1745	1/1	0.48	0.40	72,72,72,72	0
56	MG	2B	3021	1/1	0.52	0.21	76,76,76,76	0
56	MG	2a	1623	1/1	0.53	0.28	80,80,80,80	0
56	MG	1B	218	1/1	0.55	0.22	64,64,64,64	0
56	MG	2a	1751	1/1	0.56	0.34	70,70,70,70	0
56	MG	2A	3285	1/1	0.56	0.29	68,68,68,68	0
56	MG	2a	1760	1/1	0.59	0.41	79,79,79,79	0
56	MG	2A	3541	1/1	0.61	0.26	67,67,67,67	0
56	MG	2a	1705	1/1	0.61	0.34	69,69,69,69	0
56	MG	2A	3544	1/1	0.62	0.24	75,75,75,75	0
56	MG	15	104	1/1	0.62	0.26	55,55,55,55	0
56	MG	1a	1754	1/1	0.62	0.27	84,84,84,84	0
56	MG	2a	1797	1/1	0.62	0.14	89,89,89,89	0
56	MG	1a	1716	1/1	0.63	0.25	81,81,81,81	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3487	1/1	0.63	0.18	48,48,48,48	0
56	MG	2a	1691	1/1	0.63	0.43	80,80,80,80	0
56	MG	1A	3242	1/1	0.64	0.36	83,83,83,83	0
56	MG	2R	201	1/1	0.65	0.22	58,58,58,58	0
56	MG	2A	3590	1/1	0.65	0.23	65,65,65,65	0
56	MG	2A	3568	1/1	0.65	0.27	74,74,74,74	0
56	MG	2A	3321	1/1	0.66	0.13	59,59,59,59	0
56	MG	2A	3479	1/1	0.67	0.20	53,53,53,53	0
56	MG	2A	3104	1/1	0.67	0.26	72,72,72,72	0
56	MG	2a	1782	1/1	0.67	0.21	90,90,90,90	0
56	MG	1A	3840	1/1	0.67	0.21	65,65,65,65	0
56	MG	1A	3845	1/1	0.67	0.38	68,68,68,68	0
56	MG	2Z	8001	1/1	0.68	0.16	90,90,90,90	0
56	MG	2A	3116	1/1	0.68	0.21	67,67,67,67	0
56	MG	2A	3641	1/1	0.68	0.31	57,57,57,57	0
56	MG	2A	3556	1/1	0.68	0.21	55,55,55,55	0
56	MG	2a	1794	1/1	0.68	0.23	94,94,94,94	0
56	MG	1y	3006	1/1	0.68	0.15	82,82,82,82	0
56	MG	2A	3505	1/1	0.69	0.20	72,72,72,72	0
56	MG	1a	1745	1/1	0.69	0.24	81,81,81,81	0
56	MG	1A	3741	1/1	0.69	0.17	63,63,63,63	0
56	MG	2a	1684	1/1	0.70	0.20	76,76,76,76	0
56	MG	2a	1800	1/1	0.70	0.28	82,82,82,82	0
56	MG	2f	3002	1/1	0.70	0.24	85,85,85,85	0
56	MG	2j	8002	1/1	0.70	0.11	92,92,92,92	0
56	MG	2a	1710	1/1	0.71	0.33	65,65,65,65	0
56	MG	2A	3236	1/1	0.71	0.23	65,65,65,65	0
56	MG	2A	3537	1/1	0.71	0.22	67,67,67,67	0
56	MG	2a	1752	1/1	0.71	0.22	78,78,78,78	0
56	MG	1A	3934	1/1	0.71	0.19	84,84,84,84	0
56	MG	2a	1621	1/1	0.71	0.28	80,80,80,80	0
56	MG	2a	1682	1/1	0.72	0.26	64,64,64,64	0
56	MG	2a	1768	1/1	0.72	0.22	79,79,79,79	0
56	MG	1a	1804	1/1	0.72	0.34	65,65,65,65	0
56	MG	1a	1820	1/1	0.72	0.22	72,72,72,72	0
56	MG	1B	222	1/1	0.72	0.21	78,78,78,78	0
56	MG	1A	3516	1/1	0.72	0.12	65,65,65,65	0
56	MG	2A	3481	1/1	0.72	0.20	62,62,62,62	0
56	MG	1a	1615	1/1	0.72	0.36	60,60,60,60	0
56	MG	2A	3574	1/1	0.72	0.18	62,62,62,62	0
56	MG	2a	1786	1/1	0.73	0.27	64,64,64,64	0
56	MG	2A	3411	1/1	0.73	0.21	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3498	1/1	0.73	0.34	58,58,58,58	0
56	MG	1A	3799	1/1	0.73	0.16	64,64,64,64	0
56	MG	2a	1729	1/1	0.73	0.18	75,75,75,75	0
56	MG	2a	1769	1/1	0.73	0.16	65,65,65,65	0
56	MG	2A	3608	1/1	0.73	0.20	64,64,64,64	0
56	MG	1A	3466	1/1	0.74	0.18	64,64,64,64	0
56	MG	2A	3526	1/1	0.74	0.19	60,60,60,60	0
56	MG	2A	3597	1/1	0.74	0.24	65,65,65,65	0
56	MG	2A	3533	1/1	0.74	0.17	73,73,73,73	0
56	MG	1A	3686	1/1	0.74	0.24	62,62,62,62	0
56	MG	1y	3007	1/1	0.74	0.21	79,79,79,79	0
56	MG	2A	3086	1/1	0.74	0.12	51,51,51,51	0
56	MG	2A	3447	1/1	0.74	0.19	68,68,68,68	0
56	MG	1A	3720	1/1	0.74	0.18	66,66,66,66	0
56	MG	2j	8001	1/1	0.74	0.13	76,76,76,76	0
56	MG	1a	1704	1/1	0.74	0.23	77,77,77,77	0
56	MG	2A	3413	1/1	0.75	0.25	56,56,56,56	0
56	MG	2A	3614	1/1	0.75	0.24	47,47,47,47	0
56	MG	2A	3625	1/1	0.75	0.16	62,62,62,62	0
56	MG	2A	3529	1/1	0.75	0.19	58,58,58,58	0
56	MG	2A	3681	1/1	0.75	0.15	50,50,50,50	0
56	MG	2a	1716	1/1	0.75	0.31	69,69,69,69	0
56	MG	2A	3257	1/1	0.75	0.19	61,61,61,61	0
56	MG	1a	1708	1/1	0.75	0.38	60,60,60,60	0
56	MG	2A	3219	1/1	0.75	0.37	69,69,69,69	0
56	MG	2A	3596	1/1	0.75	0.26	76,76,76,76	0
56	MG	1A	3216	1/1	0.75	0.44	65,65,65,65	0
56	MG	2A	3575	1/1	0.76	0.13	62,62,62,62	0
56	MG	2B	3011	1/1	0.76	0.41	72,72,72,72	0
56	MG	1A	3575	1/1	0.76	0.16	31,31,31,31	0
56	MG	2a	1788	1/1	0.76	0.15	81,81,81,81	0
56	MG	1A	3635	1/1	0.76	0.28	66,66,66,66	0
56	MG	1A	3652	1/1	0.76	0.30	65,65,65,65	0
56	MG	1A	3827	1/1	0.76	0.19	68,68,68,68	0
56	MG	2A	3403	1/1	0.76	0.21	25,25,25,25	0
56	MG	1A	3550	1/1	0.76	0.20	49,49,49,49	0
56	MG	1A	3699	1/1	0.76	0.15	65,65,65,65	0
56	MG	2a	1686	1/1	0.76	0.20	82,82,82,82	0
56	MG	1A	3855	1/1	0.77	0.30	69,69,69,69	0
56	MG	2a	1662	1/1	0.77	0.21	67,67,67,67	0
56	MG	2A	3067	1/1	0.77	0.20	51,51,51,51	0
56	MG	1A	3640	1/1	0.77	0.34	82,82,82,82	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3096	1/1	0.77	0.19	57,57,57,57	0
56	MG	1a	1604	1/1	0.77	0.24	64,64,64,64	0
56	MG	2a	1693	1/1	0.77	0.27	69,69,69,69	0
56	MG	1a	1828	1/1	0.77	0.31	83,83,83,83	0
56	MG	1A	3235	1/1	0.77	0.20	64,64,64,64	0
56	MG	2A	3423	1/1	0.78	0.17	36,36,36,36	0
56	MG	1a	1750	1/1	0.78	0.28	69,69,69,69	0
56	MG	2a	1709	1/1	0.78	0.15	92,92,92,92	0
56	MG	1A	3662	1/1	0.78	0.20	45,45,45,45	0
56	MG	2a	1711	1/1	0.78	0.28	69,69,69,69	0
56	MG	1a	1787	1/1	0.78	0.29	71,71,71,71	0
56	MG	2A	3497	1/1	0.78	0.18	64,64,64,64	0
56	MG	2A	3126	1/1	0.78	0.14	59,59,59,59	0
56	MG	2A	3163	1/1	0.78	0.17	59,59,59,59	0
56	MG	1a	1789	1/1	0.78	0.19	75,75,75,75	0
56	MG	2B	3010	1/1	0.78	0.19	63,63,63,63	0
56	MG	1A	3756	1/1	0.78	0.27	67,67,67,67	0
56	MG	1A	3520	1/1	0.78	0.18	56,56,56,56	0
56	MG	2A	3538	1/1	0.78	0.18	82,82,82,82	0
56	MG	1A	3936	1/1	0.78	0.22	61,61,61,61	0
56	MG	2A	3294	1/1	0.78	0.15	60,60,60,60	0
56	MG	1A	3514	1/1	0.78	0.17	66,66,66,66	0
56	MG	2A	3396	1/1	0.78	0.16	50,50,50,50	0
56	MG	2a	1668	1/1	0.78	0.09	66,66,66,66	0
56	MG	2A	3557	1/1	0.78	0.15	55,55,55,55	0
56	MG	1A	3440	1/1	0.78	0.17	61,61,61,61	0
56	MG	1a	1726	1/1	0.78	0.14	87,87,87,87	0
56	MG	10	105	1/1	0.78	0.17	63,63,63,63	0
56	MG	2a	1731	1/1	0.79	0.39	87,87,87,87	0
56	MG	2a	1743	1/1	0.79	0.31	92,92,92,92	0
56	MG	2A	3508	1/1	0.79	0.13	44,44,44,44	0
56	MG	1A	3781	1/1	0.79	0.13	69,69,69,69	0
56	MG	2a	1657	1/1	0.79	0.27	76,76,76,76	0
56	MG	1a	1617	1/1	0.79	0.32	71,71,71,71	0
56	MG	2A	3531	1/1	0.79	0.18	66,66,66,66	0
56	MG	1A	3059	1/1	0.79	0.41	66,66,66,66	0
56	MG	2a	1781	1/1	0.79	0.28	64,64,64,64	0
56	MG	1a	1818	1/1	0.79	0.28	72,72,72,72	0
56	MG	1A	3166	1/1	0.79	0.30	65,65,65,65	0
56	MG	1A	3837	1/1	0.79	0.14	56,56,56,56	0
56	MG	1F	308	1/1	0.79	0.26	63,63,63,63	0
56	MG	1A	3746	1/1	0.79	0.16	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3279	1/1	0.79	0.11	46,46,46,46	0
56	MG	1A	3752	1/1	0.79	0.23	62,62,62,62	0
56	MG	2F	305	1/1	0.79	0.14	48,48,48,48	0
56	MG	1A	3706	1/1	0.79	0.14	55,55,55,55	0
56	MG	2A	3507	1/1	0.79	0.17	63,63,63,63	0
56	MG	2A	3419	1/1	0.80	0.16	60,60,60,60	0
56	MG	1a	1611	1/1	0.80	0.25	62,62,62,62	0
56	MG	2A	3602	1/1	0.80	0.17	63,63,63,63	0
56	MG	2a	1746	1/1	0.80	0.12	55,55,55,55	0
56	MG	2A	3282	1/1	0.80	0.17	41,41,41,41	0
56	MG	2A	3539	1/1	0.80	0.14	63,63,63,63	0
56	MG	2a	1671	1/1	0.80	0.16	86,86,86,86	0
56	MG	2a	1675	1/1	0.80	0.22	64,64,64,64	0
56	MG	2A	3624	1/1	0.80	0.13	58,58,58,58	0
56	MG	1A	3425	1/1	0.80	0.16	52,52,52,52	0
56	MG	2A	3286	1/1	0.80	0.15	47,47,47,47	0
56	MG	1A	3696	1/1	0.80	0.18	50,50,50,50	0
56	MG	2A	3301	1/1	0.80	0.12	58,58,58,58	0
56	MG	2a	1702	1/1	0.80	0.26	64,64,64,64	0
56	MG	1a	1731	1/1	0.80	0.35	79,79,79,79	0
56	MG	2a	1795	1/1	0.80	0.27	76,76,76,76	0
56	MG	2A	3217	1/1	0.80	0.23	68,68,68,68	0
56	MG	2A	3070	1/1	0.80	0.29	52,52,52,52	0
56	MG	2e	201	1/1	0.80	0.26	67,67,67,67	0
56	MG	1a	1621	1/1	0.80	0.19	70,70,70,70	0
56	MG	1A	3134	1/1	0.80	0.21	56,56,56,56	0
56	MG	2a	1604	1/1	0.80	0.14	76,76,76,76	0
56	MG	1a	1706	1/1	0.81	0.17	72,72,72,72	0
56	MG	2A	3632	1/1	0.81	0.38	66,66,66,66	0
56	MG	1A	3438	1/1	0.81	0.20	40,40,40,40	0
56	MG	2A	3672	1/1	0.81	0.17	34,34,34,34	0
56	MG	1a	1711	1/1	0.81	0.27	68,68,68,68	0
56	MG	2a	1722	1/1	0.81	0.19	59,59,59,59	0
56	MG	10	103	1/1	0.81	0.18	61,61,61,61	0
56	MG	1A	3604	1/1	0.81	0.23	32,32,32,32	0
56	MG	2A	3343	1/1	0.81	0.13	40,40,40,40	0
56	MG	1A	3670	1/1	0.81	0.13	66,66,66,66	0
56	MG	1A	3885	1/1	0.81	0.14	64,64,64,64	0
56	MG	2a	1749	1/1	0.81	0.16	59,59,59,59	0
56	MG	1a	1605	1/1	0.81	0.21	71,71,71,71	0
56	MG	2a	1602	1/1	0.81	0.22	70,70,70,70	0
56	MG	2a	1756	1/1	0.81	0.17	78,78,78,78	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3290	1/1	0.81	0.32	68,68,68,68	0
56	MG	2a	1611	1/1	0.81	0.28	68,68,68,68	0
56	MG	1a	1762	1/1	0.81	0.18	64,64,64,64	0
56	MG	2A	3421	1/1	0.81	0.19	51,51,51,51	0
56	MG	2a	1626	1/1	0.81	0.25	63,63,63,63	0
56	MG	2a	1783	1/1	0.81	0.22	68,68,68,68	0
56	MG	1A	3813	1/1	0.81	0.16	63,63,63,63	0
56	MG	2A	3175	1/1	0.81	0.22	47,47,47,47	0
56	MG	2A	3587	1/1	0.81	0.17	59,59,59,59	0
56	MG	2A	3213	1/1	0.81	0.13	58,58,58,58	0
56	MG	1A	3233	1/1	0.81	0.22	60,60,60,60	0
56	MG	1a	1790	1/1	0.81	0.26	62,62,62,62	0
56	MG	1A	3750	1/1	0.81	0.11	51,51,51,51	0
56	MG	1a	1814	1/1	0.81	0.26	74,74,74,74	0
56	MG	1a	1632	1/1	0.81	0.17	78,78,78,78	0
56	MG	2A	3620	1/1	0.81	0.19	70,70,70,70	0
56	MG	1B	223	1/1	0.81	0.16	58,58,58,58	0
56	MG	1S	8001	1/1	0.82	0.13	67,67,67,67	0
56	MG	2a	1703	1/1	0.82	0.29	76,76,76,76	0
56	MG	1a	1658	1/1	0.82	0.26	59,59,59,59	0
56	MG	2A	3521	1/1	0.82	0.15	52,52,52,52	0
56	MG	2A	3077	1/1	0.82	0.18	51,51,51,51	0
56	MG	2A	3643	1/1	0.82	0.14	63,63,63,63	0
56	MG	2A	3644	1/1	0.82	0.10	45,45,45,45	0
56	MG	2A	3290	1/1	0.82	0.23	50,50,50,50	0
56	MG	1A	3767	1/1	0.82	0.14	63,63,63,63	0
56	MG	1A	3771	1/1	0.82	0.23	63,63,63,63	0
56	MG	2A	3311	1/1	0.82	0.15	46,46,46,46	0
56	MG	2a	1744	1/1	0.82	0.23	56,56,56,56	0
56	MG	1A	3581	1/1	0.82	0.18	42,42,42,42	0
56	MG	2A	3339	1/1	0.82	0.14	42,42,42,42	0
56	MG	2A	3112	1/1	0.82	0.14	58,58,58,58	0
56	MG	2A	3374	1/1	0.82	0.11	47,47,47,47	0
56	MG	2a	1601	1/1	0.82	0.28	82,82,82,82	0
56	MG	2A	3546	1/1	0.82	0.13	72,72,72,72	0
56	MG	1a	1792	1/1	0.82	0.14	82,82,82,82	0
56	MG	2a	1608	1/1	0.82	0.17	73,73,73,73	0
56	MG	2A	3124	1/1	0.82	0.24	50,50,50,50	0
56	MG	2A	3405	1/1	0.82	0.27	58,58,58,58	0
56	MG	1a	1803	1/1	0.82	0.17	69,69,69,69	0
56	MG	2a	1625	1/1	0.82	0.26	72,72,72,72	0
56	MG	1A	3310	1/1	0.82	0.21	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3630	1/1	0.82	0.21	62,62,62,62	0
56	MG	2A	3200	1/1	0.82	0.27	56,56,56,56	0
56	MG	1a	1720	1/1	0.82	0.14	57,57,57,57	0
56	MG	2A	3425	1/1	0.82	0.23	76,76,76,76	0
56	MG	1A	3825	1/1	0.82	0.20	64,64,64,64	0
56	MG	1A	3256	1/1	0.82	0.14	53,53,53,53	0
56	MG	1a	1829	1/1	0.82	0.22	59,59,59,59	0
56	MG	1A	3755	1/1	0.82	0.13	32,32,32,32	0
56	MG	1A	3676	1/1	0.82	0.14	52,52,52,52	0
56	MG	2A	3621	1/1	0.82	0.15	48,48,48,48	0
56	MG	1A	3823	1/1	0.83	0.18	67,67,67,67	0
56	MG	1A	3182	1/1	0.83	0.23	52,52,52,52	0
56	MG	1y	3005	1/1	0.83	0.17	78,78,78,78	0
56	MG	1A	3429	1/1	0.83	0.20	49,49,49,49	0
56	MG	1a	1727	1/1	0.83	0.28	64,64,64,64	0
56	MG	2A	3050	1/1	0.83	0.20	55,55,55,55	0
56	MG	1A	3433	1/1	0.83	0.20	54,54,54,54	0
56	MG	1A	3612	1/1	0.83	0.14	43,43,43,43	0
56	MG	1A	3843	1/1	0.83	0.23	47,47,47,47	0
56	MG	1a	1752	1/1	0.83	0.34	66,66,66,66	0
56	MG	2A	3087	1/1	0.83	0.22	69,69,69,69	0
56	MG	1A	3623	1/1	0.83	0.15	59,59,59,59	0
56	MG	1A	3847	1/1	0.83	0.13	51,51,51,51	0
56	MG	1a	1769	1/1	0.83	0.24	58,58,58,58	0
56	MG	1A	3162	1/1	0.83	0.25	39,39,39,39	0
56	MG	1A	3768	1/1	0.83	0.11	61,61,61,61	0
56	MG	2a	1612	1/1	0.83	0.13	66,66,66,66	0
56	MG	2a	1618	1/1	0.83	0.17	68,68,68,68	0
56	MG	1a	1625	1/1	0.83	0.12	48,48,48,48	0
56	MG	1A	3357	1/1	0.83	0.20	60,60,60,60	0
56	MG	1A	3715	1/1	0.83	0.21	69,69,69,69	0
56	MG	2a	1774	1/1	0.83	0.20	70,70,70,70	0
56	MG	1A	3796	1/1	0.83	0.14	66,66,66,66	0
56	MG	1a	1805	1/1	0.83	0.12	58,58,58,58	0
56	MG	2A	3427	1/1	0.83	0.22	65,65,65,65	0
56	MG	2a	1784	1/1	0.83	0.17	87,87,87,87	0
56	MG	2a	1665	1/1	0.83	0.32	66,66,66,66	0
56	MG	2a	1667	1/1	0.83	0.19	57,57,57,57	0
56	MG	1a	1810	1/1	0.83	0.17	77,77,77,77	0
56	MG	2A	3466	1/1	0.83	0.39	49,49,49,49	0
56	MG	1A	3360	1/1	0.83	0.15	52,52,52,52	0
56	MG	2A	3222	1/1	0.83	0.22	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3482	1/1	0.83	0.14	77,77,77,77	0
56	MG	1A	3810	1/1	0.83	0.24	63,63,63,63	0
56	MG	2a	1690	1/1	0.83	0.26	69,69,69,69	0
56	MG	2A	3246	1/1	0.83	0.15	61,61,61,61	0
56	MG	1A	3555	1/1	0.83	0.21	40,40,40,40	0
56	MG	1A	3535	1/1	0.84	0.14	40,40,40,40	0
56	MG	1a	1643	1/1	0.84	0.34	61,61,61,61	0
56	MG	1a	1791	1/1	0.84	0.17	73,73,73,73	0
56	MG	1a	1645	1/1	0.84	0.36	63,63,63,63	0
56	MG	2a	1680	1/1	0.84	0.27	72,72,72,72	0
56	MG	1A	3398	1/1	0.84	0.13	36,36,36,36	0
56	MG	1a	1688	1/1	0.84	0.23	57,57,57,57	0
56	MG	2A	3426	1/1	0.84	0.19	44,44,44,44	0
56	MG	1B	213	1/1	0.84	0.12	49,49,49,49	0
56	MG	1A	3036	1/1	0.84	0.14	54,54,54,54	0
56	MG	2A	3463	1/1	0.84	0.12	59,59,59,59	0
56	MG	1A	3646	1/1	0.84	0.26	68,68,68,68	0
56	MG	1a	1816	1/1	0.84	0.16	83,83,83,83	0
56	MG	1A	3489	1/1	0.84	0.12	31,31,31,31	0
56	MG	2A	3642	1/1	0.84	0.13	65,65,65,65	0
56	MG	1A	3241	1/1	0.84	0.12	50,50,50,50	0
56	MG	2A	3245	1/1	0.84	0.18	55,55,55,55	0
56	MG	2A	3646	1/1	0.84	0.12	46,46,46,46	0
56	MG	1a	1719	1/1	0.84	0.14	62,62,62,62	0
56	MG	2a	1725	1/1	0.84	0.18	58,58,58,58	0
56	MG	1A	3583	1/1	0.84	0.11	64,64,64,64	0
56	MG	1r	3001	1/1	0.84	0.27	67,67,67,67	0
56	MG	1v	3001	1/1	0.84	0.18	58,58,58,58	0
56	MG	2B	3018	1/1	0.84	0.18	62,62,62,62	0
56	MG	2A	3525	1/1	0.84	0.10	64,64,64,64	0
56	MG	2E	304	1/1	0.84	0.14	43,43,43,43	0
56	MG	1x	103	1/1	0.84	0.11	54,54,54,54	0
56	MG	1y	3004	1/1	0.84	0.10	73,73,73,73	0
56	MG	1A	3593	1/1	0.84	0.14	38,38,38,38	0
56	MG	20	101	1/1	0.84	0.14	68,68,68,68	0
56	MG	1A	3761	1/1	0.84	0.21	71,71,71,71	0
56	MG	1A	3314	1/1	0.84	0.36	68,68,68,68	0
56	MG	1A	3227	1/1	0.84	0.20	63,63,63,63	0
56	MG	1A	3622	1/1	0.84	0.11	55,55,55,55	0
56	MG	2A	3337	1/1	0.84	0.14	48,48,48,48	0
56	MG	1A	3775	1/1	0.84	0.16	43,43,43,43	0
56	MG	2A	3545	1/1	0.84	0.09	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3860	1/1	0.84	0.21	58,58,58,58	0
56	MG	2A	3350	1/1	0.84	0.09	30,30,30,30	0
56	MG	1A	3869	1/1	0.84	0.19	52,52,52,52	0
56	MG	1A	3184	1/1	0.84	0.15	59,59,59,59	0
56	MG	2a	1629	1/1	0.84	0.19	66,66,66,66	0
56	MG	2a	1643	1/1	0.84	0.23	60,60,60,60	0
56	MG	2a	1646	1/1	0.84	0.30	68,68,68,68	0
56	MG	2a	1648	1/1	0.84	0.18	55,55,55,55	0
56	MG	2a	1649	1/1	0.84	0.24	65,65,65,65	0
56	MG	1a	1770	1/1	0.84	0.28	44,44,44,44	0
56	MG	1A	3905	1/1	0.84	0.20	46,46,46,46	0
56	MG	2A	3406	1/1	0.84	0.19	58,58,58,58	0
56	MG	1A	3870	1/1	0.85	0.12	49,49,49,49	0
56	MG	2A	3356	1/1	0.85	0.18	48,48,48,48	0
56	MG	2A	3369	1/1	0.85	0.20	64,64,64,64	0
56	MG	2A	3571	1/1	0.85	0.19	56,56,56,56	0
56	MG	2A	3080	1/1	0.85	0.14	45,45,45,45	0
56	MG	1A	3442	1/1	0.85	0.14	54,54,54,54	0
56	MG	2a	1666	1/1	0.85	0.27	63,63,63,63	0
56	MG	2A	3577	1/1	0.85	0.18	62,62,62,62	0
56	MG	1a	1785	1/1	0.85	0.19	71,71,71,71	0
56	MG	1A	3891	1/1	0.85	0.14	57,57,57,57	0
56	MG	1A	3153	1/1	0.85	0.17	52,52,52,52	0
56	MG	1A	3717	1/1	0.85	0.33	56,56,56,56	0
56	MG	1A	3485	1/1	0.85	0.23	51,51,51,51	0
56	MG	2A	3416	1/1	0.85	0.16	54,54,54,54	0
56	MG	1a	1667	1/1	0.85	0.35	76,76,76,76	0
56	MG	1a	1796	1/1	0.85	0.32	80,80,80,80	0
56	MG	1a	1679	1/1	0.85	0.23	67,67,67,67	0
56	MG	1A	3347	1/1	0.85	0.17	46,46,46,46	0
56	MG	1a	1694	1/1	0.85	0.20	55,55,55,55	0
56	MG	1A	3565	1/1	0.85	0.13	29,29,29,29	0
56	MG	2a	1704	1/1	0.85	0.14	50,50,50,50	0
56	MG	1A	3230	1/1	0.85	0.14	55,55,55,55	0
56	MG	2a	1706	1/1	0.85	0.11	68,68,68,68	0
56	MG	1A	3577	1/1	0.85	0.17	43,43,43,43	0
56	MG	1A	3830	1/1	0.85	0.20	60,60,60,60	0
56	MG	2A	3230	1/1	0.85	0.23	60,60,60,60	0
56	MG	1O	8001	1/1	0.85	0.17	63,63,63,63	0
56	MG	2A	3661	1/1	0.85	0.20	61,61,61,61	0
56	MG	2A	3239	1/1	0.85	0.09	58,58,58,58	0
56	MG	2a	1726	1/1	0.85	0.13	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3486	1/1	0.85	0.21	58,58,58,58	0
56	MG	2B	3007	1/1	0.85	0.34	74,74,74,74	0
56	MG	2a	1734	1/1	0.85	0.18	64,64,64,64	0
56	MG	1a	1822	1/1	0.85	0.12	79,79,79,79	0
56	MG	2A	3501	1/1	0.85	0.10	42,42,42,42	0
56	MG	2B	3012	1/1	0.85	0.13	65,65,65,65	0
56	MG	1A	3834	1/1	0.85	0.18	60,60,60,60	0
56	MG	1A	3495	1/1	0.85	0.17	48,48,48,48	0
56	MG	2D	302	1/1	0.85	0.14	70,70,70,70	0
56	MG	2A	3260	1/1	0.85	0.14	27,27,27,27	0
56	MG	2A	3513	1/1	0.85	0.20	56,56,56,56	0
56	MG	2G	3001	1/1	0.85	0.17	58,58,58,58	0
56	MG	2Q	3002	1/1	0.85	0.13	52,52,52,52	0
56	MG	1a	1833	1/1	0.85	0.20	61,61,61,61	0
56	MG	2A	3523	1/1	0.85	0.15	46,46,46,46	0
56	MG	2a	1776	1/1	0.85	0.11	78,78,78,78	0
56	MG	1A	3249	1/1	0.85	0.36	69,69,69,69	0
56	MG	1A	3502	1/1	0.85	0.14	71,71,71,71	0
56	MG	1A	3365	1/1	0.85	0.14	45,45,45,45	0
56	MG	1y	3002	1/1	0.85	0.19	72,72,72,72	0
56	MG	1a	1744	1/1	0.85	0.27	63,63,63,63	0
56	MG	2A	3299	1/1	0.85	0.20	54,54,54,54	0
56	MG	2a	1789	1/1	0.85	0.14	62,62,62,62	0
56	MG	2a	1790	1/1	0.85	0.21	72,72,72,72	0
56	MG	1A	3388	1/1	0.85	0.16	55,55,55,55	0
56	MG	2a	1616	1/1	0.85	0.24	64,64,64,64	0
56	MG	1a	1749	1/1	0.85	0.15	56,56,56,56	0
56	MG	1A	3615	1/1	0.85	0.17	34,34,34,34	0
56	MG	2A	3324	1/1	0.85	0.20	45,45,45,45	0
56	MG	1A	3700	1/1	0.85	0.17	71,71,71,71	0
56	MG	1a	1616	1/1	0.85	0.37	68,68,68,68	0
56	MG	1A	3778	1/1	0.85	0.23	65,65,65,65	0
56	MG	2A	3552	1/1	0.85	0.17	53,53,53,53	0
56	MG	2w	3002	1/1	0.85	0.35	75,75,75,75	0
56	MG	2A	3363	1/1	0.86	0.13	65,65,65,65	0
56	MG	2a	1658	1/1	0.86	0.27	81,81,81,81	0
56	MG	2A	3364	1/1	0.86	0.17	55,55,55,55	0
56	MG	1A	3666	1/1	0.86	0.17	45,45,45,45	0
56	MG	1A	3229	1/1	0.86	0.21	56,56,56,56	0
56	MG	2A	3384	1/1	0.86	0.12	61,61,61,61	0
56	MG	1A	3826	1/1	0.86	0.18	55,55,55,55	0
56	MG	2a	1670	1/1	0.86	0.17	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3137	1/1	0.86	0.22	62,62,62,62	0
56	MG	2A	3146	1/1	0.86	0.09	47,47,47,47	0
56	MG	1A	3296	1/1	0.86	0.25	56,56,56,56	0
56	MG	2A	3605	1/1	0.86	0.14	58,58,58,58	0
56	MG	2A	3174	1/1	0.86	0.20	63,63,63,63	0
56	MG	1a	1823	1/1	0.86	0.19	58,58,58,58	0
56	MG	2A	3199	1/1	0.86	0.28	60,60,60,60	0
56	MG	1a	1827	1/1	0.86	0.31	63,63,63,63	0
56	MG	1A	3453	1/1	0.86	0.18	34,34,34,34	0
56	MG	2a	1699	1/1	0.86	0.12	49,49,49,49	0
56	MG	1A	3213	1/1	0.86	0.22	55,55,55,55	0
56	MG	1A	3540	1/1	0.86	0.19	55,55,55,55	0
56	MG	1a	1760	1/1	0.86	0.18	59,59,59,59	0
56	MG	2A	3223	1/1	0.86	0.17	56,56,56,56	0
56	MG	2A	3444	1/1	0.86	0.14	57,57,57,57	0
56	MG	1a	1665	1/1	0.86	0.28	73,73,73,73	0
56	MG	2A	3234	1/1	0.86	0.21	56,56,56,56	0
56	MG	1x	102	1/1	0.86	0.17	62,62,62,62	0
56	MG	2A	3470	1/1	0.86	0.11	53,53,53,53	0
56	MG	2A	3237	1/1	0.86	0.20	63,63,63,63	0
56	MG	2a	1724	1/1	0.86	0.16	77,77,77,77	0
56	MG	2B	3004	1/1	0.86	0.19	50,50,50,50	0
56	MG	1A	3085	1/1	0.86	0.15	52,52,52,52	0
56	MG	1x	110	1/1	0.86	0.19	55,55,55,55	0
56	MG	2A	3485	1/1	0.86	0.13	47,47,47,47	0
56	MG	2a	1732	1/1	0.86	0.14	77,77,77,77	0
56	MG	1y	3001	1/1	0.86	0.22	73,73,73,73	0
56	MG	2a	1739	1/1	0.86	0.13	64,64,64,64	0
56	MG	2A	3248	1/1	0.86	0.11	43,43,43,43	0
56	MG	2A	3498	1/1	0.86	0.23	56,56,56,56	0
56	MG	2A	3500	1/1	0.86	0.13	56,56,56,56	0
56	MG	2A	3249	1/1	0.86	0.15	45,45,45,45	0
56	MG	2E	307	1/1	0.86	0.29	51,51,51,51	0
56	MG	1I	3001	1/1	0.86	0.16	65,65,65,65	0
56	MG	1A	3417	1/1	0.86	0.10	36,36,36,36	0
56	MG	2A	3262	1/1	0.86	0.20	59,59,59,59	0
56	MG	2A	3263	1/1	0.86	0.17	44,44,44,44	0
56	MG	1A	3712	1/1	0.86	0.17	36,36,36,36	0
56	MG	1A	3713	1/1	0.86	0.20	71,71,71,71	0
56	MG	1A	3852	1/1	0.86	0.18	70,70,70,70	0
56	MG	2A	3045	1/1	0.86	0.09	38,38,38,38	0
56	MG	2a	1778	1/1	0.86	0.26	78,78,78,78	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1780	1/1	0.86	0.22	69,69,69,69	0
56	MG	1A	3323	1/1	0.86	0.25	55,55,55,55	0
56	MG	2A	3292	1/1	0.86	0.15	47,47,47,47	0
56	MG	1A	3788	1/1	0.86	0.23	61,61,61,61	0
56	MG	1A	3335	1/1	0.86	0.33	63,63,63,63	0
56	MG	2a	1615	1/1	0.86	0.19	60,60,60,60	0
56	MG	1A	3196	1/1	0.86	0.14	61,61,61,61	0
56	MG	1a	1614	1/1	0.86	0.28	59,59,59,59	0
56	MG	2A	3085	1/1	0.86	0.25	56,56,56,56	0
56	MG	1a	1722	1/1	0.86	0.18	64,64,64,64	0
56	MG	2A	3328	1/1	0.86	0.17	47,47,47,47	0
56	MG	1A	3500	1/1	0.86	0.20	62,62,62,62	0
56	MG	1a	1811	1/1	0.86	0.14	58,58,58,58	0
56	MG	2a	1637	1/1	0.86	0.16	60,60,60,60	0
56	MG	2a	1638	1/1	0.86	0.09	68,68,68,68	0
56	MG	1a	1813	1/1	0.86	0.21	50,50,50,50	0
56	MG	2A	3105	1/1	0.86	0.21	52,52,52,52	0
56	MG	1A	3282	1/1	0.86	0.26	58,58,58,58	0
56	MG	2r	3001	1/1	0.86	0.28	84,84,84,84	0
56	MG	2w	3001	1/1	0.86	0.21	58,58,58,58	0
56	MG	2A	3358	1/1	0.86	0.14	50,50,50,50	0
56	MG	1A	3542	1/1	0.87	0.13	33,33,33,33	0
56	MG	1A	3348	1/1	0.87	0.10	33,33,33,33	0
56	MG	1A	3848	1/1	0.87	0.25	66,66,66,66	0
56	MG	1A	3252	1/1	0.87	0.23	47,47,47,47	0
56	MG	1A	3560	1/1	0.87	0.13	19,19,19,19	0
56	MG	1A	3859	1/1	0.87	0.15	40,40,40,40	0
56	MG	2a	1651	1/1	0.87	0.30	69,69,69,69	0
56	MG	2a	1656	1/1	0.87	0.20	54,54,54,54	0
56	MG	1A	3469	1/1	0.87	0.10	48,48,48,48	0
56	MG	1a	1635	1/1	0.87	0.12	62,62,62,62	0
56	MG	2A	3565	1/1	0.87	0.20	45,45,45,45	0
56	MG	2A	3115	1/1	0.87	0.13	62,62,62,62	0
56	MG	1A	3572	1/1	0.87	0.16	41,41,41,41	0
56	MG	2A	3121	1/1	0.87	0.09	60,60,60,60	0
56	MG	1A	3476	1/1	0.87	0.21	36,36,36,36	0
56	MG	1A	3689	1/1	0.87	0.19	53,53,53,53	0
56	MG	2A	3582	1/1	0.87	0.13	46,46,46,46	0
56	MG	1A	3886	1/1	0.87	0.16	58,58,58,58	0
56	MG	1a	1812	1/1	0.87	0.28	65,65,65,65	0
56	MG	1A	3127	1/1	0.87	0.27	62,62,62,62	0
56	MG	2A	3386	1/1	0.87	0.12	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3600	1/1	0.87	0.16	45,45,45,45	0
56	MG	2A	3170	1/1	0.87	0.32	68,68,68,68	0
56	MG	2A	3402	1/1	0.87	0.21	62,62,62,62	0
56	MG	1A	3698	1/1	0.87	0.32	65,65,65,65	0
56	MG	2a	1697	1/1	0.87	0.17	64,64,64,64	0
56	MG	1a	1684	1/1	0.87	0.26	64,64,64,64	0
56	MG	2A	3616	1/1	0.87	0.14	64,64,64,64	0
56	MG	2A	3188	1/1	0.87	0.34	59,59,59,59	0
56	MG	2A	3407	1/1	0.87	0.10	24,24,24,24	0
56	MG	1A	3259	1/1	0.87	0.19	37,37,37,37	0
56	MG	1a	1819	1/1	0.87	0.09	91,91,91,91	0
56	MG	2A	3211	1/1	0.87	0.23	48,48,48,48	0
56	MG	2A	3639	1/1	0.87	0.08	44,44,44,44	0
56	MG	1A	3173	1/1	0.87	0.15	41,41,41,41	0
56	MG	1B	202	1/1	0.87	0.20	61,61,61,61	0
56	MG	2a	1720	1/1	0.87	0.21	76,76,76,76	0
56	MG	1A	3805	1/1	0.87	0.12	52,52,52,52	0
56	MG	1A	3236	1/1	0.87	0.16	58,58,58,58	0
56	MG	1A	3596	1/1	0.87	0.16	51,51,51,51	0
56	MG	2A	3650	1/1	0.87	0.10	55,55,55,55	0
56	MG	1A	3294	1/1	0.87	0.27	63,63,63,63	0
56	MG	2A	3436	1/1	0.87	0.14	54,54,54,54	0
56	MG	2A	3678	1/1	0.87	0.54	49,49,49,49	0
56	MG	1A	3423	1/1	0.87	0.15	62,62,62,62	0
56	MG	1A	3237	1/1	0.87	0.17	57,57,57,57	0
56	MG	2a	1742	1/1	0.87	0.21	70,70,70,70	0
56	MG	1A	3239	1/1	0.87	0.19	63,63,63,63	0
56	MG	2B	3008	1/1	0.87	0.12	61,61,61,61	0
56	MG	2A	3238	1/1	0.87	0.41	61,61,61,61	0
56	MG	1Q	3005	1/1	0.87	0.18	58,58,58,58	0
56	MG	2A	3243	1/1	0.87	0.30	66,66,66,66	0
56	MG	2B	3017	1/1	0.87	0.20	59,59,59,59	0
56	MG	1A	3734	1/1	0.87	0.18	58,58,58,58	0
56	MG	1V	203	1/1	0.87	0.13	64,64,64,64	0
56	MG	1Y	502	1/1	0.87	0.32	60,60,60,60	0
56	MG	2a	1761	1/1	0.87	0.13	71,71,71,71	0
56	MG	2a	1763	1/1	0.87	0.13	75,75,75,75	0
56	MG	1A	3041	1/1	0.87	0.15	43,43,43,43	0
56	MG	1A	3025	1/1	0.87	0.22	34,34,34,34	0
56	MG	12	101	1/1	0.87	0.13	54,54,54,54	0
56	MG	1A	3838	1/1	0.87	0.12	40,40,40,40	0
56	MG	1a	1753	1/1	0.87	0.21	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3273	1/1	0.87	0.12	47,47,47,47	0
56	MG	2A	3278	1/1	0.87	0.13	40,40,40,40	0
56	MG	15	105	1/1	0.87	0.11	55,55,55,55	0
56	MG	1a	1603	1/1	0.87	0.30	60,60,60,60	0
56	MG	2A	3516	1/1	0.87	0.13	46,46,46,46	0
56	MG	2a	1603	1/1	0.87	0.16	64,64,64,64	0
56	MG	2A	3059	1/1	0.87	0.16	66,66,66,66	0
56	MG	2a	1605	1/1	0.87	0.19	54,54,54,54	0
56	MG	2A	3522	1/1	0.87	0.13	44,44,44,44	0
56	MG	2A	3065	1/1	0.87	0.11	47,47,47,47	0
56	MG	2A	3288	1/1	0.87	0.18	56,56,56,56	0
56	MG	1A	3243	1/1	0.87	0.32	66,66,66,66	0
56	MG	2A	3528	1/1	0.87	0.10	73,73,73,73	0
56	MG	1A	3842	1/1	0.87	0.20	56,56,56,56	0
56	MG	2A	3293	1/1	0.87	0.15	54,54,54,54	0
56	MG	2A	3072	1/1	0.87	0.10	47,47,47,47	0
56	MG	2A	3295	1/1	0.87	0.19	42,42,42,42	0
56	MG	2A	3296	1/1	0.87	0.17	52,52,52,52	0
56	MG	2a	1627	1/1	0.87	0.18	61,61,61,61	0
56	MG	2v	3001	1/1	0.87	0.27	60,60,60,60	0
56	MG	1A	3015	1/1	0.87	0.32	58,58,58,58	0
56	MG	2a	1633	1/1	0.87	0.20	71,71,71,71	0
56	MG	1A	3250	1/1	0.88	0.14	57,57,57,57	0
56	MG	2a	1613	1/1	0.88	0.20	59,59,59,59	0
56	MG	1A	3616	1/1	0.88	0.12	45,45,45,45	0
56	MG	1P	203	1/1	0.88	0.29	48,48,48,48	0
56	MG	2a	1617	1/1	0.88	0.21	51,51,51,51	0
56	MG	1x	112	1/1	0.88	0.20	68,68,68,68	0
56	MG	1x	113	1/1	0.88	0.18	68,68,68,68	0
56	MG	1a	1723	1/1	0.88	0.19	61,61,61,61	0
56	MG	1a	1725	1/1	0.88	0.18	63,63,63,63	0
56	MG	1Q	3002	1/1	0.88	0.18	43,43,43,43	0
56	MG	1A	3522	1/1	0.88	0.11	50,50,50,50	0
56	MG	1a	1728	1/1	0.88	0.15	67,67,67,67	0
56	MG	1R	202	1/1	0.88	0.21	71,71,71,71	0
56	MG	2a	1635	1/1	0.88	0.21	61,61,61,61	0
56	MG	2A	3033	1/1	0.88	0.12	53,53,53,53	0
56	MG	1a	1740	1/1	0.88	0.15	60,60,60,60	0
56	MG	2a	1639	1/1	0.88	0.12	54,54,54,54	0
56	MG	2a	1641	1/1	0.88	0.12	55,55,55,55	0
56	MG	1A	3533	1/1	0.88	0.14	55,55,55,55	0
56	MG	2A	3542	1/1	0.88	0.11	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3297	1/1	0.88	0.26	62,62,62,62	0
56	MG	1A	3459	1/1	0.88	0.16	42,42,42,42	0
56	MG	2A	3066	1/1	0.88	0.08	39,39,39,39	0
56	MG	1A	3462	1/1	0.88	0.19	58,58,58,58	0
56	MG	2A	3307	1/1	0.88	0.10	42,42,42,42	0
56	MG	1A	3543	1/1	0.88	0.19	54,54,54,54	0
56	MG	2A	3315	1/1	0.88	0.09	36,36,36,36	0
56	MG	2a	1664	1/1	0.88	0.19	60,60,60,60	0
56	MG	2A	3562	1/1	0.88	0.12	60,60,60,60	0
56	MG	1A	3651	1/1	0.88	0.17	62,62,62,62	0
56	MG	1A	3463	1/1	0.88	0.17	57,57,57,57	0
56	MG	2A	3569	1/1	0.88	0.11	43,43,43,43	0
56	MG	1A	3661	1/1	0.88	0.15	51,51,51,51	0
56	MG	1a	1761	1/1	0.88	0.14	51,51,51,51	0
56	MG	16	103	1/1	0.88	0.15	51,51,51,51	0
56	MG	2a	1677	1/1	0.88	0.21	67,67,67,67	0
56	MG	2a	1678	1/1	0.88	0.28	60,60,60,60	0
56	MG	2A	3341	1/1	0.88	0.13	41,41,41,41	0
56	MG	1A	3165	1/1	0.88	0.17	51,51,51,51	0
56	MG	2A	3095	1/1	0.88	0.37	65,65,65,65	0
56	MG	1A	3394	1/1	0.88	0.18	43,43,43,43	0
56	MG	2A	3591	1/1	0.88	0.13	54,54,54,54	0
56	MG	1a	1774	1/1	0.88	0.20	81,81,81,81	0
56	MG	2a	1692	1/1	0.88	0.15	72,72,72,72	0
56	MG	1A	3854	1/1	0.88	0.20	67,67,67,67	0
56	MG	2A	3599	1/1	0.88	0.12	78,78,78,78	0
56	MG	1A	3005	1/1	0.88	0.18	59,59,59,59	0
56	MG	1A	3402	1/1	0.88	0.11	27,27,27,27	0
56	MG	1A	3773	1/1	0.88	0.18	48,48,48,48	0
56	MG	2A	3375	1/1	0.88	0.09	51,51,51,51	0
56	MG	2A	3612	1/1	0.88	0.20	56,56,56,56	0
56	MG	1A	3861	1/1	0.88	0.18	58,58,58,58	0
56	MG	2A	3615	1/1	0.88	0.12	69,69,69,69	0
56	MG	1A	3862	1/1	0.88	0.14	54,54,54,54	0
56	MG	2A	3617	1/1	0.88	0.12	49,49,49,49	0
56	MG	1A	3677	1/1	0.88	0.16	68,68,68,68	0
56	MG	2A	3401	1/1	0.88	0.18	64,64,64,64	0
56	MG	2A	3131	1/1	0.88	0.25	55,55,55,55	0
56	MG	1a	1800	1/1	0.88	0.12	56,56,56,56	0
56	MG	2A	3626	1/1	0.88	0.13	51,51,51,51	0
56	MG	2A	3145	1/1	0.88	0.07	50,50,50,50	0
56	MG	2a	1727	1/1	0.88	0.11	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3776	1/1	0.88	0.12	48,48,48,48	0
56	MG	2A	3153	1/1	0.88	0.30	59,59,59,59	0
56	MG	1A	3680	1/1	0.88	0.23	54,54,54,54	0
56	MG	1A	3414	1/1	0.88	0.12	52,52,52,52	0
56	MG	1A	3687	1/1	0.88	0.12	63,63,63,63	0
56	MG	2A	3645	1/1	0.88	0.12	72,72,72,72	0
56	MG	2A	3417	1/1	0.88	0.19	51,51,51,51	0
56	MG	2A	3648	1/1	0.88	0.13	43,43,43,43	0
56	MG	1A	3901	1/1	0.88	0.13	36,36,36,36	0
56	MG	1a	1655	1/1	0.88	0.15	57,57,57,57	0
56	MG	2A	3664	1/1	0.88	0.09	43,43,43,43	0
56	MG	2A	3194	1/1	0.88	0.16	53,53,53,53	0
56	MG	2A	3676	1/1	0.88	0.10	50,50,50,50	0
56	MG	2a	1754	1/1	0.88	0.13	73,73,73,73	0
56	MG	1A	3790	1/1	0.88	0.15	48,48,48,48	0
56	MG	1A	3316	1/1	0.88	0.23	57,57,57,57	0
56	MG	2B	3002	1/1	0.88	0.19	67,67,67,67	0
56	MG	2A	3207	1/1	0.88	0.08	33,33,33,33	0
56	MG	1A	3322	1/1	0.88	0.19	57,57,57,57	0
56	MG	1a	1668	1/1	0.88	0.08	44,44,44,44	0
56	MG	2a	1770	1/1	0.88	0.26	67,67,67,67	0
56	MG	2A	3446	1/1	0.88	0.10	41,41,41,41	0
56	MG	1A	3210	1/1	0.88	0.15	45,45,45,45	0
56	MG	2A	3461	1/1	0.88	0.19	57,57,57,57	0
56	MG	1B	210	1/1	0.88	0.11	53,53,53,53	0
56	MG	1a	1687	1/1	0.88	0.15	57,57,57,57	0
56	MG	1A	3275	1/1	0.88	0.18	48,48,48,48	0
56	MG	1a	1826	1/1	0.88	0.18	60,60,60,60	0
56	MG	2A	3231	1/1	0.88	0.25	59,59,59,59	0
56	MG	1B	216	1/1	0.88	0.10	58,58,58,58	0
56	MG	2F	301	1/1	0.88	0.12	54,54,54,54	0
56	MG	1A	3101	1/1	0.88	0.22	61,61,61,61	0
56	MG	1A	3815	1/1	0.88	0.17	31,31,31,31	0
56	MG	2A	3490	1/1	0.88	0.09	51,51,51,51	0
56	MG	1A	3215	1/1	0.88	0.18	43,43,43,43	0
56	MG	1a	1834	1/1	0.88	0.08	63,63,63,63	0
56	MG	1b	3001	1/1	0.88	0.19	68,68,68,68	0
56	MG	25	502	1/1	0.88	0.16	51,51,51,51	0
56	MG	28	101	1/1	0.88	0.27	57,57,57,57	0
56	MG	1c	3001	1/1	0.88	0.38	61,61,61,61	0
56	MG	2A	3504	1/1	0.88	0.12	55,55,55,55	0
56	MG	1E	306	1/1	0.88	0.11	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3506	1/1	0.88	0.14	57,57,57,57	0
56	MG	1A	3022	1/1	0.88	0.13	52,52,52,52	0
56	MG	2v	3002	1/1	0.88	0.18	60,60,60,60	0
56	MG	1w	3001	1/1	0.88	0.18	52,52,52,52	0
56	MG	1w	3005	1/1	0.88	0.14	65,65,65,65	0
56	MG	1A	3822	1/1	0.89	0.25	56,56,56,56	0
56	MG	1A	3386	1/1	0.89	0.08	42,42,42,42	0
56	MG	1A	3484	1/1	0.89	0.16	46,46,46,46	0
56	MG	2A	3063	1/1	0.89	0.16	48,48,48,48	0
56	MG	1A	3009	1/1	0.89	0.20	44,44,44,44	0
56	MG	2A	3540	1/1	0.89	0.13	53,53,53,53	0
56	MG	1A	3287	1/1	0.89	0.33	57,57,57,57	0
56	MG	1A	3170	1/1	0.89	0.31	64,64,64,64	0
56	MG	1A	3831	1/1	0.89	0.14	23,23,23,23	0
56	MG	2a	1636	1/1	0.89	0.20	62,62,62,62	0
56	MG	10	106	1/1	0.89	0.09	56,56,56,56	0
56	MG	1A	3491	1/1	0.89	0.14	46,46,46,46	0
56	MG	2A	3303	1/1	0.89	0.13	48,48,48,48	0
56	MG	2A	3551	1/1	0.89	0.10	33,33,33,33	0
56	MG	2A	3078	1/1	0.89	0.09	51,51,51,51	0
56	MG	2A	3309	1/1	0.89	0.10	39,39,39,39	0
56	MG	1A	3399	1/1	0.89	0.15	59,59,59,59	0
56	MG	1A	3087	1/1	0.89	0.23	63,63,63,63	0
56	MG	1a	1768	1/1	0.89	0.10	66,66,66,66	0
56	MG	2A	3322	1/1	0.89	0.14	50,50,50,50	0
56	MG	1A	3839	1/1	0.89	0.19	61,61,61,61	0
56	MG	1A	3499	1/1	0.89	0.10	49,49,49,49	0
56	MG	1A	3719	1/1	0.89	0.12	48,48,48,48	0
56	MG	2A	3100	1/1	0.89	0.15	52,52,52,52	0
56	MG	2A	3103	1/1	0.89	0.10	46,46,46,46	0
56	MG	1a	1780	1/1	0.89	0.24	74,74,74,74	0
56	MG	2A	3586	1/1	0.89	0.18	73,73,73,73	0
56	MG	1A	3620	1/1	0.89	0.22	43,43,43,43	0
56	MG	2A	3106	1/1	0.89	0.22	55,55,55,55	0
56	MG	1A	3412	1/1	0.89	0.11	44,44,44,44	0
56	MG	2A	3359	1/1	0.89	0.12	54,54,54,54	0
56	MG	1A	3739	1/1	0.89	0.28	43,43,43,43	0
56	MG	1A	3176	1/1	0.89	0.08	47,47,47,47	0
56	MG	2a	1679	1/1	0.89	0.20	66,66,66,66	0
56	MG	2A	3117	1/1	0.89	0.24	52,52,52,52	0
56	MG	2a	1681	1/1	0.89	0.13	84,84,84,84	0
56	MG	1A	3626	1/1	0.89	0.12	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3627	1/1	0.89	0.14	66,66,66,66	0
56	MG	2A	3607	1/1	0.89	0.09	55,55,55,55	0
56	MG	2a	1688	1/1	0.89	0.15	65,65,65,65	0
56	MG	2A	3377	1/1	0.89	0.09	40,40,40,40	0
56	MG	1A	3099	1/1	0.89	0.16	44,44,44,44	0
56	MG	2A	3613	1/1	0.89	0.19	71,71,71,71	0
56	MG	1A	3856	1/1	0.89	0.09	41,41,41,41	0
56	MG	1a	1629	1/1	0.89	0.24	69,69,69,69	0
56	MG	1A	3754	1/1	0.89	0.14	26,26,26,26	0
56	MG	2a	1700	1/1	0.89	0.12	57,57,57,57	0
56	MG	1a	1633	1/1	0.89	0.20	66,66,66,66	0
56	MG	2A	3619	1/1	0.89	0.22	47,47,47,47	0
56	MG	2A	3147	1/1	0.89	0.12	55,55,55,55	0
56	MG	2A	3148	1/1	0.89	0.24	59,59,59,59	0
56	MG	1A	3420	1/1	0.89	0.15	46,46,46,46	0
56	MG	1a	1642	1/1	0.89	0.28	60,60,60,60	0
56	MG	2A	3168	1/1	0.89	0.12	59,59,59,59	0
56	MG	1A	3302	1/1	0.89	0.35	65,65,65,65	0
56	MG	1A	3759	1/1	0.89	0.14	43,43,43,43	0
56	MG	1A	3641	1/1	0.89	0.11	57,57,57,57	0
56	MG	2A	3418	1/1	0.89	0.11	41,41,41,41	0
56	MG	1a	1656	1/1	0.89	0.26	57,57,57,57	0
56	MG	2A	3190	1/1	0.89	0.22	37,37,37,37	0
56	MG	1A	3763	1/1	0.89	0.16	63,63,63,63	0
56	MG	1A	3018	1/1	0.89	0.28	53,53,53,53	0
56	MG	1A	3649	1/1	0.89	0.16	67,67,67,67	0
56	MG	2A	3204	1/1	0.89	0.30	55,55,55,55	0
56	MG	2A	3651	1/1	0.89	0.13	54,54,54,54	0
56	MG	2A	3656	1/1	0.89	0.25	58,58,58,58	0
56	MG	2A	3428	1/1	0.89	0.14	34,34,34,34	0
56	MG	2a	1741	1/1	0.89	0.12	65,65,65,65	0
56	MG	1A	3190	1/1	0.89	0.08	47,47,47,47	0
56	MG	2A	3666	1/1	0.89	0.11	47,47,47,47	0
56	MG	2A	3439	1/1	0.89	0.11	60,60,60,60	0
56	MG	1A	3104	1/1	0.89	0.27	71,71,71,71	0
56	MG	1a	1824	1/1	0.89	0.15	69,69,69,69	0
56	MG	1a	1681	1/1	0.89	0.12	58,58,58,58	0
56	MG	2A	3453	1/1	0.89	0.19	64,64,64,64	0
56	MG	2A	3454	1/1	0.89	0.09	34,34,34,34	0
56	MG	2A	3455	1/1	0.89	0.13	39,39,39,39	0
56	MG	1A	3656	1/1	0.89	0.18	38,38,38,38	0
56	MG	1A	3919	1/1	0.89	0.12	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3464	1/1	0.89	0.11	55,55,55,55	0
56	MG	1A	3206	1/1	0.89	0.19	40,40,40,40	0
56	MG	1A	3014	1/1	0.89	0.12	46,46,46,46	0
56	MG	1a	1699	1/1	0.89	0.29	68,68,68,68	0
56	MG	2A	3233	1/1	0.89	0.08	48,48,48,48	0
56	MG	2a	1772	1/1	0.89	0.23	76,76,76,76	0
56	MG	1a	1701	1/1	0.89	0.07	50,50,50,50	0
56	MG	1a	1702	1/1	0.89	0.15	67,67,67,67	0
56	MG	1A	3051	1/1	0.89	0.22	58,58,58,58	0
56	MG	1A	3787	1/1	0.89	0.17	62,62,62,62	0
56	MG	1A	3341	1/1	0.89	0.38	68,68,68,68	0
56	MG	1a	1709	1/1	0.89	0.14	62,62,62,62	0
56	MG	2A	3499	1/1	0.89	0.19	35,35,35,35	0
56	MG	1A	3674	1/1	0.89	0.10	48,48,48,48	0
56	MG	2X	101	1/1	0.89	0.10	42,42,42,42	0
56	MG	2a	1787	1/1	0.89	0.15	62,62,62,62	0
56	MG	1A	3024	1/1	0.89	0.18	57,57,57,57	0
56	MG	1A	3797	1/1	0.89	0.15	67,67,67,67	0
56	MG	20	103	1/1	0.89	0.20	65,65,65,65	0
56	MG	1A	3154	1/1	0.89	0.16	53,53,53,53	0
56	MG	2A	3251	1/1	0.89	0.15	59,59,59,59	0
56	MG	2A	3253	1/1	0.89	0.12	57,57,57,57	0
56	MG	1A	3802	1/1	0.89	0.11	56,56,56,56	0
56	MG	2a	1799	1/1	0.89	0.23	51,51,51,51	0
56	MG	2A	3511	1/1	0.89	0.13	62,62,62,62	0
56	MG	1A	3804	1/1	0.89	0.10	61,61,61,61	0
56	MG	1A	3060	1/1	0.89	0.16	44,44,44,44	0
56	MG	1A	3566	1/1	0.89	0.14	32,32,32,32	0
56	MG	2A	3269	1/1	0.89	0.13	53,53,53,53	0
56	MG	1O	8003	1/1	0.89	0.21	54,54,54,54	0
56	MG	2t	3001	1/1	0.89	0.12	57,57,57,57	0
56	MG	1A	3269	1/1	0.89	0.16	57,57,57,57	0
56	MG	1A	3076	1/1	0.89	0.15	66,66,66,66	0
56	MG	2A	3022	1/1	0.89	0.09	53,53,53,53	0
56	MG	1a	1736	1/1	0.89	0.22	58,58,58,58	0
56	MG	1A	3747	1/1	0.90	0.09	30,30,30,30	0
56	MG	2A	3304	1/1	0.90	0.14	59,59,59,59	0
56	MG	2A	3094	1/1	0.90	0.11	50,50,50,50	0
56	MG	1A	3163	1/1	0.90	0.12	43,43,43,43	0
56	MG	1A	3545	1/1	0.90	0.15	49,49,49,49	0
56	MG	1A	3851	1/1	0.90	0.11	50,50,50,50	0
56	MG	1a	1610	1/1	0.90	0.24	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1628	1/1	0.90	0.19	66,66,66,66	0
56	MG	1a	1781	1/1	0.90	0.21	76,76,76,76	0
56	MG	1A	3472	1/1	0.90	0.11	37,37,37,37	0
56	MG	2A	3325	1/1	0.90	0.14	49,49,49,49	0
56	MG	1A	3270	1/1	0.90	0.19	48,48,48,48	0
56	MG	2A	3329	1/1	0.90	0.13	35,35,35,35	0
56	MG	2A	3331	1/1	0.90	0.09	53,53,53,53	0
56	MG	2A	3111	1/1	0.90	0.10	51,51,51,51	0
56	MG	1A	3410	1/1	0.90	0.10	43,43,43,43	0
56	MG	1A	3272	1/1	0.90	0.10	39,39,39,39	0
56	MG	1A	3273	1/1	0.90	0.32	59,59,59,59	0
56	MG	1A	3762	1/1	0.90	0.33	68,68,68,68	0
56	MG	2A	3352	1/1	0.90	0.10	47,47,47,47	0
56	MG	1A	3568	1/1	0.90	0.10	31,31,31,31	0
56	MG	2a	1653	1/1	0.90	0.21	62,62,62,62	0
56	MG	2a	1655	1/1	0.90	0.23	56,56,56,56	0
56	MG	1A	3181	1/1	0.90	0.12	56,56,56,56	0
56	MG	1a	1801	1/1	0.90	0.20	59,59,59,59	0
56	MG	2A	3362	1/1	0.90	0.23	58,58,58,58	0
56	MG	1a	1802	1/1	0.90	0.18	54,54,54,54	0
56	MG	2a	1663	1/1	0.90	0.30	55,55,55,55	0
56	MG	1A	3863	1/1	0.90	0.12	56,56,56,56	0
56	MG	2A	3139	1/1	0.90	0.09	47,47,47,47	0
56	MG	2A	3371	1/1	0.90	0.11	41,41,41,41	0
56	MG	2A	3593	1/1	0.90	0.08	41,41,41,41	0
56	MG	1A	3865	1/1	0.90	0.11	50,50,50,50	0
56	MG	1A	3247	1/1	0.90	0.23	52,52,52,52	0
56	MG	1A	3667	1/1	0.90	0.11	51,51,51,51	0
56	MG	2a	1673	1/1	0.90	0.26	55,55,55,55	0
56	MG	1A	3871	1/1	0.90	0.21	69,69,69,69	0
56	MG	2A	3150	1/1	0.90	0.10	54,54,54,54	0
56	MG	1A	3493	1/1	0.90	0.18	53,53,53,53	0
56	MG	2A	3400	1/1	0.90	0.14	61,61,61,61	0
56	MG	1a	1652	1/1	0.90	0.28	63,63,63,63	0
56	MG	2A	3610	1/1	0.90	0.10	50,50,50,50	0
56	MG	1A	3672	1/1	0.90	0.10	48,48,48,48	0
56	MG	2a	1683	1/1	0.90	0.14	82,82,82,82	0
56	MG	1A	3283	1/1	0.90	0.14	44,44,44,44	0
56	MG	2a	1685	1/1	0.90	0.35	62,62,62,62	0
56	MG	1A	3893	1/1	0.90	0.15	71,71,71,71	0
56	MG	1a	1663	1/1	0.90	0.30	68,68,68,68	0
56	MG	2A	3184	1/1	0.90	0.19	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3142	1/1	0.90	0.15	47,47,47,47	0
56	MG	2A	3618	1/1	0.90	0.11	45,45,45,45	0
56	MG	1A	3589	1/1	0.90	0.16	64,64,64,64	0
56	MG	2A	3193	1/1	0.90	0.13	48,48,48,48	0
56	MG	1A	3122	1/1	0.90	0.15	51,51,51,51	0
56	MG	2A	3623	1/1	0.90	0.12	52,52,52,52	0
56	MG	1a	1670	1/1	0.90	0.14	56,56,56,56	0
56	MG	1a	1677	1/1	0.90	0.14	51,51,51,51	0
56	MG	1A	3293	1/1	0.90	0.29	60,60,60,60	0
56	MG	1A	3599	1/1	0.90	0.07	46,46,46,46	0
56	MG	2A	3633	1/1	0.90	0.16	62,62,62,62	0
56	MG	2A	3634	1/1	0.90	0.14	56,56,56,56	0
56	MG	2A	3209	1/1	0.90	0.13	44,44,44,44	0
56	MG	1A	3792	1/1	0.90	0.30	34,34,34,34	0
56	MG	1a	1686	1/1	0.90	0.19	53,53,53,53	0
56	MG	1A	3688	1/1	0.90	0.12	64,64,64,64	0
56	MG	2A	3429	1/1	0.90	0.14	55,55,55,55	0
56	MG	2A	3434	1/1	0.90	0.12	34,34,34,34	0
56	MG	2A	3218	1/1	0.90	0.14	53,53,53,53	0
56	MG	1A	3435	1/1	0.90	0.11	29,29,29,29	0
56	MG	2A	3220	1/1	0.90	0.17	56,56,56,56	0
56	MG	2a	1728	1/1	0.90	0.20	75,75,75,75	0
56	MG	1A	3691	1/1	0.90	0.17	60,60,60,60	0
56	MG	2A	3653	1/1	0.90	0.08	46,46,46,46	0
56	MG	1a	1697	1/1	0.90	0.28	51,51,51,51	0
56	MG	2a	1733	1/1	0.90	0.16	78,78,78,78	0
56	MG	2A	3448	1/1	0.90	0.12	33,33,33,33	0
56	MG	2a	1737	1/1	0.90	0.08	55,55,55,55	0
56	MG	1A	3606	1/1	0.90	0.18	62,62,62,62	0
56	MG	1B	220	1/1	0.90	0.11	56,56,56,56	0
56	MG	1A	3608	1/1	0.90	0.21	60,60,60,60	0
56	MG	1A	3031	1/1	0.90	0.08	42,42,42,42	0
56	MG	1A	3379	1/1	0.90	0.09	48,48,48,48	0
56	MG	1x	109	1/1	0.90	0.12	57,57,57,57	0
56	MG	1F	306	1/1	0.90	0.11	46,46,46,46	0
56	MG	2a	1748	1/1	0.90	0.17	59,59,59,59	0
56	MG	2B	3003	1/1	0.90	0.12	69,69,69,69	0
56	MG	2a	1750	1/1	0.90	0.19	66,66,66,66	0
56	MG	1A	3812	1/1	0.90	0.16	61,61,61,61	0
56	MG	2A	3471	1/1	0.90	0.16	48,48,48,48	0
56	MG	2a	1753	1/1	0.90	0.14	72,72,72,72	0
56	MG	2A	3474	1/1	0.90	0.15	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2B	3009	1/1	0.90	0.21	60,60,60,60	0
56	MG	2a	1757	1/1	0.90	0.29	71,71,71,71	0
56	MG	2a	1758	1/1	0.90	0.11	59,59,59,59	0
56	MG	1A	3705	1/1	0.90	0.09	32,32,32,32	0
56	MG	1N	3001	1/1	0.90	0.27	51,51,51,51	0
56	MG	1A	3194	1/1	0.90	0.09	55,55,55,55	0
56	MG	2a	1767	1/1	0.90	0.13	55,55,55,55	0
56	MG	2B	3014	1/1	0.90	0.21	68,68,68,68	0
56	MG	1O	8002	1/1	0.90	0.11	63,63,63,63	0
56	MG	1A	3257	1/1	0.90	0.21	48,48,48,48	0
56	MG	2B	3020	1/1	0.90	0.09	66,66,66,66	0
56	MG	1A	3070	1/1	0.90	0.29	60,60,60,60	0
56	MG	1A	3714	1/1	0.90	0.16	56,56,56,56	0
56	MG	1A	3395	1/1	0.90	0.13	58,58,58,58	0
56	MG	2A	3023	1/1	0.90	0.14	43,43,43,43	0
56	MG	2A	3024	1/1	0.90	0.23	45,45,45,45	0
56	MG	1A	3536	1/1	0.90	0.08	24,24,24,24	0
56	MG	1A	3538	1/1	0.90	0.11	45,45,45,45	0
56	MG	2O	202	1/1	0.90	0.13	52,52,52,52	0
56	MG	1U	202	1/1	0.90	0.27	40,40,40,40	0
56	MG	2A	3054	1/1	0.90	0.14	50,50,50,50	0
56	MG	2T	3001	1/1	0.90	0.16	45,45,45,45	0
56	MG	2V	3002	1/1	0.90	0.40	57,57,57,57	0
56	MG	1U	204	1/1	0.90	0.25	55,55,55,55	0
56	MG	2a	1791	1/1	0.90	0.20	75,75,75,75	0
56	MG	2A	3060	1/1	0.90	0.10	49,49,49,49	0
56	MG	2A	3284	1/1	0.90	0.08	47,47,47,47	0
56	MG	1A	3396	1/1	0.90	0.12	42,42,42,42	0
56	MG	1W	3001	1/1	0.90	0.14	48,48,48,48	0
56	MG	2A	3520	1/1	0.90	0.24	56,56,56,56	0
56	MG	1A	3723	1/1	0.90	0.13	58,58,58,58	0
56	MG	1A	3633	1/1	0.90	0.12	50,50,50,50	0
56	MG	1A	3634	1/1	0.90	0.16	57,57,57,57	0
56	MG	1A	3268	1/1	0.90	0.19	63,63,63,63	0
56	MG	1A	3743	1/1	0.90	0.26	52,52,52,52	0
56	MG	15	101	1/1	0.90	0.12	48,48,48,48	0
56	MG	1A	3744	1/1	0.90	0.11	40,40,40,40	0
56	MG	1A	3639	1/1	0.90	0.18	61,61,61,61	0
56	MG	2A	3532	1/1	0.90	0.20	57,57,57,57	0
56	MG	16	102	1/1	0.90	0.07	41,41,41,41	0
56	MG	2A	3536	1/1	0.90	0.12	53,53,53,53	0
61	FME	2x	3003	10/11	0.90	0.20	43,53,58,59	10

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3217	1/1	0.91	0.18	54,54,54,54	0
56	MG	1A	3820	1/1	0.91	0.13	52,52,52,52	0
56	MG	2V	3001	1/1	0.91	0.23	62,62,62,62	0
56	MG	2A	3189	1/1	0.91	0.22	54,54,54,54	0
56	MG	1A	3320	1/1	0.91	0.10	52,52,52,52	0
56	MG	1a	1798	1/1	0.91	0.22	67,67,67,67	0
56	MG	2A	3467	1/1	0.91	0.15	51,51,51,51	0
56	MG	20	102	1/1	0.91	0.20	61,61,61,61	0
56	MG	2A	3469	1/1	0.91	0.37	53,53,53,53	0
56	MG	1A	3058	1/1	0.91	0.16	53,53,53,53	0
56	MG	2A	3198	1/1	0.91	0.11	52,52,52,52	0
56	MG	1A	3547	1/1	0.91	0.25	55,55,55,55	0
56	MG	1A	3001	1/1	0.91	0.17	60,60,60,60	0
56	MG	1A	3327	1/1	0.91	0.09	49,49,49,49	0
56	MG	2A	3205	1/1	0.91	0.20	46,46,46,46	0
56	MG	2A	3484	1/1	0.91	0.07	44,44,44,44	0
56	MG	2a	1606	1/1	0.91	0.08	60,60,60,60	0
56	MG	2a	1607	1/1	0.91	0.25	67,67,67,67	0
56	MG	1A	3828	1/1	0.91	0.14	43,43,43,43	0
56	MG	2A	3208	1/1	0.91	0.08	52,52,52,52	0
56	MG	1A	3556	1/1	0.91	0.16	62,62,62,62	0
56	MG	2A	3495	1/1	0.91	0.14	50,50,50,50	0
56	MG	2a	1614	1/1	0.91	0.34	58,58,58,58	0
56	MG	1A	3558	1/1	0.91	0.13	43,43,43,43	0
56	MG	1a	1608	1/1	0.91	0.19	56,56,56,56	0
56	MG	2A	3214	1/1	0.91	0.09	57,57,57,57	0
56	MG	1A	3690	1/1	0.91	0.10	48,48,48,48	0
56	MG	1A	3437	1/1	0.91	0.08	24,24,24,24	0
56	MG	1A	3264	1/1	0.91	0.08	53,53,53,53	0
56	MG	1A	3439	1/1	0.91	0.08	54,54,54,54	0
56	MG	1A	3567	1/1	0.91	0.12	48,48,48,48	0
56	MG	1A	3336	1/1	0.91	0.20	28,28,28,28	0
56	MG	2A	3224	1/1	0.91	0.11	49,49,49,49	0
56	MG	2A	3509	1/1	0.91	0.08	35,35,35,35	0
56	MG	2A	3226	1/1	0.91	0.10	60,60,60,60	0
56	MG	2a	1634	1/1	0.91	0.09	59,59,59,59	0
56	MG	1a	1619	1/1	0.91	0.11	71,71,71,71	0
56	MG	2A	3515	1/1	0.91	0.10	45,45,45,45	0
56	MG	1A	3092	1/1	0.91	0.11	49,49,49,49	0
56	MG	1a	1622	1/1	0.91	0.10	59,59,59,59	0
56	MG	1A	3844	1/1	0.91	0.10	54,54,54,54	0
56	MG	1A	3342	1/1	0.91	0.15	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3457	1/1	0.91	0.10	35,35,35,35	0
56	MG	1A	3152	1/1	0.91	0.14	43,43,43,43	0
56	MG	1A	3234	1/1	0.91	0.18	50,50,50,50	0
56	MG	1a	1830	1/1	0.91	0.28	61,61,61,61	0
56	MG	1a	1637	1/1	0.91	0.09	44,44,44,44	0
56	MG	2a	1652	1/1	0.91	0.17	57,57,57,57	0
56	MG	1a	1640	1/1	0.91	0.07	47,47,47,47	0
56	MG	2a	1654	1/1	0.91	0.21	69,69,69,69	0
56	MG	1a	1641	1/1	0.91	0.08	49,49,49,49	0
56	MG	1b	3002	1/1	0.91	0.07	85,85,85,85	0
56	MG	2A	3535	1/1	0.91	0.08	55,55,55,55	0
56	MG	1A	3584	1/1	0.91	0.19	70,70,70,70	0
56	MG	2a	1659	1/1	0.91	0.09	55,55,55,55	0
56	MG	2A	3252	1/1	0.91	0.22	48,48,48,48	0
56	MG	1A	3853	1/1	0.91	0.10	37,37,37,37	0
56	MG	2A	3255	1/1	0.91	0.23	57,57,57,57	0
56	MG	1A	3356	1/1	0.91	0.10	26,26,26,26	0
56	MG	1a	1651	1/1	0.91	0.29	56,56,56,56	0
56	MG	1A	3042	1/1	0.91	0.08	40,40,40,40	0
56	MG	1A	3359	1/1	0.91	0.11	22,22,22,22	0
56	MG	2A	3268	1/1	0.91	0.09	49,49,49,49	0
56	MG	1A	3722	1/1	0.91	0.10	46,46,46,46	0
56	MG	1x	107	1/1	0.91	0.13	75,75,75,75	0
56	MG	2A	3550	1/1	0.91	0.10	70,70,70,70	0
56	MG	1a	1657	1/1	0.91	0.11	50,50,50,50	0
56	MG	1A	3187	1/1	0.91	0.18	44,44,44,44	0
56	MG	1x	111	1/1	0.91	0.12	61,61,61,61	0
56	MG	1A	3475	1/1	0.91	0.14	42,42,42,42	0
56	MG	2A	3559	1/1	0.91	0.11	52,52,52,52	0
56	MG	1A	3605	1/1	0.91	0.16	45,45,45,45	0
56	MG	1a	1666	1/1	0.91	0.18	46,46,46,46	0
56	MG	1A	3361	1/1	0.91	0.16	55,55,55,55	0
56	MG	1A	3478	1/1	0.91	0.09	29,29,29,29	0
56	MG	1A	3868	1/1	0.91	0.11	37,37,37,37	0
56	MG	1A	3611	1/1	0.91	0.12	22,22,22,22	0
56	MG	1A	3482	1/1	0.91	0.09	35,35,35,35	0
56	MG	2A	3576	1/1	0.91	0.12	42,42,42,42	0
56	MG	2A	3005	1/1	0.91	0.14	50,50,50,50	0
56	MG	2A	3006	1/1	0.91	0.17	58,58,58,58	0
56	MG	2A	3583	1/1	0.91	0.13	70,70,70,70	0
56	MG	2A	3015	1/1	0.91	0.10	62,62,62,62	0
56	MG	1A	3614	1/1	0.91	0.12	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3749	1/1	0.91	0.13	39,39,39,39	0
56	MG	1A	3483	1/1	0.91	0.12	27,27,27,27	0
56	MG	2A	3306	1/1	0.91	0.08	30,30,30,30	0
56	MG	2A	3031	1/1	0.91	0.14	50,50,50,50	0
56	MG	1A	3363	1/1	0.91	0.14	49,49,49,49	0
56	MG	2A	3310	1/1	0.91	0.11	36,36,36,36	0
56	MG	2A	3035	1/1	0.91	0.11	45,45,45,45	0
56	MG	2A	3036	1/1	0.91	0.12	50,50,50,50	0
56	MG	2a	1714	1/1	0.91	0.15	56,56,56,56	0
56	MG	2A	3604	1/1	0.91	0.07	44,44,44,44	0
56	MG	2a	1717	1/1	0.91	0.15	63,63,63,63	0
56	MG	2A	3320	1/1	0.91	0.18	51,51,51,51	0
56	MG	2a	1721	1/1	0.91	0.15	54,54,54,54	0
56	MG	1A	3063	1/1	0.91	0.10	52,52,52,52	0
56	MG	1a	1689	1/1	0.91	0.14	39,39,39,39	0
56	MG	1A	3898	1/1	0.91	0.25	31,31,31,31	0
56	MG	2A	3057	1/1	0.91	0.21	54,54,54,54	0
56	MG	1A	3192	1/1	0.91	0.17	42,42,42,42	0
56	MG	1A	3385	1/1	0.91	0.09	68,68,68,68	0
56	MG	1a	1700	1/1	0.91	0.19	57,57,57,57	0
56	MG	1A	3913	1/1	0.91	0.20	54,54,54,54	0
56	MG	1A	3624	1/1	0.91	0.07	32,32,32,32	0
56	MG	1A	3102	1/1	0.91	0.29	58,58,58,58	0
56	MG	1A	3284	1/1	0.91	0.23	54,54,54,54	0
56	MG	2a	1736	1/1	0.91	0.18	66,66,66,66	0
56	MG	1A	3045	1/1	0.91	0.19	46,46,46,46	0
56	MG	2A	3075	1/1	0.91	0.11	47,47,47,47	0
56	MG	1B	207	1/1	0.91	0.12	44,44,44,44	0
56	MG	1A	3766	1/1	0.91	0.08	31,31,31,31	0
56	MG	1A	3116	1/1	0.91	0.17	51,51,51,51	0
56	MG	2A	3084	1/1	0.91	0.16	59,59,59,59	0
56	MG	2A	3627	1/1	0.91	0.12	49,49,49,49	0
56	MG	2A	3628	1/1	0.91	0.18	49,49,49,49	0
56	MG	2A	3630	1/1	0.91	0.14	56,56,56,56	0
56	MG	1B	214	1/1	0.91	0.11	41,41,41,41	0
56	MG	1A	3291	1/1	0.91	0.12	52,52,52,52	0
56	MG	1A	3770	1/1	0.91	0.20	63,63,63,63	0
56	MG	1A	3244	1/1	0.91	0.12	52,52,52,52	0
56	MG	1A	3029	1/1	0.91	0.34	40,40,40,40	0
56	MG	1A	3503	1/1	0.91	0.19	57,57,57,57	0
56	MG	1D	305	1/1	0.91	0.09	38,38,38,38	0
56	MG	1D	308	1/1	0.91	0.20	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3510	1/1	0.91	0.17	52,52,52,52	0
56	MG	2A	3390	1/1	0.91	0.09	51,51,51,51	0
56	MG	1A	3777	1/1	0.91	0.08	43,43,43,43	0
56	MG	1A	3248	1/1	0.91	0.15	63,63,63,63	0
56	MG	2a	1764	1/1	0.91	0.16	67,67,67,67	0
56	MG	1G	3005	1/1	0.91	0.09	40,40,40,40	0
56	MG	1A	3779	1/1	0.91	0.19	70,70,70,70	0
56	MG	1a	1746	1/1	0.91	0.09	52,52,52,52	0
56	MG	1A	3647	1/1	0.91	0.12	59,59,59,59	0
56	MG	2A	3663	1/1	0.91	0.11	53,53,53,53	0
56	MG	1A	3404	1/1	0.91	0.14	52,52,52,52	0
56	MG	1A	3518	1/1	0.91	0.14	57,57,57,57	0
56	MG	2A	3668	1/1	0.91	0.17	44,44,44,44	0
56	MG	2A	3409	1/1	0.91	0.17	46,46,46,46	0
56	MG	2A	3410	1/1	0.91	0.10	56,56,56,56	0
56	MG	1A	3789	1/1	0.91	0.24	56,56,56,56	0
56	MG	1A	3167	1/1	0.91	0.26	50,50,50,50	0
56	MG	2A	3129	1/1	0.91	0.12	47,47,47,47	0
56	MG	2a	1785	1/1	0.91	0.18	58,58,58,58	0
56	MG	1A	3411	1/1	0.91	0.08	37,37,37,37	0
56	MG	2A	3134	1/1	0.91	0.20	54,54,54,54	0
56	MG	1A	3793	1/1	0.91	0.10	38,38,38,38	0
56	MG	1A	3658	1/1	0.91	0.18	52,52,52,52	0
56	MG	1a	1765	1/1	0.91	0.15	51,51,51,51	0
56	MG	2A	3424	1/1	0.91	0.11	54,54,54,54	0
56	MG	2a	1792	1/1	0.91	0.11	76,76,76,76	0
56	MG	1A	3659	1/1	0.91	0.09	41,41,41,41	0
56	MG	1A	3527	1/1	0.91	0.12	69,69,69,69	0
56	MG	1A	3169	1/1	0.91	0.13	60,60,60,60	0
56	MG	2a	1796	1/1	0.91	0.22	64,64,64,64	0
56	MG	2B	3015	1/1	0.91	0.14	53,53,53,53	0
56	MG	1A	3309	1/1	0.91	0.30	66,66,66,66	0
56	MG	2A	3152	1/1	0.91	0.19	50,50,50,50	0
56	MG	1A	3415	1/1	0.91	0.09	53,53,53,53	0
56	MG	2A	3435	1/1	0.91	0.11	45,45,45,45	0
56	MG	2A	3158	1/1	0.91	0.08	47,47,47,47	0
56	MG	1X	103	1/1	0.91	0.10	40,40,40,40	0
56	MG	1A	3123	1/1	0.91	0.15	42,42,42,42	0
56	MG	10	102	1/1	0.91	0.09	47,47,47,47	0
56	MG	2A	3173	1/1	0.91	0.33	60,60,60,60	0
56	MG	1A	3671	1/1	0.91	0.19	40,40,40,40	0
56	MG	1A	3254	1/1	0.91	0.18	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2Q	3001	1/1	0.91	0.11	47,47,47,47	0
59	ZN	24	501	1/1	0.91	0.09	185,185,185,185	0
61	FME	1x	115	10/11	0.91	0.21	38,46,53,57	10
56	MG	2A	3180	1/1	0.91	0.18	54,54,54,54	0
56	MG	1A	3285	1/1	0.92	0.15	57,57,57,57	0
56	MG	1A	3846	1/1	0.92	0.08	39,39,39,39	0
56	MG	1a	1607	1/1	0.92	0.27	52,52,52,52	0
56	MG	1A	3351	1/1	0.92	0.20	55,55,55,55	0
56	MG	1A	3355	1/1	0.92	0.19	51,51,51,51	0
56	MG	1a	1808	1/1	0.92	0.06	40,40,40,40	0
56	MG	1A	3850	1/1	0.92	0.10	54,54,54,54	0
56	MG	2A	3206	1/1	0.92	0.20	48,48,48,48	0
56	MG	2A	3475	1/1	0.92	0.08	53,53,53,53	0
56	MG	2I	101	1/1	0.92	0.11	43,43,43,43	0
56	MG	2A	3476	1/1	0.92	0.14	41,41,41,41	0
56	MG	2A	3478	1/1	0.92	0.08	53,53,53,53	0
56	MG	1a	1612	1/1	0.92	0.07	56,56,56,56	0
56	MG	1A	3625	1/1	0.92	0.18	55,55,55,55	0
56	MG	1A	3728	1/1	0.92	0.14	40,40,40,40	0
56	MG	2A	3483	1/1	0.92	0.09	56,56,56,56	0
56	MG	1A	3732	1/1	0.92	0.10	55,55,55,55	0
56	MG	2A	3212	1/1	0.92	0.09	66,66,66,66	0
56	MG	1A	3251	1/1	0.92	0.10	47,47,47,47	0
56	MG	2A	3489	1/1	0.92	0.16	73,73,73,73	0
56	MG	2a	1610	1/1	0.92	0.32	53,53,53,53	0
56	MG	1A	3736	1/1	0.92	0.19	49,49,49,49	0
56	MG	1A	3232	1/1	0.92	0.10	55,55,55,55	0
56	MG	1A	3150	1/1	0.92	0.32	55,55,55,55	0
56	MG	1a	1821	1/1	0.92	0.18	65,65,65,65	0
56	MG	1a	1623	1/1	0.92	0.16	54,54,54,54	0
56	MG	1A	3632	1/1	0.92	0.26	40,40,40,40	0
56	MG	1A	3118	1/1	0.92	0.16	50,50,50,50	0
56	MG	1a	1825	1/1	0.92	0.12	66,66,66,66	0
56	MG	1A	3046	1/1	0.92	0.19	28,28,28,28	0
56	MG	1A	3086	1/1	0.92	0.31	51,51,51,51	0
56	MG	1A	3178	1/1	0.92	0.18	38,38,38,38	0
56	MG	2A	3232	1/1	0.92	0.17	51,51,51,51	0
56	MG	1A	3866	1/1	0.92	0.19	63,63,63,63	0
56	MG	2A	3510	1/1	0.92	0.17	46,46,46,46	0
56	MG	1A	3546	1/1	0.92	0.13	46,46,46,46	0
56	MG	2A	3512	1/1	0.92	0.10	45,45,45,45	0
56	MG	1A	3371	1/1	0.92	0.12	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3643	1/1	0.92	0.10	55,55,55,55	0
56	MG	1A	3301	1/1	0.92	0.12	45,45,45,45	0
56	MG	1A	3877	1/1	0.92	0.28	58,58,58,58	0
56	MG	1A	3878	1/1	0.92	0.11	43,43,43,43	0
56	MG	1l	202	1/1	0.92	0.19	50,50,50,50	0
56	MG	1A	3265	1/1	0.92	0.09	41,41,41,41	0
56	MG	1a	1653	1/1	0.92	0.22	50,50,50,50	0
56	MG	1a	1654	1/1	0.92	0.20	46,46,46,46	0
56	MG	1w	3003	1/1	0.92	0.21	50,50,50,50	0
56	MG	1A	3648	1/1	0.92	0.19	69,69,69,69	0
56	MG	1A	3888	1/1	0.92	0.11	46,46,46,46	0
56	MG	1A	3890	1/1	0.92	0.09	42,42,42,42	0
56	MG	1x	104	1/1	0.92	0.22	50,50,50,50	0
56	MG	1A	3305	1/1	0.92	0.19	55,55,55,55	0
56	MG	1A	3306	1/1	0.92	0.22	62,62,62,62	0
56	MG	1a	1664	1/1	0.92	0.28	56,56,56,56	0
56	MG	1A	3390	1/1	0.92	0.16	64,64,64,64	0
56	MG	1A	3900	1/1	0.92	0.23	35,35,35,35	0
56	MG	1A	3654	1/1	0.92	0.10	27,27,27,27	0
56	MG	1x	114	1/1	0.92	0.07	57,57,57,57	0
56	MG	1A	3655	1/1	0.92	0.08	28,28,28,28	0
56	MG	2A	3280	1/1	0.92	0.09	25,25,25,25	0
56	MG	1a	1669	1/1	0.92	0.15	49,49,49,49	0
56	MG	2A	3283	1/1	0.92	0.13	50,50,50,50	0
56	MG	1A	3910	1/1	0.92	0.18	38,38,38,38	0
56	MG	1a	1672	1/1	0.92	0.19	55,55,55,55	0
56	MG	1a	1673	1/1	0.92	0.29	52,52,52,52	0
56	MG	1A	3561	1/1	0.92	0.13	43,43,43,43	0
56	MG	1A	3267	1/1	0.92	0.24	63,63,63,63	0
56	MG	1A	3049	1/1	0.92	0.19	42,42,42,42	0
56	MG	1a	1683	1/1	0.92	0.07	64,64,64,64	0
56	MG	2A	3017	1/1	0.92	0.16	42,42,42,42	0
56	MG	2A	3019	1/1	0.92	0.18	47,47,47,47	0
56	MG	2A	3566	1/1	0.92	0.11	41,41,41,41	0
56	MG	1A	3480	1/1	0.92	0.11	36,36,36,36	0
56	MG	1a	1685	1/1	0.92	0.29	57,57,57,57	0
56	MG	1B	201	1/1	0.92	0.11	53,53,53,53	0
56	MG	1A	3311	1/1	0.92	0.12	54,54,54,54	0
56	MG	1A	3663	1/1	0.92	0.14	43,43,43,43	0
56	MG	1A	3665	1/1	0.92	0.21	59,59,59,59	0
56	MG	1A	3313	1/1	0.92	0.09	56,56,56,56	0
56	MG	2A	3044	1/1	0.92	0.19	46,46,46,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3573	1/1	0.92	0.11	43,43,43,43	0
56	MG	2A	3585	1/1	0.92	0.16	64,64,64,64	0
56	MG	1a	1698	1/1	0.92	0.43	72,72,72,72	0
56	MG	2a	1694	1/1	0.92	0.19	62,62,62,62	0
56	MG	2a	1696	1/1	0.92	0.14	66,66,66,66	0
56	MG	1A	3669	1/1	0.92	0.11	58,58,58,58	0
56	MG	2A	3317	1/1	0.92	0.11	48,48,48,48	0
56	MG	1A	3089	1/1	0.92	0.18	54,54,54,54	0
56	MG	2A	3592	1/1	0.92	0.07	54,54,54,54	0
56	MG	1B	219	1/1	0.92	0.12	49,49,49,49	0
56	MG	1A	3013	1/1	0.92	0.11	33,33,33,33	0
56	MG	2A	3062	1/1	0.92	0.07	41,41,41,41	0
56	MG	2A	3598	1/1	0.92	0.16	52,52,52,52	0
56	MG	1B	221	1/1	0.92	0.08	48,48,48,48	0
56	MG	1A	3579	1/1	0.92	0.15	27,27,27,27	0
56	MG	2A	3601	1/1	0.92	0.10	38,38,38,38	0
56	MG	2a	1712	1/1	0.92	0.10	58,58,58,58	0
56	MG	1A	3673	1/1	0.92	0.10	45,45,45,45	0
56	MG	1B	224	1/1	0.92	0.14	63,63,63,63	0
56	MG	2A	3069	1/1	0.92	0.11	52,52,52,52	0
56	MG	2a	1718	1/1	0.92	0.12	71,71,71,71	0
56	MG	2A	3606	1/1	0.92	0.22	40,40,40,40	0
56	MG	1a	1710	1/1	0.92	0.26	51,51,51,51	0
56	MG	1A	3486	1/1	0.92	0.15	27,27,27,27	0
56	MG	1a	1712	1/1	0.92	0.08	61,61,61,61	0
56	MG	2A	3611	1/1	0.92	0.13	57,57,57,57	0
56	MG	2A	3345	1/1	0.92	0.07	45,45,45,45	0
56	MG	2A	3346	1/1	0.92	0.07	31,31,31,31	0
56	MG	1a	1715	1/1	0.92	0.26	62,62,62,62	0
56	MG	1A	3319	1/1	0.92	0.10	51,51,51,51	0
56	MG	2a	1730	1/1	0.92	0.16	56,56,56,56	0
56	MG	2A	3079	1/1	0.92	0.12	42,42,42,42	0
56	MG	1a	1717	1/1	0.92	0.12	60,60,60,60	0
56	MG	1A	3405	1/1	0.92	0.12	62,62,62,62	0
56	MG	2A	3361	1/1	0.92	0.09	54,54,54,54	0
56	MG	1E	307	1/1	0.92	0.22	36,36,36,36	0
56	MG	1A	3678	1/1	0.92	0.08	46,46,46,46	0
56	MG	2a	1738	1/1	0.92	0.37	70,70,70,70	0
56	MG	1A	3587	1/1	0.92	0.09	40,40,40,40	0
56	MG	1a	1724	1/1	0.92	0.17	46,46,46,46	0
56	MG	1A	3681	1/1	0.92	0.09	37,37,37,37	0
56	MG	2A	3372	1/1	0.92	0.12	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3803	1/1	0.92	0.10	65,65,65,65	0
56	MG	1A	3682	1/1	0.92	0.16	47,47,47,47	0
56	MG	2A	3101	1/1	0.92	0.16	58,58,58,58	0
56	MG	2A	3382	1/1	0.92	0.15	40,40,40,40	0
56	MG	1N	3002	1/1	0.92	0.20	45,45,45,45	0
56	MG	1A	3685	1/1	0.92	0.09	49,49,49,49	0
56	MG	2A	3635	1/1	0.92	0.12	54,54,54,54	0
56	MG	2A	3638	1/1	0.92	0.13	53,53,53,53	0
56	MG	2A	3389	1/1	0.92	0.08	39,39,39,39	0
56	MG	1a	1732	1/1	0.92	0.19	60,60,60,60	0
56	MG	2A	3394	1/1	0.92	0.16	56,56,56,56	0
56	MG	2A	3395	1/1	0.92	0.13	53,53,53,53	0
56	MG	1A	3806	1/1	0.92	0.14	67,67,67,67	0
56	MG	2A	3399	1/1	0.92	0.16	58,58,58,58	0
56	MG	1A	3409	1/1	0.92	0.12	33,33,33,33	0
56	MG	1A	3219	1/1	0.92	0.08	57,57,57,57	0
56	MG	1A	3226	1/1	0.92	0.30	57,57,57,57	0
56	MG	1Q	3004	1/1	0.92	0.10	56,56,56,56	0
56	MG	2A	3404	1/1	0.92	0.10	39,39,39,39	0
56	MG	1A	3144	1/1	0.92	0.18	51,51,51,51	0
56	MG	2A	3658	1/1	0.92	0.10	44,44,44,44	0
56	MG	1A	3277	1/1	0.92	0.12	49,49,49,49	0
56	MG	2a	1773	1/1	0.92	0.13	57,57,57,57	0
56	MG	1a	1751	1/1	0.92	0.09	65,65,65,65	0
56	MG	1A	3821	1/1	0.92	0.19	60,60,60,60	0
56	MG	1T	201	1/1	0.92	0.17	62,62,62,62	0
56	MG	2A	3667	1/1	0.92	0.12	64,64,64,64	0
56	MG	1A	3334	1/1	0.92	0.21	49,49,49,49	0
56	MG	2A	3412	1/1	0.92	0.07	27,27,27,27	0
56	MG	1A	3693	1/1	0.92	0.09	62,62,62,62	0
56	MG	2A	3136	1/1	0.92	0.20	53,53,53,53	0
56	MG	1V	202	1/1	0.92	0.27	59,59,59,59	0
56	MG	1A	3278	1/1	0.92	0.32	61,61,61,61	0
56	MG	2A	3144	1/1	0.92	0.09	49,49,49,49	0
56	MG	1A	3697	1/1	0.92	0.31	64,64,64,64	0
56	MG	1A	3281	1/1	0.92	0.21	52,52,52,52	0
56	MG	1A	3508	1/1	0.92	0.09	41,41,41,41	0
56	MG	1A	3422	1/1	0.92	0.14	45,45,45,45	0
56	MG	1a	1772	1/1	0.92	0.11	50,50,50,50	0
56	MG	1A	3613	1/1	0.92	0.11	34,34,34,34	0
56	MG	1a	1775	1/1	0.92	0.24	58,58,58,58	0
56	MG	1A	3833	1/1	0.92	0.15	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3430	1/1	0.92	0.14	58,58,58,58	0
56	MG	2B	3016	1/1	0.92	0.23	61,61,61,61	0
56	MG	2a	1798	1/1	0.92	0.09	43,43,43,43	0
56	MG	1A	3149	1/1	0.92	0.23	50,50,50,50	0
56	MG	2A	3164	1/1	0.92	0.21	40,40,40,40	0
56	MG	2B	3019	1/1	0.92	0.22	44,44,44,44	0
56	MG	1l	101	1/1	0.92	0.16	44,44,44,44	0
56	MG	1A	3711	1/1	0.92	0.09	54,54,54,54	0
56	MG	1A	3168	1/1	0.92	0.14	44,44,44,44	0
56	MG	2p	3001	1/1	0.92	0.22	74,74,74,74	0
56	MG	2E	302	1/1	0.92	0.16	51,51,51,51	0
56	MG	1A	3231	1/1	0.92	0.36	61,61,61,61	0
56	MG	1A	3619	1/1	0.92	0.20	44,44,44,44	0
56	MG	1A	3431	1/1	0.92	0.11	34,34,34,34	0
56	MG	1a	1795	1/1	0.92	0.20	50,50,50,50	0
56	MG	1A	3716	1/1	0.92	0.14	60,60,60,60	0
57	4M2	2A	3670	57/57	0.92	0.13	26,50,69,76	0
56	MG	1a	1601	1/1	0.92	0.11	68,68,68,68	0
59	ZN	2n	501	1/1	0.92	0.12	152,152,152,152	0
56	MG	2A	3456	1/1	0.92	0.10	42,42,42,42	0
56	MG	1A	3621	1/1	0.92	0.10	56,56,56,56	0
56	MG	1A	3785	1/1	0.93	0.12	65,65,65,65	0
56	MG	2a	1620	1/1	0.93	0.24	55,55,55,55	0
56	MG	13	101	1/1	0.93	0.14	46,46,46,46	0
56	MG	1A	3874	1/1	0.93	0.15	27,27,27,27	0
56	MG	1t	3001	1/1	0.93	0.22	49,49,49,49	0
56	MG	2A	3563	1/1	0.93	0.10	62,62,62,62	0
56	MG	2A	3370	1/1	0.93	0.10	44,44,44,44	0
56	MG	1a	1714	1/1	0.93	0.35	61,61,61,61	0
56	MG	1A	3225	1/1	0.93	0.07	36,36,36,36	0
56	MG	1A	3084	1/1	0.93	0.16	60,60,60,60	0
56	MG	1A	3364	1/1	0.93	0.10	35,35,35,35	0
56	MG	1A	3702	1/1	0.93	0.12	26,26,26,26	0
56	MG	1A	3703	1/1	0.93	0.21	60,60,60,60	0
56	MG	2A	3183	1/1	0.93	0.09	29,29,29,29	0
56	MG	1A	3419	1/1	0.93	0.09	53,53,53,53	0
56	MG	2A	3580	1/1	0.93	0.10	50,50,50,50	0
56	MG	2a	1640	1/1	0.93	0.16	48,48,48,48	0
56	MG	1x	105	1/1	0.93	0.17	57,57,57,57	0
56	MG	1A	3642	1/1	0.93	0.09	42,42,42,42	0
56	MG	2A	3392	1/1	0.93	0.14	51,51,51,51	0
56	MG	2a	1647	1/1	0.93	0.16	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3709	1/1	0.93	0.15	50,50,50,50	0
56	MG	1a	1606	1/1	0.93	0.27	57,57,57,57	0
56	MG	2A	3588	1/1	0.93	0.13	55,55,55,55	0
56	MG	2A	3589	1/1	0.93	0.09	49,49,49,49	0
56	MG	1A	3798	1/1	0.93	0.10	27,27,27,27	0
56	MG	2A	3398	1/1	0.93	0.12	45,45,45,45	0
56	MG	1A	3318	1/1	0.93	0.28	60,60,60,60	0
56	MG	1A	3801	1/1	0.93	0.09	43,43,43,43	0
56	MG	2A	3595	1/1	0.93	0.12	47,47,47,47	0
56	MG	1A	3048	1/1	0.93	0.16	32,32,32,32	0
56	MG	2A	3201	1/1	0.93	0.12	42,42,42,42	0
56	MG	2a	1660	1/1	0.93	0.22	52,52,52,52	0
56	MG	2A	3203	1/1	0.93	0.27	42,42,42,42	0
56	MG	1A	3373	1/1	0.93	0.07	29,29,29,29	0
56	MG	1a	1735	1/1	0.93	0.10	66,66,66,66	0
56	MG	1a	1613	1/1	0.93	0.31	47,47,47,47	0
56	MG	1A	3424	1/1	0.93	0.14	51,51,51,51	0
56	MG	1A	3376	1/1	0.93	0.23	51,51,51,51	0
56	MG	1A	3426	1/1	0.93	0.14	53,53,53,53	0
56	MG	2A	3001	1/1	0.93	0.13	63,63,63,63	0
56	MG	2A	3003	1/1	0.93	0.15	31,31,31,31	0
56	MG	1A	3807	1/1	0.93	0.09	63,63,63,63	0
56	MG	1A	3578	1/1	0.93	0.07	56,56,56,56	0
56	MG	2a	1676	1/1	0.93	0.12	58,58,58,58	0
56	MG	2A	3215	1/1	0.93	0.17	53,53,53,53	0
56	MG	2A	3009	1/1	0.93	0.17	45,45,45,45	0
56	MG	1A	3653	1/1	0.93	0.07	31,31,31,31	0
56	MG	1A	3428	1/1	0.93	0.14	39,39,39,39	0
56	MG	1A	3143	1/1	0.93	0.29	48,48,48,48	0
56	MG	1B	212	1/1	0.93	0.15	50,50,50,50	0
56	MG	1A	3817	1/1	0.93	0.12	54,54,54,54	0
56	MG	1a	1757	1/1	0.93	0.13	57,57,57,57	0
56	MG	2A	3026	1/1	0.93	0.28	41,41,41,41	0
56	MG	1A	3430	1/1	0.93	0.09	47,47,47,47	0
56	MG	1A	3725	1/1	0.93	0.10	49,49,49,49	0
56	MG	2A	3034	1/1	0.93	0.07	34,34,34,34	0
56	MG	2A	3431	1/1	0.93	0.09	54,54,54,54	0
56	MG	1B	217	1/1	0.93	0.09	56,56,56,56	0
56	MG	1A	3726	1/1	0.93	0.08	38,38,38,38	0
56	MG	1A	3501	1/1	0.93	0.15	62,62,62,62	0
56	MG	1A	3730	1/1	0.93	0.10	58,58,58,58	0
56	MG	2A	3443	1/1	0.93	0.07	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3048	1/1	0.93	0.11	46,46,46,46	0
56	MG	1A	3381	1/1	0.93	0.08	47,47,47,47	0
56	MG	2A	3240	1/1	0.93	0.16	45,45,45,45	0
56	MG	2A	3051	1/1	0.93	0.11	53,53,53,53	0
56	MG	2A	3637	1/1	0.93	0.12	58,58,58,58	0
56	MG	1A	3733	1/1	0.93	0.17	48,48,48,48	0
56	MG	2A	3055	1/1	0.93	0.13	47,47,47,47	0
56	MG	2A	3640	1/1	0.93	0.12	40,40,40,40	0
56	MG	1A	3660	1/1	0.93	0.09	54,54,54,54	0
56	MG	1a	1650	1/1	0.93	0.31	57,57,57,57	0
56	MG	2A	3457	1/1	0.93	0.08	45,45,45,45	0
56	MG	2A	3250	1/1	0.93	0.12	52,52,52,52	0
56	MG	1a	1778	1/1	0.93	0.12	65,65,65,65	0
56	MG	2A	3061	1/1	0.93	0.10	56,56,56,56	0
56	MG	1A	3016	1/1	0.93	0.08	39,39,39,39	0
56	MG	2A	3649	1/1	0.93	0.07	54,54,54,54	0
56	MG	2A	3254	1/1	0.93	0.13	36,36,36,36	0
56	MG	1A	3507	1/1	0.93	0.14	60,60,60,60	0
56	MG	1a	1782	1/1	0.93	0.12	60,60,60,60	0
56	MG	2A	3655	1/1	0.93	0.08	41,41,41,41	0
56	MG	1A	3113	1/1	0.93	0.25	47,47,47,47	0
56	MG	2A	3472	1/1	0.93	0.08	47,47,47,47	0
56	MG	2A	3659	1/1	0.93	0.10	31,31,31,31	0
56	MG	2A	3473	1/1	0.93	0.08	47,47,47,47	0
56	MG	2A	3662	1/1	0.93	0.20	37,37,37,37	0
56	MG	1a	1786	1/1	0.93	0.11	55,55,55,55	0
56	MG	2A	3068	1/1	0.93	0.09	47,47,47,47	0
56	MG	2A	3264	1/1	0.93	0.22	52,52,52,52	0
56	MG	2A	3477	1/1	0.93	0.18	52,52,52,52	0
56	MG	2A	3266	1/1	0.93	0.08	53,53,53,53	0
56	MG	2A	3671	1/1	0.93	0.12	52,52,52,52	0
56	MG	1E	301	1/1	0.93	0.24	43,43,43,43	0
56	MG	1A	3598	1/1	0.93	0.20	61,61,61,61	0
56	MG	2A	3677	1/1	0.93	0.42	49,49,49,49	0
56	MG	1A	3195	1/1	0.93	0.23	46,46,46,46	0
56	MG	2A	3680	1/1	0.93	0.13	57,57,57,57	0
56	MG	1E	308	1/1	0.93	0.08	49,49,49,49	0
56	MG	2B	3001	1/1	0.93	0.15	59,59,59,59	0
56	MG	1A	3512	1/1	0.93	0.13	66,66,66,66	0
56	MG	1a	1793	1/1	0.93	0.12	74,74,74,74	0
56	MG	1A	3668	1/1	0.93	0.18	45,45,45,45	0
56	MG	2A	3488	1/1	0.93	0.09	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1G	3001	1/1	0.93	0.25	59,59,59,59	0
56	MG	2A	3083	1/1	0.93	0.22	41,41,41,41	0
56	MG	1a	1797	1/1	0.93	0.15	51,51,51,51	0
56	MG	2A	3496	1/1	0.93	0.10	54,54,54,54	0
56	MG	2a	1755	1/1	0.93	0.19	67,67,67,67	0
56	MG	1A	3003	1/1	0.93	0.12	32,32,32,32	0
56	MG	2B	3013	1/1	0.93	0.06	54,54,54,54	0
56	MG	2A	3287	1/1	0.93	0.06	29,29,29,29	0
56	MG	1A	3393	1/1	0.93	0.10	52,52,52,52	0
56	MG	1A	3197	1/1	0.93	0.10	44,44,44,44	0
56	MG	2A	3291	1/1	0.93	0.07	28,28,28,28	0
56	MG	2A	3089	1/1	0.93	0.18	58,58,58,58	0
56	MG	2a	1766	1/1	0.93	0.08	48,48,48,48	0
56	MG	2A	3093	1/1	0.93	0.19	55,55,55,55	0
56	MG	1A	3198	1/1	0.93	0.11	43,43,43,43	0
56	MG	1N	3006	1/1	0.93	0.09	44,44,44,44	0
56	MG	1A	3444	1/1	0.93	0.12	26,26,26,26	0
56	MG	2D	304	1/1	0.93	0.20	38,38,38,38	0
56	MG	1A	3171	1/1	0.93	0.23	56,56,56,56	0
56	MG	2A	3300	1/1	0.93	0.17	45,45,45,45	0
56	MG	2E	305	1/1	0.93	0.11	39,39,39,39	0
56	MG	1A	3758	1/1	0.93	0.08	33,33,33,33	0
56	MG	2A	3102	1/1	0.93	0.29	60,60,60,60	0
56	MG	1a	1675	1/1	0.93	0.07	41,41,41,41	0
56	MG	1A	3531	1/1	0.93	0.12	61,61,61,61	0
56	MG	2O	201	1/1	0.93	0.09	54,54,54,54	0
56	MG	1a	1678	1/1	0.93	0.12	54,54,54,54	0
56	MG	2A	3518	1/1	0.93	0.17	57,57,57,57	0
56	MG	2A	3308	1/1	0.93	0.09	38,38,38,38	0
56	MG	1A	3455	1/1	0.93	0.09	25,25,25,25	0
56	MG	1A	3172	1/1	0.93	0.19	41,41,41,41	0
56	MG	2U	202	1/1	0.93	0.09	44,44,44,44	0
56	MG	1A	3458	1/1	0.93	0.09	26,26,26,26	0
56	MG	1a	1817	1/1	0.93	0.15	64,64,64,64	0
56	MG	1R	201	1/1	0.93	0.11	45,45,45,45	0
56	MG	1A	3212	1/1	0.93	0.12	41,41,41,41	0
56	MG	2A	3119	1/1	0.93	0.10	54,54,54,54	0
56	MG	1A	3069	1/1	0.93	0.24	52,52,52,52	0
56	MG	1A	3214	1/1	0.93	0.11	54,54,54,54	0
56	MG	1T	202	1/1	0.93	0.11	43,43,43,43	0
56	MG	23	101	1/1	0.93	0.19	62,62,62,62	0
56	MG	2A	3534	1/1	0.93	0.10	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3465	1/1	0.93	0.11	35,35,35,35	0
56	MG	1A	3858	1/1	0.93	0.14	45,45,45,45	0
56	MG	1A	3544	1/1	0.93	0.23	35,35,35,35	0
56	MG	1A	3055	1/1	0.93	0.15	45,45,45,45	0
56	MG	1A	3407	1/1	0.93	0.07	38,38,38,38	0
56	MG	2l	201	1/1	0.93	0.13	77,77,77,77	0
56	MG	1A	3095	1/1	0.93	0.25	56,56,56,56	0
56	MG	2q	202	1/1	0.93	0.12	80,80,80,80	0
56	MG	2q	203	1/1	0.93	0.08	59,59,59,59	0
56	MG	2A	3141	1/1	0.93	0.17	49,49,49,49	0
56	MG	2A	3143	1/1	0.93	0.19	56,56,56,56	0
56	MG	1A	3124	1/1	0.93	0.12	46,46,46,46	0
56	MG	1A	3007	1/1	0.93	0.12	29,29,29,29	0
56	MG	1a	1832	1/1	0.93	0.29	57,57,57,57	0
56	MG	1A	3279	1/1	0.93	0.28	57,57,57,57	0
56	MG	2A	3548	1/1	0.93	0.09	56,56,56,56	0
56	MG	1A	3780	1/1	0.93	0.11	62,62,62,62	0
56	MG	1A	3413	1/1	0.93	0.11	62,62,62,62	0
56	MG	1A	3784	1/1	0.93	0.10	45,45,45,45	0
56	MG	2A	3554	1/1	0.93	0.09	44,44,44,44	0
56	MG	2A	3573	1/1	0.94	0.07	52,52,52,52	0
56	MG	1x	106	1/1	0.94	0.15	59,59,59,59	0
56	MG	19	503	1/1	0.94	0.07	37,37,37,37	0
56	MG	2A	3376	1/1	0.94	0.10	41,41,41,41	0
56	MG	2a	1631	1/1	0.94	0.12	65,65,65,65	0
56	MG	2a	1632	1/1	0.94	0.24	63,63,63,63	0
56	MG	1x	108	1/1	0.94	0.10	55,55,55,55	0
56	MG	1A	3344	1/1	0.94	0.13	40,40,40,40	0
56	MG	2A	3179	1/1	0.94	0.23	56,56,56,56	0
56	MG	1A	3133	1/1	0.94	0.17	52,52,52,52	0
56	MG	1A	3103	1/1	0.94	0.09	44,44,44,44	0
56	MG	1A	3138	1/1	0.94	0.25	36,36,36,36	0
56	MG	1A	3926	1/1	0.94	0.11	44,44,44,44	0
56	MG	2A	3393	1/1	0.94	0.07	51,51,51,51	0
56	MG	1A	3354	1/1	0.94	0.10	42,42,42,42	0
56	MG	1a	1729	1/1	0.94	0.23	67,67,67,67	0
56	MG	2a	1644	1/1	0.94	0.10	61,61,61,61	0
56	MG	2A	3191	1/1	0.94	0.12	52,52,52,52	0
56	MG	1a	1730	1/1	0.94	0.12	63,63,63,63	0
56	MG	1A	3140	1/1	0.94	0.22	47,47,47,47	0
56	MG	1a	1609	1/1	0.94	0.17	56,56,56,56	0
56	MG	1a	1733	1/1	0.94	0.15	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3253	1/1	0.94	0.13	33,33,33,33	0
56	MG	1A	3569	1/1	0.94	0.08	38,38,38,38	0
56	MG	1a	1737	1/1	0.94	0.11	51,51,51,51	0
56	MG	2A	3004	1/1	0.94	0.19	50,50,50,50	0
56	MG	1B	203	1/1	0.94	0.07	33,33,33,33	0
56	MG	1B	205	1/1	0.94	0.14	43,43,43,43	0
56	MG	1A	3650	1/1	0.94	0.10	38,38,38,38	0
56	MG	1B	209	1/1	0.94	0.06	42,42,42,42	0
56	MG	2A	3016	1/1	0.94	0.08	38,38,38,38	0
56	MG	1a	1747	1/1	0.94	0.08	53,53,53,53	0
56	MG	1A	3421	1/1	0.94	0.14	60,60,60,60	0
56	MG	2A	3609	1/1	0.94	0.09	52,52,52,52	0
56	MG	2A	3414	1/1	0.94	0.15	59,59,59,59	0
56	MG	2A	3415	1/1	0.94	0.13	44,44,44,44	0
56	MG	1A	3040	1/1	0.94	0.09	38,38,38,38	0
56	MG	1A	3574	1/1	0.94	0.18	47,47,47,47	0
56	MG	2a	1669	1/1	0.94	0.07	67,67,67,67	0
56	MG	1A	3727	1/1	0.94	0.06	39,39,39,39	0
56	MG	2A	3216	1/1	0.94	0.28	57,57,57,57	0
56	MG	2A	3025	1/1	0.94	0.19	60,60,60,60	0
56	MG	1A	3299	1/1	0.94	0.07	41,41,41,41	0
56	MG	2A	3028	1/1	0.94	0.24	40,40,40,40	0
56	MG	2A	3030	1/1	0.94	0.27	48,48,48,48	0
56	MG	1A	3106	1/1	0.94	0.17	47,47,47,47	0
56	MG	2A	3032	1/1	0.94	0.14	44,44,44,44	0
56	MG	1A	3497	1/1	0.94	0.07	26,26,26,26	0
56	MG	2A	3225	1/1	0.94	0.22	49,49,49,49	0
56	MG	1a	1628	1/1	0.94	0.23	43,43,43,43	0
56	MG	1A	3108	1/1	0.94	0.14	36,36,36,36	0
56	MG	1A	3111	1/1	0.94	0.10	45,45,45,45	0
56	MG	2A	3043	1/1	0.94	0.08	44,44,44,44	0
56	MG	1A	3112	1/1	0.94	0.07	44,44,44,44	0
56	MG	2A	3438	1/1	0.94	0.09	39,39,39,39	0
56	MG	1A	3308	1/1	0.94	0.16	39,39,39,39	0
56	MG	2A	3442	1/1	0.94	0.09	29,29,29,29	0
56	MG	2A	3046	1/1	0.94	0.28	50,50,50,50	0
56	MG	2A	3047	1/1	0.94	0.17	50,50,50,50	0
56	MG	1A	3740	1/1	0.94	0.11	34,34,34,34	0
56	MG	1a	1638	1/1	0.94	0.17	55,55,55,55	0
56	MG	1A	3185	1/1	0.94	0.10	41,41,41,41	0
56	MG	2A	3450	1/1	0.94	0.09	39,39,39,39	0
56	MG	2A	3451	1/1	0.94	0.14	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1701	1/1	0.94	0.12	55,55,55,55	0
56	MG	2A	3452	1/1	0.94	0.13	32,32,32,32	0
56	MG	1D	301	1/1	0.94	0.11	40,40,40,40	0
56	MG	1D	303	1/1	0.94	0.26	49,49,49,49	0
56	MG	1A	3079	1/1	0.94	0.16	38,38,38,38	0
56	MG	2A	3058	1/1	0.94	0.09	50,50,50,50	0
56	MG	2a	1707	1/1	0.94	0.11	43,43,43,43	0
56	MG	1a	1644	1/1	0.94	0.20	48,48,48,48	0
56	MG	2A	3458	1/1	0.94	0.14	37,37,37,37	0
56	MG	2A	3460	1/1	0.94	0.14	47,47,47,47	0
56	MG	1A	3189	1/1	0.94	0.14	47,47,47,47	0
56	MG	2A	3654	1/1	0.94	0.21	42,42,42,42	0
56	MG	1A	3594	1/1	0.94	0.10	52,52,52,52	0
56	MG	1E	303	1/1	0.94	0.15	48,48,48,48	0
56	MG	1A	3377	1/1	0.94	0.09	42,42,42,42	0
56	MG	1A	3597	1/1	0.94	0.12	45,45,45,45	0
56	MG	1a	1788	1/1	0.94	0.19	50,50,50,50	0
56	MG	1A	3436	1/1	0.94	0.15	40,40,40,40	0
56	MG	1F	301	1/1	0.94	0.07	49,49,49,49	0
56	MG	1A	3081	1/1	0.94	0.19	35,35,35,35	0
56	MG	1A	3600	1/1	0.94	0.09	38,38,38,38	0
56	MG	2A	3071	1/1	0.94	0.07	34,34,34,34	0
56	MG	1A	3117	1/1	0.94	0.08	44,44,44,44	0
56	MG	2A	3073	1/1	0.94	0.18	53,53,53,53	0
56	MG	2A	3074	1/1	0.94	0.10	50,50,50,50	0
56	MG	2A	3673	1/1	0.94	0.12	47,47,47,47	0
56	MG	2A	3675	1/1	0.94	0.25	57,57,57,57	0
56	MG	1a	1659	1/1	0.94	0.36	59,59,59,59	0
56	MG	2A	3275	1/1	0.94	0.07	31,31,31,31	0
56	MG	2a	1735	1/1	0.94	0.11	56,56,56,56	0
56	MG	2A	3277	1/1	0.94	0.06	38,38,38,38	0
56	MG	1a	1660	1/1	0.94	0.30	56,56,56,56	0
56	MG	1a	1661	1/1	0.94	0.24	61,61,61,61	0
56	MG	1A	3384	1/1	0.94	0.13	41,41,41,41	0
56	MG	2A	3281	1/1	0.94	0.17	52,52,52,52	0
56	MG	1a	1799	1/1	0.94	0.08	46,46,46,46	0
56	MG	2A	3081	1/1	0.94	0.07	45,45,45,45	0
56	MG	2B	3005	1/1	0.94	0.17	64,64,64,64	0
56	MG	2A	3082	1/1	0.94	0.09	40,40,40,40	0
56	MG	1A	3156	1/1	0.94	0.12	50,50,50,50	0
56	MG	1A	3441	1/1	0.94	0.10	50,50,50,50	0
56	MG	1A	3094	1/1	0.94	0.17	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1N	3005	1/1	0.94	0.10	40,40,40,40	0
56	MG	1A	3083	1/1	0.94	0.12	37,37,37,37	0
56	MG	1A	3679	1/1	0.94	0.14	61,61,61,61	0
56	MG	2A	3091	1/1	0.94	0.07	45,45,45,45	0
56	MG	1a	1806	1/1	0.94	0.10	62,62,62,62	0
56	MG	1A	3764	1/1	0.94	0.09	47,47,47,47	0
56	MG	1a	1809	1/1	0.94	0.10	60,60,60,60	0
56	MG	1A	3528	1/1	0.94	0.08	53,53,53,53	0
56	MG	1P	201	1/1	0.94	0.08	51,51,51,51	0
56	MG	1a	1674	1/1	0.94	0.32	59,59,59,59	0
56	MG	1A	3067	1/1	0.94	0.30	42,42,42,42	0
56	MG	2a	1762	1/1	0.94	0.14	64,64,64,64	0
56	MG	1A	3532	1/1	0.94	0.12	59,59,59,59	0
56	MG	1A	3769	1/1	0.94	0.10	52,52,52,52	0
56	MG	1A	3683	1/1	0.94	0.11	53,53,53,53	0
56	MG	1A	3684	1/1	0.94	0.15	72,72,72,72	0
56	MG	1a	1682	1/1	0.94	0.15	43,43,43,43	0
56	MG	1A	3321	1/1	0.94	0.10	48,48,48,48	0
56	MG	1A	3617	1/1	0.94	0.07	41,41,41,41	0
56	MG	2F	302	1/1	0.94	0.11	53,53,53,53	0
56	MG	2A	3519	1/1	0.94	0.17	64,64,64,64	0
56	MG	1A	3238	1/1	0.94	0.15	31,31,31,31	0
56	MG	2A	3312	1/1	0.94	0.10	54,54,54,54	0
56	MG	2A	3313	1/1	0.94	0.13	55,55,55,55	0
56	MG	2a	1779	1/1	0.94	0.09	54,54,54,54	0
56	MG	1A	3026	1/1	0.94	0.07	43,43,43,43	0
56	MG	1A	3537	1/1	0.94	0.12	28,28,28,28	0
56	MG	2A	3318	1/1	0.94	0.09	33,33,33,33	0
56	MG	2A	3120	1/1	0.94	0.24	57,57,57,57	0
56	MG	1A	3324	1/1	0.94	0.25	53,53,53,53	0
56	MG	1A	3200	1/1	0.94	0.10	48,48,48,48	0
56	MG	2A	3323	1/1	0.94	0.10	47,47,47,47	0
56	MG	2V	3003	1/1	0.94	0.11	48,48,48,48	0
56	MG	1A	3328	1/1	0.94	0.30	61,61,61,61	0
56	MG	2X	102	1/1	0.94	0.08	63,63,63,63	0
56	MG	1A	3694	1/1	0.94	0.09	27,27,27,27	0
56	MG	1A	3872	1/1	0.94	0.12	50,50,50,50	0
56	MG	1A	3333	1/1	0.94	0.18	40,40,40,40	0
56	MG	2A	3330	1/1	0.94	0.11	49,49,49,49	0
56	MG	1Z	303	1/1	0.94	0.31	59,59,59,59	0
56	MG	2A	3334	1/1	0.94	0.07	35,35,35,35	0
56	MG	2A	3335	1/1	0.94	0.10	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3336	1/1	0.94	0.06	30,30,30,30	0
56	MG	1A	3204	1/1	0.94	0.12	38,38,38,38	0
56	MG	2A	3543	1/1	0.94	0.08	54,54,54,54	0
56	MG	1A	3125	1/1	0.94	0.06	34,34,34,34	0
56	MG	1A	3884	1/1	0.94	0.13	40,40,40,40	0
56	MG	1A	3629	1/1	0.94	0.10	47,47,47,47	0
56	MG	2A	3344	1/1	0.94	0.10	31,31,31,31	0
56	MG	1a	1707	1/1	0.94	0.11	49,49,49,49	0
56	MG	1A	3470	1/1	0.94	0.22	58,58,58,58	0
56	MG	2l	202	1/1	0.94	0.12	54,54,54,54	0
56	MG	2a	1609	1/1	0.94	0.10	47,47,47,47	0
56	MG	1l	102	1/1	0.94	0.07	54,54,54,54	0
56	MG	1A	3701	1/1	0.94	0.07	58,58,58,58	0
56	MG	1A	3207	1/1	0.94	0.08	50,50,50,50	0
56	MG	2A	3149	1/1	0.94	0.11	41,41,41,41	0
56	MG	1A	3338	1/1	0.94	0.15	47,47,47,47	0
56	MG	1A	3554	1/1	0.94	0.09	42,42,42,42	0
56	MG	1A	3039	1/1	0.94	0.12	49,49,49,49	0
56	MG	1A	3637	1/1	0.94	0.12	54,54,54,54	0
56	MG	2w	3003	1/1	0.94	0.12	58,58,58,58	0
56	MG	2x	3001	1/1	0.94	0.10	49,49,49,49	0
56	MG	2A	3161	1/1	0.94	0.18	53,53,53,53	0
58	K	1A	3931	1/1	0.94	0.14	71,71,71,71	0
58	K	2A	3242	1/1	0.94	0.10	65,65,65,65	0
59	ZN	16	101	1/1	0.94	0.20	91,91,91,91	0
56	MG	1A	3128	1/1	0.94	0.14	47,47,47,47	0
56	MG	18	101	1/1	0.94	0.16	37,37,37,37	0
56	MG	2A	3167	1/1	0.94	0.09	43,43,43,43	0
56	MG	19	502	1/1	0.94	0.16	49,49,49,49	0
56	MG	1A	3451	1/1	0.95	0.07	21,21,21,21	0
56	MG	1A	3186	1/1	0.95	0.22	36,36,36,36	0
56	MG	2A	3342	1/1	0.95	0.10	43,43,43,43	0
56	MG	2A	3156	1/1	0.95	0.11	50,50,50,50	0
56	MG	2A	3157	1/1	0.95	0.07	55,55,55,55	0
56	MG	1A	3139	1/1	0.95	0.29	45,45,45,45	0
56	MG	2A	3159	1/1	0.95	0.12	44,44,44,44	0
56	MG	2a	1622	1/1	0.95	0.07	42,42,42,42	0
56	MG	2A	3160	1/1	0.95	0.07	36,36,36,36	0
56	MG	2a	1624	1/1	0.95	0.20	62,62,62,62	0
56	MG	2A	3558	1/1	0.95	0.14	64,64,64,64	0
56	MG	1A	3325	1/1	0.95	0.07	43,43,43,43	0
56	MG	2A	3353	1/1	0.95	0.09	35,35,35,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3162	1/1	0.95	0.24	45,45,45,45	0
56	MG	2A	3564	1/1	0.95	0.21	34,34,34,34	0
56	MG	1A	3791	1/1	0.95	0.21	34,34,34,34	0
56	MG	1a	1721	1/1	0.95	0.14	47,47,47,47	0
56	MG	2A	3567	1/1	0.95	0.09	54,54,54,54	0
56	MG	2A	3166	1/1	0.95	0.07	45,45,45,45	0
56	MG	1A	3053	1/1	0.95	0.22	48,48,48,48	0
56	MG	2A	3570	1/1	0.95	0.11	51,51,51,51	0
56	MG	1A	3037	1/1	0.95	0.12	32,32,32,32	0
56	MG	1A	3461	1/1	0.95	0.10	23,23,23,23	0
56	MG	2A	3367	1/1	0.95	0.14	44,44,44,44	0
56	MG	2A	3171	1/1	0.95	0.22	47,47,47,47	0
56	MG	1A	3906	1/1	0.95	0.06	34,34,34,34	0
56	MG	2a	1642	1/1	0.95	0.28	61,61,61,61	0
56	MG	1A	3329	1/1	0.95	0.15	54,54,54,54	0
56	MG	1y	3003	1/1	0.95	0.07	59,59,59,59	0
56	MG	1A	3330	1/1	0.95	0.16	39,39,39,39	0
56	MG	1A	3332	1/1	0.95	0.21	50,50,50,50	0
56	MG	2A	3181	1/1	0.95	0.28	55,55,55,55	0
56	MG	2A	3182	1/1	0.95	0.17	39,39,39,39	0
56	MG	2a	1650	1/1	0.95	0.12	39,39,39,39	0
56	MG	1A	3921	1/1	0.95	0.09	38,38,38,38	0
56	MG	1A	3924	1/1	0.95	0.09	49,49,49,49	0
56	MG	2A	3185	1/1	0.95	0.31	50,50,50,50	0
56	MG	2A	3387	1/1	0.95	0.09	47,47,47,47	0
56	MG	2A	3388	1/1	0.95	0.11	46,46,46,46	0
56	MG	2A	3186	1/1	0.95	0.05	51,51,51,51	0
56	MG	2A	3187	1/1	0.95	0.13	42,42,42,42	0
56	MG	2A	3594	1/1	0.95	0.13	52,52,52,52	0
56	MG	2A	3391	1/1	0.95	0.07	40,40,40,40	0
56	MG	1A	3056	1/1	0.95	0.15	43,43,43,43	0
56	MG	2a	1661	1/1	0.95	0.20	62,62,62,62	0
56	MG	1A	3928	1/1	0.95	0.07	40,40,40,40	0
56	MG	1A	3707	1/1	0.95	0.19	38,38,38,38	0
56	MG	1A	3288	1/1	0.95	0.13	42,42,42,42	0
56	MG	1A	3937	1/1	0.95	0.16	40,40,40,40	0
56	MG	1A	3636	1/1	0.95	0.17	51,51,51,51	0
56	MG	2A	3197	1/1	0.95	0.07	42,42,42,42	0
56	MG	2A	3603	1/1	0.95	0.08	47,47,47,47	0
56	MG	1a	1738	1/1	0.95	0.12	36,36,36,36	0
56	MG	1a	1739	1/1	0.95	0.24	70,70,70,70	0
56	MG	1A	3553	1/1	0.95	0.07	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3401	1/1	0.95	0.08	38,38,38,38	0
56	MG	2A	3202	1/1	0.95	0.12	51,51,51,51	0
56	MG	1A	3221	1/1	0.95	0.17	30,30,30,30	0
56	MG	1A	3808	1/1	0.95	0.12	46,46,46,46	0
56	MG	1a	1618	1/1	0.95	0.13	48,48,48,48	0
56	MG	2A	3408	1/1	0.95	0.07	54,54,54,54	0
56	MG	1A	3809	1/1	0.95	0.06	50,50,50,50	0
56	MG	1A	3030	1/1	0.95	0.08	36,36,36,36	0
56	MG	1A	3557	1/1	0.95	0.10	22,22,22,22	0
56	MG	1A	3292	1/1	0.95	0.09	33,33,33,33	0
56	MG	1A	3814	1/1	0.95	0.13	39,39,39,39	0
56	MG	1A	3644	1/1	0.95	0.10	51,51,51,51	0
56	MG	1A	3406	1/1	0.95	0.11	27,27,27,27	0
56	MG	2a	1687	1/1	0.95	0.33	50,50,50,50	0
56	MG	1A	3819	1/1	0.95	0.10	43,43,43,43	0
56	MG	2a	1689	1/1	0.95	0.08	51,51,51,51	0
56	MG	1A	3721	1/1	0.95	0.07	50,50,50,50	0
56	MG	1a	1634	1/1	0.95	0.21	45,45,45,45	0
56	MG	2A	3038	1/1	0.95	0.06	34,34,34,34	0
56	MG	2A	3041	1/1	0.95	0.19	29,29,29,29	0
56	MG	1A	3340	1/1	0.95	0.18	48,48,48,48	0
56	MG	2a	1695	1/1	0.95	0.23	66,66,66,66	0
56	MG	1A	3563	1/1	0.95	0.10	30,30,30,30	0
56	MG	2A	3221	1/1	0.95	0.11	35,35,35,35	0
56	MG	2a	1698	1/1	0.95	0.11	64,64,64,64	0
56	MG	2A	3629	1/1	0.95	0.08	53,53,53,53	0
56	MG	1A	3408	1/1	0.95	0.12	36,36,36,36	0
56	MG	2A	3631	1/1	0.95	0.07	57,57,57,57	0
56	MG	1A	3145	1/1	0.95	0.14	37,37,37,37	0
56	MG	1A	3147	1/1	0.95	0.15	36,36,36,36	0
56	MG	1A	3295	1/1	0.95	0.18	49,49,49,49	0
56	MG	1A	3729	1/1	0.95	0.12	47,47,47,47	0
56	MG	2A	3636	1/1	0.95	0.12	52,52,52,52	0
56	MG	2A	3228	1/1	0.95	0.12	42,42,42,42	0
56	MG	2A	3432	1/1	0.95	0.10	37,37,37,37	0
56	MG	2A	3229	1/1	0.95	0.17	41,41,41,41	0
56	MG	1D	304	1/1	0.95	0.07	22,22,22,22	0
56	MG	2A	3052	1/1	0.95	0.49	58,58,58,58	0
56	MG	2A	3437	1/1	0.95	0.08	36,36,36,36	0
56	MG	1a	1779	1/1	0.95	0.19	52,52,52,52	0
56	MG	1A	3829	1/1	0.95	0.07	40,40,40,40	0
56	MG	2A	3056	1/1	0.95	0.07	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3235	1/1	0.95	0.11	53,53,53,53	0
56	MG	1a	1646	1/1	0.95	0.09	52,52,52,52	0
56	MG	1a	1647	1/1	0.95	0.08	49,49,49,49	0
56	MG	2a	1723	1/1	0.95	0.23	56,56,56,56	0
56	MG	1a	1648	1/1	0.95	0.07	48,48,48,48	0
56	MG	1a	1649	1/1	0.95	0.31	58,58,58,58	0
56	MG	2A	3449	1/1	0.95	0.05	34,34,34,34	0
56	MG	1A	3346	1/1	0.95	0.10	56,56,56,56	0
56	MG	2A	3241	1/1	0.95	0.06	59,59,59,59	0
56	MG	1A	3228	1/1	0.95	0.26	51,51,51,51	0
56	MG	2A	3657	1/1	0.95	0.10	59,59,59,59	0
56	MG	1A	3105	1/1	0.95	0.23	39,39,39,39	0
56	MG	1E	305	1/1	0.95	0.10	26,26,26,26	0
56	MG	1A	3350	1/1	0.95	0.15	40,40,40,40	0
56	MG	1A	3657	1/1	0.95	0.10	35,35,35,35	0
56	MG	1A	3492	1/1	0.95	0.08	40,40,40,40	0
56	MG	1A	3002	1/1	0.95	0.07	32,32,32,32	0
56	MG	2A	3665	1/1	0.95	0.10	41,41,41,41	0
56	MG	2A	3459	1/1	0.95	0.15	44,44,44,44	0
56	MG	1F	302	1/1	0.95	0.19	32,32,32,32	0
56	MG	1A	3494	1/1	0.95	0.12	34,34,34,34	0
56	MG	2A	3669	1/1	0.95	0.14	68,68,68,68	0
56	MG	1A	3352	1/1	0.95	0.10	56,56,56,56	0
56	MG	1A	3580	1/1	0.95	0.14	36,36,36,36	0
56	MG	1a	1662	1/1	0.95	0.06	25,25,25,25	0
56	MG	2A	3258	1/1	0.95	0.12	35,35,35,35	0
56	MG	2a	1747	1/1	0.95	0.12	46,46,46,46	0
56	MG	2A	3468	1/1	0.95	0.08	43,43,43,43	0
56	MG	1G	3003	1/1	0.95	0.11	50,50,50,50	0
56	MG	1A	3353	1/1	0.95	0.17	46,46,46,46	0
56	MG	1A	3199	1/1	0.95	0.08	49,49,49,49	0
56	MG	1A	3151	1/1	0.95	0.09	36,36,36,36	0
56	MG	1A	3585	1/1	0.95	0.10	34,34,34,34	0
56	MG	1N	3004	1/1	0.95	0.07	41,41,41,41	0
56	MG	1A	3266	1/1	0.95	0.14	50,50,50,50	0
56	MG	2A	3271	1/1	0.95	0.09	53,53,53,53	0
56	MG	2A	3272	1/1	0.95	0.07	47,47,47,47	0
56	MG	1A	3849	1/1	0.95	0.06	46,46,46,46	0
56	MG	1A	3032	1/1	0.95	0.09	47,47,47,47	0
56	MG	2A	3276	1/1	0.95	0.11	51,51,51,51	0
56	MG	1A	3591	1/1	0.95	0.06	69,69,69,69	0
56	MG	1A	3205	1/1	0.95	0.36	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3017	1/1	0.95	0.30	53,53,53,53	0
56	MG	2A	3088	1/1	0.95	0.09	38,38,38,38	0
56	MG	1a	1676	1/1	0.95	0.30	53,53,53,53	0
56	MG	1P	202	1/1	0.95	0.11	30,30,30,30	0
56	MG	2A	3092	1/1	0.95	0.14	36,36,36,36	0
56	MG	1A	3096	1/1	0.95	0.44	52,52,52,52	0
56	MG	2A	3492	1/1	0.95	0.20	59,59,59,59	0
56	MG	1A	3208	1/1	0.95	0.21	42,42,42,42	0
56	MG	1a	1680	1/1	0.95	0.13	48,48,48,48	0
56	MG	2a	1775	1/1	0.95	0.14	56,56,56,56	0
56	MG	1A	3675	1/1	0.95	0.11	50,50,50,50	0
56	MG	2D	301	1/1	0.95	0.16	46,46,46,46	0
56	MG	1A	3312	1/1	0.95	0.33	60,60,60,60	0
56	MG	2D	303	1/1	0.95	0.12	36,36,36,36	0
56	MG	1A	3209	1/1	0.95	0.22	55,55,55,55	0
56	MG	1A	3367	1/1	0.95	0.14	13,13,13,13	0
56	MG	1A	3515	1/1	0.95	0.11	58,58,58,58	0
56	MG	1A	3370	1/1	0.95	0.07	43,43,43,43	0
56	MG	1A	3097	1/1	0.95	0.14	26,26,26,26	0
56	MG	1A	3276	1/1	0.95	0.22	47,47,47,47	0
56	MG	2A	3108	1/1	0.95	0.28	37,37,37,37	0
56	MG	2F	303	1/1	0.95	0.14	51,51,51,51	0
56	MG	1A	3240	1/1	0.95	0.15	55,55,55,55	0
56	MG	1a	1690	1/1	0.95	0.11	35,35,35,35	0
56	MG	2N	8001	1/1	0.95	0.07	53,53,53,53	0
56	MG	1a	1693	1/1	0.95	0.17	44,44,44,44	0
56	MG	1A	3523	1/1	0.95	0.14	33,33,33,33	0
56	MG	1A	3526	1/1	0.95	0.16	52,52,52,52	0
56	MG	2A	3305	1/1	0.95	0.07	43,43,43,43	0
56	MG	2A	3514	1/1	0.95	0.09	59,59,59,59	0
56	MG	2A	3118	1/1	0.95	0.18	33,33,33,33	0
56	MG	1A	3211	1/1	0.95	0.13	44,44,44,44	0
56	MG	1W	3002	1/1	0.95	0.21	53,53,53,53	0
56	MG	1A	3378	1/1	0.95	0.10	45,45,45,45	0
56	MG	2A	3122	1/1	0.95	0.15	47,47,47,47	0
56	MG	1A	3529	1/1	0.95	0.09	60,60,60,60	0
56	MG	2g	8001	1/1	0.95	0.06	65,65,65,65	0
56	MG	1d	502	1/1	0.95	0.34	58,58,58,58	0
56	MG	1e	3001	1/1	0.95	0.09	71,71,71,71	0
56	MG	2A	3314	1/1	0.95	0.08	39,39,39,39	0
56	MG	1Z	301	1/1	0.95	0.11	46,46,46,46	0
56	MG	2A	3132	1/1	0.95	0.18	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2q	201	1/1	0.95	0.16	55,55,55,55	0
56	MG	1l	203	1/1	0.95	0.14	52,52,52,52	0
56	MG	2l	102	1/1	0.95	0.06	45,45,45,45	0
56	MG	2A	3135	1/1	0.95	0.14	36,36,36,36	0
56	MG	1A	3873	1/1	0.95	0.08	13,13,13,13	0
56	MG	1a	1705	1/1	0.95	0.07	40,40,40,40	0
56	MG	2A	3138	1/1	0.95	0.10	29,29,29,29	0
56	MG	1A	3530	1/1	0.95	0.08	53,53,53,53	0
56	MG	1A	3876	1/1	0.95	0.19	46,46,46,46	0
56	MG	1w	3002	1/1	0.95	0.07	37,37,37,37	0
56	MG	1A	3159	1/1	0.95	0.13	29,29,29,29	0
57	4M2	1A	3894	57/57	0.95	0.10	21,37,55,60	0
56	MG	1A	3280	1/1	0.95	0.18	44,44,44,44	0
56	MG	1x	101	1/1	0.95	0.09	55,55,55,55	0
56	MG	2A	3332	1/1	0.95	0.14	57,57,57,57	0
56	MG	1A	3881	1/1	0.95	0.07	46,46,46,46	0
56	MG	1A	3783	1/1	0.95	0.10	51,51,51,51	0
56	MG	1A	3692	1/1	0.95	0.13	52,52,52,52	0
56	MG	1A	3064	1/1	0.95	0.26	38,38,38,38	0
56	MG	2A	3338	1/1	0.95	0.12	43,43,43,43	0
56	MG	10	104	1/1	0.96	0.06	40,40,40,40	0
56	MG	1A	3899	1/1	0.96	0.15	50,50,50,50	0
56	MG	1n	502	1/1	0.96	0.10	42,42,42,42	0
56	MG	1A	3027	1/1	0.96	0.16	35,35,35,35	0
56	MG	1s	3001	1/1	0.96	0.08	57,57,57,57	0
56	MG	1A	3708	1/1	0.96	0.20	55,55,55,55	0
56	MG	1A	3903	1/1	0.96	0.16	39,39,39,39	0
56	MG	2A	3127	1/1	0.96	0.15	47,47,47,47	0
56	MG	1A	3218	1/1	0.96	0.06	44,44,44,44	0
56	MG	12	102	1/1	0.96	0.10	49,49,49,49	0
56	MG	1A	3800	1/1	0.96	0.18	46,46,46,46	0
56	MG	2A	3133	1/1	0.96	0.17	49,49,49,49	0
56	MG	1A	3908	1/1	0.96	0.16	43,43,43,43	0
56	MG	2A	3289	1/1	0.96	0.06	37,37,37,37	0
56	MG	15	102	1/1	0.96	0.07	39,39,39,39	0
56	MG	2a	1672	1/1	0.96	0.09	64,64,64,64	0
56	MG	1A	3343	1/1	0.96	0.14	34,34,34,34	0
56	MG	1A	3034	1/1	0.96	0.26	44,44,44,44	0
56	MG	1A	3915	1/1	0.96	0.17	36,36,36,36	0
56	MG	1a	1718	1/1	0.96	0.07	49,49,49,49	0
56	MG	2A	3140	1/1	0.96	0.13	37,37,37,37	0
56	MG	1A	3916	1/1	0.96	0.09	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3142	1/1	0.96	0.08	44,44,44,44	0
56	MG	1A	3477	1/1	0.96	0.09	18,18,18,18	0
56	MG	1A	3920	1/1	0.96	0.25	34,34,34,34	0
56	MG	2A	3480	1/1	0.96	0.09	52,52,52,52	0
56	MG	1A	3345	1/1	0.96	0.13	45,45,45,45	0
56	MG	1A	3923	1/1	0.96	0.16	43,43,43,43	0
56	MG	1A	3479	1/1	0.96	0.06	53,53,53,53	0
56	MG	1A	3255	1/1	0.96	0.09	44,44,44,44	0
56	MG	1A	3927	1/1	0.96	0.16	40,40,40,40	0
56	MG	1A	3645	1/1	0.96	0.07	58,58,58,58	0
56	MG	1A	3929	1/1	0.96	0.17	39,39,39,39	0
56	MG	1A	3930	1/1	0.96	0.17	41,41,41,41	0
56	MG	1A	3718	1/1	0.96	0.08	23,23,23,23	0
56	MG	1A	3935	1/1	0.96	0.18	40,40,40,40	0
56	MG	2A	3494	1/1	0.96	0.08	53,53,53,53	0
56	MG	1A	3481	1/1	0.96	0.13	45,45,45,45	0
56	MG	1A	3300	1/1	0.96	0.04	24,24,24,24	0
56	MG	1A	3120	1/1	0.96	0.14	39,39,39,39	0
56	MG	2A	3316	1/1	0.96	0.06	31,31,31,31	0
56	MG	1A	3349	1/1	0.96	0.06	43,43,43,43	0
56	MG	1A	3222	1/1	0.96	0.22	38,38,38,38	0
56	MG	2A	3319	1/1	0.96	0.09	40,40,40,40	0
56	MG	2A	3674	1/1	0.96	0.06	39,39,39,39	0
56	MG	1A	3304	1/1	0.96	0.09	39,39,39,39	0
56	MG	1A	3223	1/1	0.96	0.12	36,36,36,36	0
56	MG	1A	3570	1/1	0.96	0.14	31,31,31,31	0
56	MG	2A	3008	1/1	0.96	0.07	42,42,42,42	0
56	MG	2A	3679	1/1	0.96	0.14	46,46,46,46	0
56	MG	2a	1708	1/1	0.96	0.09	61,61,61,61	0
56	MG	1A	3121	1/1	0.96	0.24	38,38,38,38	0
56	MG	2A	3169	1/1	0.96	0.15	41,41,41,41	0
56	MG	1A	3098	1/1	0.96	0.15	24,24,24,24	0
56	MG	1A	3082	1/1	0.96	0.19	42,42,42,42	0
56	MG	2a	1713	1/1	0.96	0.20	52,52,52,52	0
56	MG	1A	3191	1/1	0.96	0.12	27,27,27,27	0
56	MG	2A	3018	1/1	0.96	0.08	41,41,41,41	0
56	MG	1A	3576	1/1	0.96	0.16	24,24,24,24	0
56	MG	2A	3176	1/1	0.96	0.20	37,37,37,37	0
56	MG	2A	3177	1/1	0.96	0.15	40,40,40,40	0
56	MG	2A	3517	1/1	0.96	0.11	55,55,55,55	0
56	MG	2A	3178	1/1	0.96	0.08	41,41,41,41	0
56	MG	2A	3020	1/1	0.96	0.09	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1626	1/1	0.96	0.24	61,61,61,61	0
56	MG	1A	3020	1/1	0.96	0.05	40,40,40,40	0
56	MG	2A	3340	1/1	0.96	0.06	51,51,51,51	0
56	MG	1A	3735	1/1	0.96	0.15	52,52,52,52	0
56	MG	1a	1631	1/1	0.96	0.09	47,47,47,47	0
56	MG	1A	3358	1/1	0.96	0.05	45,45,45,45	0
56	MG	2A	3527	1/1	0.96	0.10	34,34,34,34	0
56	MG	1A	3052	1/1	0.96	0.14	40,40,40,40	0
56	MG	2A	3029	1/1	0.96	0.05	26,26,26,26	0
56	MG	1A	3126	1/1	0.96	0.07	36,36,36,36	0
56	MG	1A	3043	1/1	0.96	0.07	34,34,34,34	0
56	MG	1a	1636	1/1	0.96	0.16	53,53,53,53	0
56	MG	1a	1764	1/1	0.96	0.09	47,47,47,47	0
56	MG	1A	3742	1/1	0.96	0.15	54,54,54,54	0
56	MG	1A	3664	1/1	0.96	0.16	50,50,50,50	0
56	MG	2E	303	1/1	0.96	0.06	40,40,40,40	0
56	MG	2a	1740	1/1	0.96	0.14	66,66,66,66	0
56	MG	1A	3315	1/1	0.96	0.08	46,46,46,46	0
56	MG	2A	3195	1/1	0.96	0.05	32,32,32,32	0
56	MG	2A	3196	1/1	0.96	0.08	47,47,47,47	0
56	MG	1A	3745	1/1	0.96	0.07	64,64,64,64	0
56	MG	1a	1771	1/1	0.96	0.15	40,40,40,40	0
56	MG	2A	3366	1/1	0.96	0.13	34,34,34,34	0
56	MG	1A	3068	1/1	0.96	0.10	17,17,17,17	0
56	MG	1A	3317	1/1	0.96	0.23	43,43,43,43	0
56	MG	1A	3274	1/1	0.96	0.26	49,49,49,49	0
56	MG	1a	1776	1/1	0.96	0.15	53,53,53,53	0
56	MG	1a	1777	1/1	0.96	0.05	57,57,57,57	0
56	MG	1A	3505	1/1	0.96	0.08	55,55,55,55	0
56	MG	1A	3751	1/1	0.96	0.12	44,44,44,44	0
56	MG	2Q	3003	1/1	0.96	0.06	48,48,48,48	0
56	MG	1A	3590	1/1	0.96	0.10	24,24,24,24	0
56	MG	1A	3506	1/1	0.96	0.10	53,53,53,53	0
56	MG	2A	3553	1/1	0.96	0.06	45,45,45,45	0
56	MG	1A	3164	1/1	0.96	0.19	53,53,53,53	0
56	MG	2A	3555	1/1	0.96	0.08	47,47,47,47	0
56	MG	2A	3383	1/1	0.96	0.10	52,52,52,52	0
56	MG	1A	3130	1/1	0.96	0.05	40,40,40,40	0
56	MG	2A	3210	1/1	0.96	0.20	58,58,58,58	0
56	MG	1A	3757	1/1	0.96	0.05	23,23,23,23	0
56	MG	2A	3560	1/1	0.96	0.06	47,47,47,47	0
56	MG	1A	3509	1/1	0.96	0.17	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1F	304	1/1	0.96	0.07	50,50,50,50	0
56	MG	1F	305	1/1	0.96	0.09	36,36,36,36	0
56	MG	1A	3044	1/1	0.96	0.07	22,22,22,22	0
56	MG	2a	1771	1/1	0.96	0.12	53,53,53,53	0
56	MG	1A	3088	1/1	0.96	0.14	22,22,22,22	0
56	MG	1A	3135	1/1	0.96	0.19	30,30,30,30	0
56	MG	1G	3002	1/1	0.96	0.05	34,34,34,34	0
56	MG	1A	3137	1/1	0.96	0.13	45,45,45,45	0
56	MG	1A	3012	1/1	0.96	0.13	33,33,33,33	0
56	MG	1A	3765	1/1	0.96	0.12	66,66,66,66	0
56	MG	1A	3380	1/1	0.96	0.07	26,26,26,26	0
56	MG	1A	3519	1/1	0.96	0.10	51,51,51,51	0
56	MG	1N	3003	1/1	0.96	0.07	40,40,40,40	0
56	MG	1A	3110	1/1	0.96	0.11	38,38,38,38	0
56	MG	1A	3383	1/1	0.96	0.08	31,31,31,31	0
56	MG	2A	3579	1/1	0.96	0.06	56,56,56,56	0
56	MG	1A	3091	1/1	0.96	0.17	42,42,42,42	0
56	MG	1A	3072	1/1	0.96	0.07	35,35,35,35	0
56	MG	1A	3864	1/1	0.96	0.17	38,38,38,38	0
56	MG	1A	3772	1/1	0.96	0.06	33,33,33,33	0
56	MG	1a	1807	1/1	0.96	0.16	58,58,58,58	0
56	MG	1a	1671	1/1	0.96	0.21	48,48,48,48	0
56	MG	1A	3448	1/1	0.96	0.14	39,39,39,39	0
56	MG	1A	3774	1/1	0.96	0.14	61,61,61,61	0
56	MG	1A	3449	1/1	0.96	0.06	27,27,27,27	0
56	MG	1A	3175	1/1	0.96	0.13	47,47,47,47	0
56	MG	1A	3387	1/1	0.96	0.07	18,18,18,18	0
56	MG	1A	3454	1/1	0.96	0.08	24,24,24,24	0
56	MG	1A	3245	1/1	0.96	0.09	48,48,48,48	0
56	MG	1A	3246	1/1	0.96	0.19	40,40,40,40	0
56	MG	1A	3391	1/1	0.96	0.12	30,30,30,30	0
56	MG	2A	3244	1/1	0.96	0.06	46,46,46,46	0
56	MG	2d	502	1/1	0.96	0.06	64,64,64,64	0
56	MG	1A	3023	1/1	0.96	0.07	42,42,42,42	0
56	MG	2e	202	1/1	0.96	0.05	71,71,71,71	0
56	MG	1A	3460	1/1	0.96	0.07	28,28,28,28	0
56	MG	1U	201	1/1	0.96	0.13	48,48,48,48	0
56	MG	1A	3114	1/1	0.96	0.08	41,41,41,41	0
56	MG	1A	3882	1/1	0.96	0.11	41,41,41,41	0
56	MG	1V	201	1/1	0.96	0.23	55,55,55,55	0
56	MG	1A	3883	1/1	0.96	0.14	33,33,33,33	0
56	MG	2A	3099	1/1	0.96	0.10	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3539	1/1	0.96	0.10	17,17,17,17	0
56	MG	1A	3180	1/1	0.96	0.13	40,40,40,40	0
56	MG	2A	3256	1/1	0.96	0.14	46,46,46,46	0
56	MG	1A	3077	1/1	0.96	0.19	47,47,47,47	0
56	MG	1A	3464	1/1	0.96	0.11	57,57,57,57	0
56	MG	2A	3259	1/1	0.96	0.08	30,30,30,30	0
56	MG	1A	3397	1/1	0.96	0.06	17,17,17,17	0
56	MG	1a	1696	1/1	0.96	0.15	47,47,47,47	0
56	MG	1Y	503	1/1	0.96	0.08	56,56,56,56	0
56	MG	1A	3339	1/1	0.96	0.20	32,32,32,32	0
56	MG	1Z	302	1/1	0.96	0.20	48,48,48,48	0
56	MG	2x	3002	1/1	0.96	0.08	72,72,72,72	0
56	MG	2A	3267	1/1	0.96	0.10	34,34,34,34	0
56	MG	1A	3467	1/1	0.96	0.12	41,41,41,41	0
56	MG	2A	3113	1/1	0.96	0.06	46,46,46,46	0
56	MG	2A	3270	1/1	0.96	0.06	38,38,38,38	0
59	ZN	14	501	1/1	0.96	0.05	90,90,90,90	0
56	MG	2A	3114	1/1	0.96	0.12	49,49,49,49	0
56	MG	1A	3895	1/1	0.96	0.07	39,39,39,39	0
56	MG	1A	3146	1/1	0.96	0.08	38,38,38,38	0
60	SF4	2d	501	8/8	0.96	0.06	58,71,79,93	0
56	MG	2A	3274	1/1	0.96	0.07	43,43,43,43	0
56	MG	1a	1703	1/1	0.96	0.09	49,49,49,49	0
56	MG	1A	3909	1/1	0.97	0.14	42,42,42,42	0
56	MG	2A	3039	1/1	0.97	0.09	37,37,37,37	0
56	MG	2A	3040	1/1	0.97	0.17	36,36,36,36	0
56	MG	1A	3548	1/1	0.97	0.10	54,54,54,54	0
56	MG	2A	3042	1/1	0.97	0.13	48,48,48,48	0
56	MG	1U	203	1/1	0.97	0.36	40,40,40,40	0
56	MG	1A	3911	1/1	0.97	0.10	31,31,31,31	0
56	MG	1A	3912	1/1	0.97	0.14	37,37,37,37	0
56	MG	2A	3647	1/1	0.97	0.07	42,42,42,42	0
56	MG	1A	3496	1/1	0.97	0.06	47,47,47,47	0
56	MG	2a	1674	1/1	0.97	0.22	62,62,62,62	0
56	MG	1a	1794	1/1	0.97	0.11	54,54,54,54	0
56	MG	1A	3914	1/1	0.97	0.14	37,37,37,37	0
56	MG	1A	3131	1/1	0.97	0.19	40,40,40,40	0
56	MG	2A	3652	1/1	0.97	0.06	49,49,49,49	0
56	MG	1A	3618	1/1	0.97	0.10	29,29,29,29	0
56	MG	1W	3004	1/1	0.97	0.06	41,41,41,41	0
56	MG	2A	3053	1/1	0.97	0.17	45,45,45,45	0
56	MG	2A	3326	1/1	0.97	0.09	35,35,35,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3327	1/1	0.97	0.07	48,48,48,48	0
56	MG	1A	3917	1/1	0.97	0.12	32,32,32,32	0
56	MG	1A	3074	1/1	0.97	0.06	40,40,40,40	0
56	MG	1A	3093	1/1	0.97	0.26	59,59,59,59	0
56	MG	1A	3753	1/1	0.97	0.10	33,33,33,33	0
56	MG	2A	3192	1/1	0.97	0.09	46,46,46,46	0
56	MG	2A	3333	1/1	0.97	0.05	38,38,38,38	0
56	MG	1A	3922	1/1	0.97	0.07	41,41,41,41	0
56	MG	1A	3452	1/1	0.97	0.09	26,26,26,26	0
56	MG	10	101	1/1	0.97	0.04	45,45,45,45	0
56	MG	2A	3503	1/1	0.97	0.06	47,47,47,47	0
56	MG	1A	3119	1/1	0.97	0.07	44,44,44,44	0
56	MG	1A	3925	1/1	0.97	0.18	44,44,44,44	0
56	MG	1A	3220	1/1	0.97	0.18	31,31,31,31	0
56	MG	2A	3064	1/1	0.97	0.07	50,50,50,50	0
56	MG	1A	3366	1/1	0.97	0.09	38,38,38,38	0
56	MG	1A	3504	1/1	0.97	0.06	13,13,13,13	0
56	MG	1A	3835	1/1	0.97	0.09	36,36,36,36	0
56	MG	1a	1692	1/1	0.97	0.07	45,45,45,45	0
56	MG	1A	3562	1/1	0.97	0.10	29,29,29,29	0
56	MG	1A	3456	1/1	0.97	0.07	23,23,23,23	0
56	MG	2A	3347	1/1	0.97	0.06	54,54,54,54	0
56	MG	2A	3349	1/1	0.97	0.07	36,36,36,36	0
56	MG	1A	3564	1/1	0.97	0.14	52,52,52,52	0
56	MG	2A	3351	1/1	0.97	0.07	39,39,39,39	0
56	MG	1A	3075	1/1	0.97	0.07	36,36,36,36	0
56	MG	1A	3841	1/1	0.97	0.10	33,33,33,33	0
56	MG	2A	3354	1/1	0.97	0.04	30,30,30,30	0
56	MG	2A	3355	1/1	0.97	0.04	22,22,22,22	0
56	MG	1A	3038	1/1	0.97	0.09	33,33,33,33	0
56	MG	2A	3357	1/1	0.97	0.05	35,35,35,35	0
56	MG	2A	3524	1/1	0.97	0.09	24,24,24,24	0
56	MG	2a	1715	1/1	0.97	0.09	59,59,59,59	0
56	MG	1A	3303	1/1	0.97	0.17	28,28,28,28	0
56	MG	2A	3076	1/1	0.97	0.28	60,60,60,60	0
56	MG	2A	3360	1/1	0.97	0.06	19,19,19,19	0
56	MG	2a	1719	1/1	0.97	0.08	47,47,47,47	0
56	MG	1A	3372	1/1	0.97	0.14	41,41,41,41	0
56	MG	1B	204	1/1	0.97	0.12	42,42,42,42	0
56	MG	2A	3530	1/1	0.97	0.07	50,50,50,50	0
56	MG	1A	3179	1/1	0.97	0.20	26,26,26,26	0
56	MG	17	101	1/1	0.97	0.07	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3365	1/1	0.97	0.14	52,52,52,52	0
56	MG	1B	206	1/1	0.97	0.19	44,44,44,44	0
56	MG	1A	3511	1/1	0.97	0.10	52,52,52,52	0
56	MG	1B	208	1/1	0.97	0.06	56,56,56,56	0
56	MG	1A	3571	1/1	0.97	0.13	33,33,33,33	0
56	MG	1a	1602	1/1	0.97	0.26	60,60,60,60	0
56	MG	1A	3638	1/1	0.97	0.07	34,34,34,34	0
56	MG	2E	301	1/1	0.97	0.09	39,39,39,39	0
56	MG	1B	211	1/1	0.97	0.10	43,43,43,43	0
56	MG	1A	3337	1/1	0.97	0.30	34,34,34,34	0
56	MG	1a	1713	1/1	0.97	0.07	34,34,34,34	0
56	MG	2A	3090	1/1	0.97	0.15	37,37,37,37	0
56	MG	2E	306	1/1	0.97	0.10	47,47,47,47	0
56	MG	2A	3380	1/1	0.97	0.08	48,48,48,48	0
56	MG	2A	3381	1/1	0.97	0.08	42,42,42,42	0
56	MG	1A	3416	1/1	0.97	0.06	25,25,25,25	0
56	MG	2A	3227	1/1	0.97	0.14	42,42,42,42	0
56	MG	2F	304	1/1	0.97	0.08	49,49,49,49	0
56	MG	1A	3201	1/1	0.97	0.08	45,45,45,45	0
56	MG	1A	3203	1/1	0.97	0.15	45,45,45,45	0
56	MG	1A	3517	1/1	0.97	0.06	51,51,51,51	0
56	MG	1A	3307	1/1	0.97	0.06	33,33,33,33	0
56	MG	1f	3001	1/1	0.97	0.09	42,42,42,42	0
56	MG	2A	3097	1/1	0.97	0.16	42,42,42,42	0
56	MG	2A	3098	1/1	0.97	0.06	32,32,32,32	0
56	MG	1g	3001	1/1	0.97	0.23	54,54,54,54	0
56	MG	1A	3158	1/1	0.97	0.07	39,39,39,39	0
56	MG	1A	3107	1/1	0.97	0.06	24,24,24,24	0
56	MG	2U	201	1/1	0.97	0.09	35,35,35,35	0
56	MG	1A	3857	1/1	0.97	0.04	25,25,25,25	0
56	MG	1A	3057	1/1	0.97	0.27	43,43,43,43	0
56	MG	1A	3141	1/1	0.97	0.20	44,44,44,44	0
56	MG	1A	3582	1/1	0.97	0.08	42,42,42,42	0
56	MG	1A	3524	1/1	0.97	0.08	32,32,32,32	0
56	MG	2a	1759	1/1	0.97	0.09	75,75,75,75	0
56	MG	1D	302	1/1	0.97	0.06	32,32,32,32	0
56	MG	2A	3109	1/1	0.97	0.04	40,40,40,40	0
56	MG	2A	3110	1/1	0.97	0.05	31,31,31,31	0
56	MG	2A	3247	1/1	0.97	0.05	45,45,45,45	0
56	MG	1A	3078	1/1	0.97	0.11	47,47,47,47	0
56	MG	2a	1765	1/1	0.97	0.08	61,61,61,61	0
56	MG	1A	3071	1/1	0.97	0.11	27,27,27,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3786	1/1	0.97	0.14	59,59,59,59	0
56	MG	1A	3586	1/1	0.97	0.08	27,27,27,27	0
56	MG	1a	1624	1/1	0.97	0.05	45,45,45,45	0
56	MG	1D	309	1/1	0.97	0.29	28,28,28,28	0
56	MG	1A	3427	1/1	0.97	0.10	45,45,45,45	0
56	MG	1a	1627	1/1	0.97	0.08	42,42,42,42	0
56	MG	1E	302	1/1	0.97	0.23	35,35,35,35	0
56	MG	1A	3050	1/1	0.97	0.07	47,47,47,47	0
56	MG	1A	3100	1/1	0.97	0.23	55,55,55,55	0
56	MG	1A	3090	1/1	0.97	0.05	43,43,43,43	0
56	MG	2A	3123	1/1	0.97	0.13	52,52,52,52	0
56	MG	1A	3286	1/1	0.97	0.06	39,39,39,39	0
56	MG	1a	1741	1/1	0.97	0.10	47,47,47,47	0
56	MG	2A	3420	1/1	0.97	0.04	36,36,36,36	0
56	MG	1a	1742	1/1	0.97	0.04	20,20,20,20	0
56	MG	2A	3422	1/1	0.97	0.06	34,34,34,34	0
56	MG	1A	3129	1/1	0.97	0.17	41,41,41,41	0
56	MG	2A	3130	1/1	0.97	0.10	66,66,66,66	0
56	MG	1A	3795	1/1	0.97	0.04	32,32,32,32	0
56	MG	1A	3724	1/1	0.97	0.06	52,52,52,52	0
56	MG	1A	3875	1/1	0.97	0.05	22,22,22,22	0
56	MG	1A	3595	1/1	0.97	0.10	48,48,48,48	0
56	MG	1A	3434	1/1	0.97	0.09	25,25,25,25	0
56	MG	1A	3260	1/1	0.97	0.17	37,37,37,37	0
56	MG	1A	3879	1/1	0.97	0.11	34,34,34,34	0
56	MG	1A	3289	1/1	0.97	0.12	44,44,44,44	0
56	MG	1A	3261	1/1	0.97	0.14	36,36,36,36	0
56	MG	1a	1755	1/1	0.97	0.11	44,44,44,44	0
56	MG	1a	1756	1/1	0.97	0.06	40,40,40,40	0
56	MG	1G	3004	1/1	0.97	0.05	51,51,51,51	0
56	MG	1A	3262	1/1	0.97	0.25	31,31,31,31	0
56	MG	2A	3007	1/1	0.97	0.07	34,34,34,34	0
56	MG	2a	1630	1/1	0.97	0.23	62,62,62,62	0
56	MG	2A	3440	1/1	0.97	0.13	37,37,37,37	0
56	MG	2A	3441	1/1	0.97	0.13	48,48,48,48	0
56	MG	1A	3731	1/1	0.97	0.13	52,52,52,52	0
56	MG	2f	3001	1/1	0.97	0.11	47,47,47,47	0
56	MG	1A	3601	1/1	0.97	0.06	49,49,49,49	0
56	MG	1A	3602	1/1	0.97	0.12	33,33,33,33	0
56	MG	2A	3445	1/1	0.97	0.17	53,53,53,53	0
56	MG	1A	3887	1/1	0.97	0.04	27,27,27,27	0
56	MG	1A	3603	1/1	0.97	0.23	54,54,54,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3889	1/1	0.97	0.05	40,40,40,40	0
56	MG	1A	3488	1/1	0.97	0.12	32,32,32,32	0
56	MG	1A	3541	1/1	0.97	0.07	58,58,58,58	0
56	MG	2A	3155	1/1	0.97	0.29	46,46,46,46	0
56	MG	1A	3892	1/1	0.97	0.22	34,34,34,34	0
56	MG	1a	1773	1/1	0.97	0.07	44,44,44,44	0
56	MG	2a	1645	1/1	0.97	0.14	47,47,47,47	0
56	MG	1A	3737	1/1	0.97	0.11	40,40,40,40	0
56	MG	2A	3622	1/1	0.97	0.23	49,49,49,49	0
56	MG	1A	3738	1/1	0.97	0.15	39,39,39,39	0
56	MG	1A	3896	1/1	0.97	0.27	41,41,41,41	0
56	MG	2A	3027	1/1	0.97	0.27	45,45,45,45	0
56	MG	2A	3298	1/1	0.97	0.11	56,56,56,56	0
56	MG	1A	3263	1/1	0.97	0.12	42,42,42,42	0
56	MG	1A	3607	1/1	0.97	0.08	48,48,48,48	0
56	MG	1A	3073	1/1	0.97	0.20	51,51,51,51	0
56	MG	2A	3302	1/1	0.97	0.07	33,33,33,33	0
56	MG	2A	3165	1/1	0.97	0.15	31,31,31,31	0
56	MG	1A	3400	1/1	0.97	0.07	35,35,35,35	0
56	MG	1A	3902	1/1	0.97	0.08	40,40,40,40	0
56	MG	1A	3193	1/1	0.97	0.14	40,40,40,40	0
56	MG	1A	3818	1/1	0.97	0.06	24,24,24,24	0
56	MG	1A	3326	1/1	0.97	0.10	44,44,44,44	0
56	MG	1A	3445	1/1	0.97	0.06	26,26,26,26	0
56	MG	2A	3172	1/1	0.97	0.14	36,36,36,36	0
56	MG	1a	1630	1/1	0.98	0.06	27,27,27,27	0
56	MG	1A	3880	1/1	0.98	0.14	23,23,23,23	0
56	MG	2A	3002	1/1	0.98	0.14	29,29,29,29	0
56	MG	1A	3418	1/1	0.98	0.10	54,54,54,54	0
56	MG	1A	3157	1/1	0.98	0.06	41,41,41,41	0
56	MG	1A	3035	1/1	0.98	0.06	41,41,41,41	0
56	MG	2A	3297	1/1	0.98	0.06	36,36,36,36	0
56	MG	1A	3362	1/1	0.98	0.14	60,60,60,60	0
56	MG	1A	3392	1/1	0.98	0.07	31,31,31,31	0
56	MG	1A	3080	1/1	0.98	0.19	41,41,41,41	0
56	MG	1A	3628	1/1	0.98	0.06	46,46,46,46	0
56	MG	2A	3010	1/1	0.98	0.06	34,34,34,34	0
56	MG	2A	3011	1/1	0.98	0.04	35,35,35,35	0
56	MG	2A	3012	1/1	0.98	0.06	43,43,43,43	0
56	MG	2A	3107	1/1	0.98	0.05	42,42,42,42	0
56	MG	2A	3014	1/1	0.98	0.09	41,41,41,41	0
56	MG	1a	1639	1/1	0.98	0.06	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3832	1/1	0.98	0.07	23,23,23,23	0
56	MG	1A	3177	1/1	0.98	0.16	52,52,52,52	0
56	MG	2a	1619	1/1	0.98	0.11	40,40,40,40	0
56	MG	1A	3160	1/1	0.98	0.10	24,24,24,24	0
56	MG	1W	3003	1/1	0.98	0.11	34,34,34,34	0
56	MG	1A	3631	1/1	0.98	0.12	36,36,36,36	0
56	MG	2A	3021	1/1	0.98	0.07	29,29,29,29	0
56	MG	1X	101	1/1	0.98	0.12	38,38,38,38	0
56	MG	1X	102	1/1	0.98	0.08	38,38,38,38	0
56	MG	1A	3836	1/1	0.98	0.06	48,48,48,48	0
56	MG	1A	3161	1/1	0.98	0.11	32,32,32,32	0
56	MG	1A	3258	1/1	0.98	0.24	29,29,29,29	0
56	MG	1A	3369	1/1	0.98	0.19	37,37,37,37	0
56	MG	1A	3897	1/1	0.98	0.12	30,30,30,30	0
56	MG	1B	225	1/1	0.98	0.07	41,41,41,41	0
56	MG	1A	3588	1/1	0.98	0.06	55,55,55,55	0
56	MG	1A	3065	1/1	0.98	0.14	29,29,29,29	0
56	MG	1A	3136	1/1	0.98	0.24	36,36,36,36	0
56	MG	2A	3660	1/1	0.98	0.13	47,47,47,47	0
56	MG	2A	3128	1/1	0.98	0.11	33,33,33,33	0
56	MG	1A	3148	1/1	0.98	0.23	35,35,35,35	0
56	MG	2A	3433	1/1	0.98	0.08	34,34,34,34	0
56	MG	1A	3592	1/1	0.98	0.12	43,43,43,43	0
56	MG	1D	306	1/1	0.98	0.12	36,36,36,36	0
56	MG	1a	1734	1/1	0.98	0.06	53,53,53,53	0
56	MG	2A	3037	1/1	0.98	0.07	51,51,51,51	0
56	MG	1D	307	1/1	0.98	0.12	40,40,40,40	0
56	MG	1A	3432	1/1	0.98	0.05	29,29,29,29	0
56	MG	1A	3904	1/1	0.98	0.06	27,27,27,27	0
56	MG	1A	3468	1/1	0.98	0.08	30,30,30,30	0
56	MG	1A	3549	1/1	0.98	0.05	40,40,40,40	0
56	MG	1A	3907	1/1	0.98	0.11	34,34,34,34	0
56	MG	1A	3183	1/1	0.98	0.21	36,36,36,36	0
56	MG	1A	3403	1/1	0.98	0.07	15,15,15,15	0
56	MG	1a	1743	1/1	0.98	0.07	38,38,38,38	0
56	MG	1A	3471	1/1	0.98	0.07	28,28,28,28	0
56	MG	1A	3374	1/1	0.98	0.09	32,32,32,32	0
56	MG	2A	3049	1/1	0.98	0.06	41,41,41,41	0
56	MG	1a	1831	1/1	0.98	0.08	37,37,37,37	0
56	MG	1A	3473	1/1	0.98	0.12	36,36,36,36	0
56	MG	1A	3695	1/1	0.98	0.06	45,45,45,45	0
56	MG	1a	1748	1/1	0.98	0.06	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1F	303	1/1	0.98	0.13	41,41,41,41	0
56	MG	2a	1777	1/1	0.98	0.19	53,53,53,53	0
56	MG	2A	3348	1/1	0.98	0.06	40,40,40,40	0
56	MG	2B	3006	1/1	0.98	0.11	59,59,59,59	0
56	MG	2A	3151	1/1	0.98	0.26	44,44,44,44	0
56	MG	1A	3474	1/1	0.98	0.09	26,26,26,26	0
56	MG	2A	3572	1/1	0.98	0.04	49,49,49,49	0
56	MG	1A	3513	1/1	0.98	0.04	25,25,25,25	0
56	MG	1A	3375	1/1	0.98	0.06	31,31,31,31	0
56	MG	1F	307	1/1	0.98	0.12	43,43,43,43	0
56	MG	1A	3115	1/1	0.98	0.08	46,46,46,46	0
56	MG	2A	3462	1/1	0.98	0.04	37,37,37,37	0
56	MG	2A	3578	1/1	0.98	0.08	51,51,51,51	0
56	MG	1A	3918	1/1	0.98	0.24	39,39,39,39	0
56	MG	1l	201	1/1	0.98	0.15	40,40,40,40	0
56	MG	2A	3581	1/1	0.98	0.04	34,34,34,34	0
56	MG	2A	3465	1/1	0.98	0.06	33,33,33,33	0
56	MG	1A	3028	1/1	0.98	0.21	19,19,19,19	0
56	MG	1A	3054	1/1	0.98	0.09	32,32,32,32	0
56	MG	1a	1759	1/1	0.98	0.09	48,48,48,48	0
56	MG	1A	3010	1/1	0.98	0.05	32,32,32,32	0
56	MG	2A	3261	1/1	0.98	0.04	56,56,56,56	0
56	MG	1A	3331	1/1	0.98	0.10	37,37,37,37	0
56	MG	1A	3609	1/1	0.98	0.11	31,31,31,31	0
56	MG	1a	1763	1/1	0.98	0.06	49,49,49,49	0
56	MG	2A	3265	1/1	0.98	0.04	33,33,33,33	0
56	MG	1A	3610	1/1	0.98	0.08	30,30,30,30	0
56	MG	1A	3188	1/1	0.98	0.19	28,28,28,28	0
56	MG	2A	3368	1/1	0.98	0.06	41,41,41,41	0
56	MG	1a	1766	1/1	0.98	0.05	48,48,48,48	0
56	MG	1w	3004	1/1	0.98	0.04	57,57,57,57	0
56	MG	1a	1767	1/1	0.98	0.06	50,50,50,50	0
56	MG	1A	3521	1/1	0.98	0.09	41,41,41,41	0
56	MG	2A	3373	1/1	0.98	0.05	39,39,39,39	0
56	MG	1A	3811	1/1	0.98	0.06	46,46,46,46	0
56	MG	1A	3867	1/1	0.98	0.08	76,76,76,76	0
56	MG	1A	3382	1/1	0.98	0.05	54,54,54,54	0
56	MG	1A	3760	1/1	0.98	0.05	19,19,19,19	0
56	MG	2A	3487	1/1	0.98	0.16	53,53,53,53	0
56	MG	2A	3378	1/1	0.98	0.05	40,40,40,40	0
56	MG	2A	3379	1/1	0.98	0.04	35,35,35,35	0
56	MG	1A	3932	1/1	0.98	0.20	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3491	1/1	0.98	0.05	49,49,49,49	0
56	MG	1a	1691	1/1	0.98	0.14	47,47,47,47	0
56	MG	1A	3710	1/1	0.98	0.06	45,45,45,45	0
56	MG	1A	3109	1/1	0.98	0.05	28,28,28,28	0
56	MG	1a	1620	1/1	0.98	0.13	37,37,37,37	0
56	MG	2A	3385	1/1	0.98	0.05	45,45,45,45	0
56	MG	1A	3446	1/1	0.98	0.06	26,26,26,26	0
56	MG	1A	3447	1/1	0.98	0.11	20,20,20,20	0
56	MG	1A	3061	1/1	0.98	0.12	38,38,38,38	0
56	MG	1Q	3003	1/1	0.98	0.04	41,41,41,41	0
56	MG	2A	3502	1/1	0.98	0.05	51,51,51,51	0
56	MG	1A	3155	1/1	0.98	0.14	36,36,36,36	0
59	ZN	2Y	501	1/1	0.98	0.04	85,85,85,85	0
56	MG	1a	1784	1/1	0.98	0.11	45,45,45,45	0
59	ZN	29	501	1/1	0.98	0.05	64,64,64,64	0
56	MG	1A	3271	1/1	0.98	0.07	33,33,33,33	0
60	SF4	1d	501	8/8	0.98	0.07	51,62,75,79	0
56	MG	1A	3011	1/1	0.98	0.20	32,32,32,32	0
56	MG	1A	3490	1/1	0.98	0.04	9,9,9,9	0
56	MG	1A	3824	1/1	0.98	0.09	53,53,53,53	0
56	MG	1A	3559	1/1	0.99	0.09	40,40,40,40	0
56	MG	2A	3561	1/1	0.99	0.07	34,34,34,34	0
56	MG	1A	3132	1/1	0.99	0.07	17,17,17,17	0
56	MG	1B	215	1/1	0.99	0.04	26,26,26,26	0
56	MG	1A	3006	1/1	0.99	0.04	42,42,42,42	0
56	MG	1A	3368	1/1	0.99	0.11	37,37,37,37	0
56	MG	1a	1815	1/1	0.99	0.06	49,49,49,49	0
56	MG	1A	3816	1/1	0.99	0.07	25,25,25,25	0
56	MG	1a	1783	1/1	0.99	0.08	58,58,58,58	0
56	MG	1A	3298	1/1	0.99	0.23	53,53,53,53	0
56	MG	1A	3450	1/1	0.99	0.05	36,36,36,36	0
56	MG	2A	3154	1/1	0.99	0.06	49,49,49,49	0
56	MG	2A	3013	1/1	0.99	0.04	33,33,33,33	0
56	MG	2A	3493	1/1	0.99	0.04	39,39,39,39	0
56	MG	1A	3174	1/1	0.99	0.06	39,39,39,39	0
56	MG	1A	3047	1/1	0.99	0.12	28,28,28,28	0
56	MG	1A	3794	1/1	0.99	0.03	21,21,21,21	0
56	MG	1A	3062	1/1	0.99	0.04	31,31,31,31	0
56	MG	1A	3933	1/1	0.99	0.07	44,44,44,44	0
56	MG	1A	3019	1/1	0.99	0.06	38,38,38,38	0
56	MG	2A	3125	1/1	0.99	0.08	40,40,40,40	0
56	MG	1A	3389	1/1	0.99	0.10	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1695	1/1	0.99	0.16	42,42,42,42	0
56	MG	1A	3748	1/1	0.99	0.07	33,33,33,33	0
56	MG	2A	3584	1/1	0.99	0.04	36,36,36,36	0
56	MG	1A	3224	1/1	0.99	0.16	32,32,32,32	0
56	MG	1A	3004	1/1	0.99	0.07	47,47,47,47	0
56	MG	1A	3704	1/1	0.99	0.10	26,26,26,26	0
56	MG	1A	3021	1/1	0.99	0.15	17,17,17,17	0
56	MG	1A	3551	1/1	0.99	0.03	35,35,35,35	0
56	MG	1A	3552	1/1	0.99	0.05	20,20,20,20	0
56	MG	2A	3549	1/1	0.99	0.07	62,62,62,62	0
59	ZN	1Y	501	1/1	0.99	0.04	71,71,71,71	0
56	MG	1A	3202	1/1	0.99	0.07	46,46,46,46	0
59	ZN	15	103	1/1	0.99	0.14	81,81,81,81	0
56	MG	1A	3066	1/1	0.99	0.14	17,17,17,17	0
59	ZN	1n	501	1/1	0.99	0.03	56,56,56,56	0
56	MG	2A	3397	1/1	0.99	0.04	56,56,56,56	0
56	MG	1A	3534	1/1	0.99	0.04	40,40,40,40	0
59	ZN	25	501	1/1	0.99	0.03	54,54,54,54	0
59	ZN	26	501	1/1	0.99	0.04	63,63,63,63	0
56	MG	1E	304	1/1	0.99	0.12	23,23,23,23	0
56	MG	1Q	3001	1/1	0.99	0.08	36,36,36,36	0
56	MG	1A	3782	1/1	0.99	0.08	45,45,45,45	0
56	MG	1A	3443	1/1	0.99	0.08	31,31,31,31	0
56	MG	1A	3008	1/1	0.99	0.04	29,29,29,29	0
56	MG	1A	3033	1/1	0.99	0.12	20,20,20,20	0
59	ZN	19	501	1/1	1.00	0.04	42,42,42,42	0
56	MG	1a	1758	1/1	1.00	0.04	29,29,29,29	0
56	MG	1A	3525	1/1	1.00	0.09	23,23,23,23	0

6.5 Other polymers ⓘ

There are no such residues in this entry.