



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 07:26 PM EDT

PDB ID : 6ZJ5 / pdb_00006zj5
Title : Structure of the catalytic domain of human endo-alpha-mannosidase MANEA
in complex with GlcDMJ and hexatungstotellurate(VI) TEW
Authors : Sobala, L.F.; Fernandes, P.Z.; Hakki, Z.; Thompson, A.J.; Howe, J.D.; Hill,
M.; Zitzmann, N.; Davies, S.; Stamatakis, Z.; Butters, T.D.; Alonzi, D.S.;
Williams, S.J.; Davies, G.J.
Deposited on : 2020-06-27
Resolution : 2.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AAA	382	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EPE	AAA	503	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3248 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glycoprotein endo-alpha-1,2-mannosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AAA	362	Total	C	N	O	S	0	0	0
			2993	1926	508	554	5			

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	81	MET	-	initiating methionine	UNP Q5SRI9
AAA	82	ASN	-	expression tag	UNP Q5SRI9
AAA	83	HIS	-	expression tag	UNP Q5SRI9
AAA	84	LYS	-	expression tag	UNP Q5SRI9
AAA	85	VAL	-	expression tag	UNP Q5SRI9
AAA	86	HIS	-	expression tag	UNP Q5SRI9
AAA	87	HIS	-	expression tag	UNP Q5SRI9
AAA	88	HIS	-	expression tag	UNP Q5SRI9
AAA	89	HIS	-	expression tag	UNP Q5SRI9
AAA	90	HIS	-	expression tag	UNP Q5SRI9
AAA	91	HIS	-	expression tag	UNP Q5SRI9
AAA	92	ILE	-	expression tag	UNP Q5SRI9
AAA	93	GLU	-	expression tag	UNP Q5SRI9
AAA	94	GLY	-	expression tag	UNP Q5SRI9
AAA	95	ARG	-	expression tag	UNP Q5SRI9
AAA	96	HIS	-	expression tag	UNP Q5SRI9
AAA	97	MET	-	expression tag	UNP Q5SRI9

- Molecule 2 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: C₈H₁₈N₂O₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	AAA	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	AAA	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
2	AAA	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	AAA	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 6-tungstotellurate(VI) (CCD ID: TEW) (formula: O₂₄TeW₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	AAA	1	Total	O	Te	W	0	0
			31	24	1	6		
4	AAA	1	Total	O	Te	W	0	0
			31	24	1	6		
4	AAA	1	Total	O	Te	W	0	0
			31	24	1	6		

- Molecule 5 is 1-DEOXYMANNOJIRIMYCIN (CCD ID: DMJ) (formula: C₆H₁₃NO₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	AAA	1	Total	C	N	O	0	0
			11	6	1	4		

- Molecule 6 is alpha-D-glucopyranose (CCD ID: GLC) (formula: $C_6H_{12}O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	AAA	1	Total	C	O	0	0
			11	6	5		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	AAA	94	Total	O	0	0
			94	94		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glycoprotein endo-alpha-1,2-mannosidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 62	Depositor
Cell constants a, b, c, α , β , γ	128.55Å 128.55Å 48.26Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	111.33 – 2.27 111.33 – 2.27	Depositor EDS
% Data completeness (in resolution range)	51.9 (111.33-2.27) 51.9 (111.33-2.27)	Depositor EDS
R_{merge}	0.28	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 2.27Å)	Xtriage
Refinement program	REFMAC 5.8.0266	Depositor
R, R_{free}	0.188 , 0.256 0.197 , 0.259	Depositor DCC
R_{free} test set	545 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtriage
Anisotropy	0.322	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 42.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.035 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3248	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GLC, TEW, EPE, DMJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AAA	1.01	0/3094	1.42	3/4217 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AAA	204	LEU	CA-C-N	6.57	126.74	120.43
1	AAA	204	LEU	C-N-CA	6.57	126.74	120.43
1	AAA	456	ASP	CA-CB-CG	5.22	117.82	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AAA	2993	0	2848	44	1
2	AAA	45	0	53	10	0
3	AAA	1	0	0	0	0
4	AAA	93	0	0	5	1
5	AAA	11	0	12	0	0
6	AAA	11	0	10	0	0
7	AAA	94	0	0	1	0
All	All	3248	0	2923	44	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (44) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:257:LYS:N	4:AAA:505:TEW:O4	2.17	0.78
1:AAA:258:THR:HG22	1:AAA:258:THR:O	1.83	0.76
1:AAA:327:ASN:HB2	2:AAA:503:EPE:H102	1.77	0.66
1:AAA:327:ASN:CB	2:AAA:503:EPE:H62	2.28	0.63
1:AAA:327:ASN:HB2	2:AAA:503:EPE:C10	2.29	0.62
1:AAA:335:HIS:CE1	2:AAA:503:EPE:H61	2.37	0.60
1:AAA:258:THR:C	4:AAA:505:TEW:O6	2.48	0.57
1:AAA:344:PHE:HB2	4:AAA:506:TEW:O22	2.06	0.56
1:AAA:324:PHE:HB2	1:AAA:333:SER:HB3	1.88	0.55
1:AAA:327:ASN:HB2	2:AAA:503:EPE:H62	1.88	0.55
1:AAA:428:ARG:HA	1:AAA:429:PRO:C	2.33	0.54
1:AAA:161:TYR:HB2	1:AAA:168:VAL:HG21	1.93	0.50
1:AAA:137:LYS:NZ	1:AAA:138:ASN:OD1	2.46	0.49
1:AAA:205:VAL:N	1:AAA:206:PRO:HD2	2.27	0.49
1:AAA:335:HIS:HE1	2:AAA:503:EPE:H61	1.78	0.49
1:AAA:419:THR:HG22	7:AAA:634:HOH:O	2.11	0.49
1:AAA:146:PRO:CB	1:AAA:147:PRO:HA	2.44	0.48
1:AAA:117:ASP:OD1	1:AAA:162:SER:OG	2.32	0.47
1:AAA:356:VAL:HG11	1:AAA:386:LEU:HG	1.95	0.47
1:AAA:114:PRO:HA	1:AAA:119:LYS:N	2.30	0.47
1:AAA:102:TYR:HA	1:AAA:396:LEU:CD2	2.45	0.46
1:AAA:362:ASP:HA	1:AAA:406:HIS:O	2.15	0.46
1:AAA:384:ILE:HG21	2:AAA:503:EPE:C7	2.46	0.46
1:AAA:149:ASP:OD1	1:AAA:149:ASP:C	2.60	0.45
1:AAA:327:ASN:OD1	1:AAA:334:SER:HA	2.16	0.45
1:AAA:122:HIS:O	1:AAA:406:HIS:HE1	2.00	0.45
1:AAA:146:PRO:HB3	1:AAA:150:ILE:HG22	1.99	0.45
1:AAA:335:HIS:CD2	1:AAA:335:HIS:C	2.95	0.44
1:AAA:122:HIS:O	1:AAA:125:HIS:HB2	2.18	0.44
1:AAA:194:ASN:C	1:AAA:194:ASN:HD22	2.26	0.43
1:AAA:362:ASP:HB3	1:AAA:407:GLU:HA	2.00	0.43
1:AAA:257:LYS:HB2	4:AAA:505:TEW:O13	2.18	0.43
1:AAA:102:TYR:HA	1:AAA:396:LEU:HD23	2.00	0.43
1:AAA:144:HIS:ND1	1:AAA:149:ASP:OD1	2.53	0.42
1:AAA:384:ILE:HG21	2:AAA:503:EPE:H72	2.02	0.42
1:AAA:194:ASN:HB3	1:AAA:199:GLU:C	2.45	0.41
1:AAA:351:ILE:HG22	1:AAA:353:ILE:HG13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:254:TYR:C	1:AAA:254:TYR:CD1	2.99	0.41
1:AAA:114:PRO:O	1:AAA:118:GLY:HA2	2.20	0.41
1:AAA:257:LYS:HD2	4:AAA:505:TEW:O13	2.21	0.41
1:AAA:384:ILE:CG2	2:AAA:503:EPE:H22	2.51	0.40
1:AAA:111:TYR:OH	1:AAA:403:ASN:O	2.35	0.40
1:AAA:172:HIS:NE2	1:AAA:412:GLU:OE2	2.52	0.40
1:AAA:327:ASN:HB2	2:AAA:503:EPE:H101	1.99	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AAA:178:SER:OG	4:AAA:505:TEW:O18[5_554]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AAA	360/382 (94%)	338 (94%)	22 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AAA	324/345 (94%)	308 (95%)	16 (5%)	22	24

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AAA	110	TRP
1	AAA	117	ASP
1	AAA	129	GLU
1	AAA	135	ILE
1	AAA	137	LYS
1	AAA	167	SER
1	AAA	178	SER
1	AAA	184	LEU
1	AAA	194	ASN
1	AAA	195	ASP
1	AAA	207	THR
1	AAA	274	LYS
1	AAA	276	GLU
1	AAA	293	SER
1	AAA	395	SER
1	AAA	404	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	TEW	AAA	505	3	24,42,42	1.01	0	12,129,129	3.96	8 (66%)
5	DMJ	AAA	508	6	11,11,11	0.87	0	13,15,15	1.63	2 (15%)
4	TEW	AAA	506	-	24,42,42	1.08	0	12,129,129	2.83	5 (41%)
2	EPE	AAA	501	-	15,15,15	1.21	1 (6%)	19,20,20	0.75	1 (5%)
6	GLC	AAA	509	5	11,11,12	0.59	0	15,15,17	1.29	3 (20%)
4	TEW	AAA	507	-	24,42,42	1.06	0	12,129,129	1.49	3 (25%)
2	EPE	AAA	503	-	15,15,15	0.69	1 (6%)	19,20,20	0.91	1 (5%)
2	EPE	AAA	502	-	15,15,15	0.71	1 (6%)	19,20,20	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DMJ	AAA	508	6	-	0/2/19/19	0/1/1/1
2	EPE	AAA	501	-	-	5/9/19/19	0/1/1/1
6	GLC	AAA	509	5	-	0/2/19/22	0/1/1/1
2	EPE	AAA	503	-	-	1/9/19/19	0/1/1/1
2	EPE	AAA	502	-	-	6/9/19/19	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AAA	501	EPE	O1S-S	4.39	1.57	1.45
2	AAA	503	EPE	O3S-S	2.26	1.55	1.47
2	AAA	502	EPE	O3S-S	2.23	1.55	1.47

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AAA	505	TEW	O13-TE1-O12	8.82	102.59	94.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AAA	505	TEW	O11-TE1-O7	-6.31	88.97	94.65
4	AAA	506	TEW	O11-TE1-O7	5.33	99.45	94.65
4	AAA	506	TEW	O7-TE1-O2	5.06	99.21	94.65
5	AAA	508	DMJ	C1-N5-C5	4.53	119.66	109.71
4	AAA	506	TEW	O13-TE1-O1	-4.44	90.65	94.65
4	AAA	505	TEW	O1-TE1-O12	4.32	98.54	94.65
4	AAA	505	TEW	O13-TE1-O2	-3.49	81.09	85.21
4	AAA	506	TEW	O12-TE1-O7	-3.29	81.32	85.21
4	AAA	505	TEW	O12-TE1-O11	-3.24	81.39	85.21
4	AAA	505	TEW	O13-TE1-O11	3.06	88.83	85.21
4	AAA	507	TEW	O11-TE1-O2	2.97	97.33	94.65
6	AAA	509	GLC	C1-O5-C5	2.86	116.02	112.19
6	AAA	509	GLC	O5-C5-C6	-2.71	102.40	107.66
4	AAA	505	TEW	O12-TE1-O7	-2.70	82.02	85.21
4	AAA	505	TEW	O7-TE1-O1	2.55	88.22	85.21
4	AAA	507	TEW	O11-TE1-O7	2.44	96.85	94.65
6	AAA	509	GLC	C1-C2-C3	2.17	112.80	109.64
2	AAA	503	EPE	O3S-S-C10	-2.12	101.85	106.00
5	AAA	508	DMJ	O3-C3-C2	-2.11	105.74	110.05
2	AAA	501	EPE	O2S-S-O1S	-2.09	107.03	113.82
4	AAA	506	TEW	O11-TE1-O2	2.09	96.53	94.65
4	AAA	507	TEW	O13-TE1-O12	2.02	96.47	94.65

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	AAA	502	EPE	C10-C9-N1-C2
2	AAA	502	EPE	C10-C9-N1-C6
2	AAA	502	EPE	C9-C10-S-O1S
2	AAA	502	EPE	C9-C10-S-O2S
2	AAA	502	EPE	C9-C10-S-O3S
2	AAA	502	EPE	N4-C7-C8-O8
2	AAA	501	EPE	C8-C7-N4-C3
2	AAA	501	EPE	C8-C7-N4-C5
2	AAA	501	EPE	C9-C10-S-O3S
2	AAA	503	EPE	C10-C9-N1-C6
2	AAA	501	EPE	C9-C10-S-O1S
2	AAA	501	EPE	C9-C10-S-O2S

There are no ring outliers.


3 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	AAA	505	TEW	4	1
4	AAA	506	TEW	1	0
2	AAA	503	EPE	10	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand DMJ AAA 508



Ligand TEW AAA 506







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	AAA	362/382 (94%)	0.17	12 (3%)	49 49	13, 28, 51, 103	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	AAA	460	PRO	4.8
1	AAA	455	LEU	4.7
1	AAA	459	LEU	4.4
1	AAA	456	ASP	2.9
1	AAA	258	THR	2.8
1	AAA	131	TRP	2.8
1	AAA	454	ALA	2.8
1	AAA	235	TYR	2.4
1	AAA	134	ARG	2.3
1	AAA	240	TYR	2.3
1	AAA	257	LYS	2.2
1	AAA	453	TYR	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	TEW	AAA	507	31/31	0.67	0.15	122,132,138,145	31
2	EPE	AAA	502	15/15	0.80	0.23	62,74,79,83	0
2	EPE	AAA	503	15/15	0.86	0.22	67,83,96,97	0
2	EPE	AAA	501	15/15	0.93	0.14	35,54,60,60	0
5	DMJ	AAA	508	11/11	0.93	0.10	20,22,23,23	0
6	GLC	AAA	509	11/12	0.96	0.06	17,20,21,22	0
3	MG	AAA	504	1/1	0.97	0.12	36,36,36,36	0
4	TEW	AAA	506	31/31	0.98	0.08	70,86,96,104	0
4	TEW	AAA	505	31/31	0.99	0.06	38,45,50,51	31

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around TEW AAA 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMJ AAA 508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GLC AAA 509:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TEW AAA 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TEW AAA 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.