



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 4, 2026 – 07:53 AM EDT

PDB ID : 2HG9 / pdb_00002hg9
Title : Reaction centre from Rhodobacter sphaeroides strain R-26.1 complexed with tetrabrominated phosphatidylcholine
Authors : Roszak, A.W.; Gardiner, A.T.; Isaacs, N.W.; Cogdell, R.J.
Deposited on : 2006-06-26
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	
2	M	307	
3	H	260	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	PCK	M	802	-	-	-	X
13	GOL	H	708	-	-	-	X
13	GOL	H	709	-	-	-	X
13	GOL	M	707	-	-	-	X
13	GOL	M	710	-	-	-	X
15	PC7	H	801	-	-	-	X

2 Entry composition [i](#)

There are 16 unique types of molecules in this entry. The entry contains 7843 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	281	Total	C	N	O	S	0	3	0
			2237	1511	356	362	8			


- Molecule 2 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	302	Total	C	N	O	S	0	12	0
			2450	1631	402	406	11			

- Molecule 3 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	241	Total	C	N	O	S	0	9	0
			1862	1189	323	339	11			

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	L	1	Total O P 5 4 1	0	0
4	M	1	Total O P 5 4 1	0	0
4	M	1	Total O P 5 4 1	0	0
4	H	1	Total O P 5 4 1	0	0

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	L	1	Total Cl 1 1	0	0
5	M	1	Total Cl 1 1	0	0

- Molecule 6 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: C₅₅H₇₄MgN₄O₆).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	L	1	Total C Mg N O 66 55 1 4 6	0	0
6	L	1	Total C Mg N O 66 55 1 4 6	0	0
6	M	1	Total C Mg N O 66 55 1 4 6	0	0
6	M	1	Total C Mg N O 66 55 1 4 6	0	0

- Molecule 7 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: C₅₅H₇₆N₄O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	L	1	Total	C	N	O	0	0
			65	55	4	6		
7	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 8 is UBIQUINONE-10 (CCD ID: U10) (formula: C₅₉H₉₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	L	1	Total	C	O	0	0
			48	44	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	M	1	Total	C	O	0	0
			48	44	4		

- Molecule 9 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	M	1	Total	Fe		0	0
			1	1			

- Molecule 10 is CARDIOLIPIN (CCD ID: CDL) (formula: C₈₁H₁₅₆O₁₇P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	M	1	Total	C	O	P	0	0
			81	62	17	2		

- Molecule 11 is (7R,18S,19R)-18,19-DIBROMO-7-[[[(9S,10S)-9,10-DIBROMOOCTADECAN OYL]OXY]-4-HYDROXY-N,N,N-TRIMETHYL-10-OXO-3,5,9-TRIOXA-4-P HOSPHAHE PTACOSAN-1-AMINIUM 4-OXIDE (CCD ID: PCK) (formula: C₄₄H₈₅Br₄NO₈P).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
11	M	1	Total	Br	C	N	O	P	0	0
			58	4	44	1	8	1		

- Molecule 12 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: C₁₄H₃₁NO).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	M	1	Total	C	N	O	0	0
			16	14	1	1		
12	M	1	Total	C	N	O	0	0
			16	14	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	M	1	Total	C	N	O	0	0
			16	14	1	1		
12	H	1	Total	C	N	O	0	0
			16	14	1	1		
12	H	1	Total	C	N	O	0	0
			16	14	1	1		
12	H	1	Total	C	N	O	0	0
			16	14	1	1		
12	H	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 13 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	M	1	Total	C	O	0	0
			6	3	3		
13	M	1	Total	C	O	0	0
			6	3	3		
13	H	1	Total	C	O	0	0
			6	3	3		
13	H	1	Total	C	O	0	0
			6	3	3		
13	H	1	Total	C	O	0	0
			6	3	3		
13	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 14 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	H	1	Total K 1 1	0	0

- Molecule 15 is (7S)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITOYLOXY) METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSAN-1-AMINIUM 4-OXIDE (CCD ID: PC7) (formula: C₄₂H₈₅NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
15	H	1	Total	C	N	O	P	0	0
			52	42	1	8	1		


- Molecule 16 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	L	100	Total O 100 100	0	0
16	M	133	Total O 133 133	0	0
16	H	208	Total O 208 208	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Reaction center protein L chain

Chain L: 




- Molecule 2: Reaction center protein M chain

Chain M: 



- Molecule 3: Reaction center protein H chain

Chain H: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	139.55Å 139.55Å 184.61Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.36 – 2.45 39.36 – 2.45	Depositor EDS
% Data completeness (in resolution range)	98.0 (39.36-2.45) 97.9 (39.36-2.45)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.30 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.179 , 0.209 0.183 , 0.211	Depositor DCC
R_{free} test set	3709 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	49.9	Xtriage
Anisotropy	0.036	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 68.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.017 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7843	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CDL, BPH, LDA, K, PCK, FE, CL, U10, PO4, GOL, PC7, BCL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	1.12	1/2342 (0.0%)	0.98	1/3205 (0.0%)
2	M	1.11	1/2601 (0.0%)	1.04	2/3548 (0.1%)
3	H	1.16	1/1961 (0.1%)	1.03	1/2663 (0.0%)
All	All	1.13	3/6904 (0.0%)	1.01	4/9416 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	217	ALA	CA-C	5.99	1.60	1.52
1	L	190	HIS	C-O	-5.58	1.17	1.24
3	H	225	VAL	C-O	-5.32	1.18	1.24

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	216	PHE	N-CA-C	-5.50	105.70	112.90
3	H	12	LEU	N-CA-C	5.46	117.99	111.71
1	L	6	GLU	N-CA-C	5.32	118.94	112.23
2	M	32	VAL	CB-CA-C	-5.03	104.33	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2237	0	2202	10	0
2	M	2450	0	2370	31	0
3	H	1862	0	1884	20	0
4	H	5	0	0	0	0
4	L	5	0	0	0	0
4	M	10	0	0	0	0
5	L	1	0	0	0	0
5	M	1	0	0	1	0
6	L	132	0	148	5	0
6	M	132	0	148	22	0
7	L	65	0	75	5	0
7	M	65	0	76	4	0
8	L	48	0	63	4	0
8	M	48	0	63	1	0
9	M	1	0	0	0	0
10	M	81	0	106	1	0
11	M	58	0	80	11	0
12	H	64	0	124	6	0
12	M	48	0	93	4	0
13	H	24	0	32	0	0
13	M	12	0	16	0	0
14	H	1	0	0	0	0
15	H	52	0	84	2	0
16	H	208	0	0	0	0
16	L	100	0	0	0	0
16	M	133	0	0	3	0
All	All	7843	0	7564	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:L:502:U10:H351	8:L:502:U10:H38	1.41	1.03
2:M:122:MET:SD	12:M:920:LDA:H122	2.01	1.01
6:M:311:BCL:H93	11:M:802:PCK:H482	1.42	1.00
2:M:60[B]:LEU:HD23	7:M:401:BPH:H4C1	1.63	0.81
8:L:502:U10:H351	8:L:502:U10:C38	2.11	0.80
6:M:313:BCL:H191	11:M:802:PCK:H262	1.64	0.80
15:H:801:PC7:H451	12:H:901:LDA:H121	1.68	0.74
6:M:311:BCL:C7	6:M:311:BCL:H41	2.18	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:L:402:BPH:HMB3	7:L:402:BPH:HBB3	1.76	0.67
6:M:311:BCL:H41	6:M:311:BCL:H102	1.75	0.67
15:H:801:PC7:H451	12:H:901:LDA:C12	2.23	0.66
6:M:311:BCL:HMB3	6:M:311:BCL:HBB2	1.76	0.66
6:M:311:BCL:H92	11:M:802:PCK:H261	1.78	0.66
6:M:311:BCL:H41	6:M:311:BCL:H71	1.78	0.65
2:M:52:LEU:HD11	2:M:60[A]:LEU:CD2	2.26	0.64
2:M:253[B]:ARG:NH2	16:M:1251:HOH:O	2.31	0.64
3:H:220[A]:LYS:NZ	3:H:229:GLU:OE2	2.32	0.62
2:M:68:PHE:O	2:M:72:ILE:HD13	2.00	0.62
2:M:56:GLY:O	2:M:60[A]:LEU:HD13	2.00	0.61
3:H:219:ILE:HG21	3:H:225:VAL:HG13	1.82	0.61
2:M:179:ILE:HG23	6:M:311:BCL:HED1	1.83	0.61
2:M:262:MET:HE3	2:M:262:MET:HA	1.85	0.59
7:L:402:BPH:HMB3	7:L:402:BPH:CBB	2.32	0.59
2:M:70:ILE:HG21	12:M:920:LDA:HM13	1.84	0.58
2:M:122:MET:HE1	6:M:311:BCL:HBB3	1.85	0.58
6:M:311:BCL:H93	11:M:802:PCK:C48	2.27	0.57
6:M:311:BCL:H71	6:M:311:BCL:C4	2.34	0.57
1:L:201:GLU:OE2	1:L:204[B]:LYS:NZ	2.33	0.56
2:M:122:MET:HE1	6:M:311:BCL:CBB	2.36	0.55
1:L:182:THR:OG1	6:M:311:BCL:H2	2.08	0.54
7:M:401:BPH:HBB3	7:M:401:BPH:HMB1	1.91	0.53
2:M:262:MET:HE3	2:M:262:MET:CA	2.38	0.53
2:M:39:LEU:HD23	12:M:907:LDA:H101	1.90	0.52
6:M:311:BCL:H92	11:M:802:PCK:C26	2.40	0.51
6:M:313:BCL:H191	11:M:802:PCK:C26	2.37	0.51
6:M:311:BCL:HMB3	6:M:311:BCL:CBB	2.41	0.51
3:H:25:ALA:HB2	12:H:908:LDA:H61	1.92	0.51
3:H:18:TYR:CD1	12:H:908:LDA:HM23	2.46	0.51
6:L:314:BCL:HBB3	7:L:402:BPH:H141	1.92	0.50
6:L:312:BCL:CGA	6:L:314:BCL:HBC1	2.42	0.50
2:M:177:TYR:OH	12:M:920:LDA:H123	2.11	0.50
1:L:69:PRO:HG2	1:L:142:TRP:HB2	1.94	0.49
5:M:711:CL:CL	16:M:1177:HOH:O	2.57	0.49
6:M:311:BCL:C9	11:M:802:PCK:H461	2.42	0.49
8:M:501:U10:H4M2	8:M:501:U10:O3	2.14	0.47
2:M:270:ILE:HD13	10:M:800:CDL:H711	1.97	0.47
3:H:75:VAL:HA	3:H:76:PRO:C	2.40	0.47
3:H:18:TYR:HD1	12:H:908:LDA:HM23	1.80	0.47
2:M:3:TYR:CZ	2:M:5:ASN:HA	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:52:LEU:HD11	2:M:60[A]:LEU:HD21	1.96	0.46
2:M:290:VAL:HG21	3:H:12:LEU:HD23	1.97	0.46
1:L:135:ARG:HB3	1:L:136:PRO:HD3	1.97	0.46
1:L:187:LEU:HD13	2:M:216:PHE:CG	2.51	0.46
16:M:1078:HOH:O	3:H:175:MET:HE1	2.16	0.46
2:M:52:LEU:HD11	2:M:60[B]:LEU:HD12	1.97	0.46
2:M:148:TRP:HA	2:M:148:TRP:CE3	2.51	0.46
2:M:152:SER:OG	2:M:278:LEU:HG	2.15	0.46
2:M:68:PHE:CE1	2:M:72:ILE:HD11	2.51	0.45
3:H:122:GLU:HB2	3:H:227:LEU:HD21	1.99	0.45
2:M:234:GLU:OE2	2:M:262:MET:HE1	2.17	0.45
3:H:219:ILE:HG21	3:H:225:VAL:CG1	2.47	0.45
2:M:202:HIS:CE1	2:M:206:ILE:HD11	2.52	0.45
7:M:401:BPH:H4C3	11:M:802:PCK:BR2	2.73	0.44
3:H:25:ALA:HB2	12:H:908:LDA:C6	2.47	0.44
6:L:312:BCL:HMB3	6:L:312:BCL:CBB	2.48	0.44
3:H:105[B]:MET:HE2	3:H:236:TYR:CZ	2.53	0.44
6:L:314:BCL:H202	7:L:402:BPH:H7C2	2.00	0.44
2:M:52:LEU:HD11	2:M:60[A]:LEU:HD22	2.00	0.44
6:M:313:BCL:CBB	6:M:313:BCL:HMB3	2.48	0.44
1:L:193:LEU:HD23	8:L:502:U10:C2	2.48	0.43
3:H:156[B]:CYS:HB3	3:H:206:ASN:O	2.18	0.43
6:M:313:BCL:C20	11:M:802:PCK:H242	2.49	0.43
3:H:118[B]:ARG:NE	3:H:120:LEU:HD12	2.34	0.43
3:H:156[A]:CYS:HB3	3:H:206:ASN:O	2.18	0.43
6:L:312:BCL:NA	6:M:313:BCL:HBB2	2.34	0.43
3:H:87:LEU:HD23	3:H:100:PRO:HA	2.01	0.42
3:H:151:LEU:O	3:H:164:VAL:HG23	2.19	0.42
1:L:207:ARG:CG	1:L:211:HIS:CG	3.03	0.42
7:M:401:BPH:HBB3	7:M:401:BPH:CMB	2.48	0.42
1:L:207:ARG:HG2	1:L:211:HIS:CG	2.55	0.42
7:L:402:BPH:HBB3	7:L:402:BPH:CMB	2.46	0.42
8:L:502:U10:C38	8:L:502:U10:C35	2.92	0.42
2:M:129:TRP:CH2	11:M:802:PCK:BR2	3.28	0.42
1:L:80:LEU:O	1:L:85:LEU:HD12	2.20	0.41
1:L:209:PRO:HA	1:L:212:GLU:OE1	2.20	0.41
6:M:313:BCL:H18	11:M:802:PCK:C24	2.51	0.41
2:M:290:VAL:HG12	2:M:291:VAL:HG23	2.03	0.41
6:M:311:BCL:CBB	6:M:311:BCL:CMB	2.99	0.41
3:H:118[B]:ARG:HE	3:H:120:LEU:HD12	1.86	0.41
2:M:194:GLY:O	2:M:195:ASN:HB3	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:87:LEU:HD13	3:H:98:HIS:HB2	2.01	0.40
3:H:250:SER:O	3:H:251:VAL:HG23	2.21	0.40
2:M:21:THR:O	2:M:22:GLU:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	282/281 (100%)	275 (98%)	7 (2%)	0	100	100
2	M	312/307 (102%)	300 (96%)	11 (4%)	1 (0%)	36	45
3	H	248/260 (95%)	245 (99%)	3 (1%)	0	100	100
All	All	842/848 (99%)	820 (97%)	21 (2%)	1 (0%)	48	61

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	M	195	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	223/220 (101%)	218 (98%)	5 (2%)	45	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	M	248/240 (103%)	236 (95%)	12 (5%)	23	34
3	H	205/208 (99%)	196 (96%)	9 (4%)	25	37
All	All	676/668 (101%)	650 (96%)	26 (4%)	32	43

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	21	LEU
1	L	185	LEU
1	L	207	ARG
1	L	210	ASP
1	L	235	LEU
2	M	32	VAL
2	M	52	LEU
2	M	86	LEU
2	M	104	SER
2	M	114	LEU
2	M	182	HIS
2	M	192	VAL
2	M	196	LEU
2	M	262	MET
2	M	274	VAL
2	M	300[A]	ASN
2	M	300[B]	ASN
3	H	118[A]	ARG
3	H	118[B]	ARG
3	H	175	MET
3	H	200	SER
3	H	220[A]	LYS
3	H	220[B]	LYS
3	H	225	VAL
3	H	231	ASP
3	H	250	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	258	GLN
1	L	264	GLN
2	M	4	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	M	28	ASN
2	M	138	GLN
3	H	44	ASN
3	H	68	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 32 ligands modelled in this entry, 4 are monoatomic - leaving 28 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	PC7	H	801	-	51,51,51	0.85	1 (1%)	57,59,59	0.94	3 (5%)
4	PO4	H	704	-	4,4,4	0.84	0	6,6,6	0.88	0
8	U10	L	502	-	48,48,63	1.11	3 (6%)	60,61,79	1.72	13 (21%)
12	LDA	M	907	-	13,15,15	2.24	2 (15%)	14,17,17	0.63	0
13	GOL	H	708	-	5,5,5	0.27	0	5,5,5	0.54	0
4	PO4	L	703	-	4,4,4	0.96	0	6,6,6	0.89	0
4	PO4	M	702	-	4,4,4	0.86	0	6,6,6	1.11	0
6	BCL	L	312	1	69,74,74	1.17	3 (4%)	79,115,115	1.45	15 (18%)
11	PCK	M	802	-	57,57,57	0.78	0	63,69,69	1.07	5 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	LDA	H	903	-	13,15,15	2.09	2 (15%)	14,17,17	0.50	0
13	GOL	H	709	-	5,5,5	0.44	0	5,5,5	0.46	0
12	LDA	H	901	-	13,15,15	2.15	2 (15%)	14,17,17	0.60	0
13	GOL	M	707	-	5,5,5	0.50	0	5,5,5	0.31	0
12	LDA	H	904	-	13,15,15	2.25	2 (15%)	14,17,17	0.73	0
6	BCL	M	311	2	69,74,74	1.19	2 (2%)	79,115,115	1.50	18 (22%)
12	LDA	H	908	-	13,15,15	2.12	2 (15%)	14,17,17	0.97	1 (7%)
13	GOL	M	710	-	5,5,5	0.42	0	5,5,5	0.46	0
7	BPH	M	401	-	59,70,70	1.31	5 (8%)	59,101,101	1.94	15 (25%)
8	U10	M	501	-	48,48,63	0.95	2 (4%)	60,61,79	1.50	12 (20%)
13	GOL	H	705	-	5,5,5	0.53	0	5,5,5	0.70	0
7	BPH	L	402	-	59,70,70	1.36	8 (13%)	59,101,101	1.62	7 (11%)
4	PO4	M	701	-	4,4,4	0.92	0	6,6,6	1.28	0
6	BCL	M	313	2	69,74,74	1.25	4 (5%)	79,115,115	1.67	17 (21%)
10	CDL	M	800	-	80,80,99	1.19	4 (5%)	86,92,111	1.14	6 (6%)
12	LDA	M	920	-	13,15,15	2.05	2 (15%)	14,17,17	0.61	0
13	GOL	H	706	-	5,5,5	0.36	0	5,5,5	1.11	0
12	LDA	M	902	-	13,15,15	2.67	2 (15%)	14,17,17	0.80	0
6	BCL	L	314	1	69,74,74	1.17	5 (7%)	79,115,115	1.51	16 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	PC7	H	801	-	-	23/55/55/55	-
8	U10	L	502	-	-	10/45/69/87	0/1/1/1
12	LDA	M	907	-	-	6/13/13/13	-
13	GOL	H	708	-	-	1/4/4/4	-
6	BCL	L	312	1	-	0/41/137/137	-
11	PCK	M	802	-	-	32/67/67/67	-
12	LDA	H	903	-	-	9/13/13/13	-
13	GOL	H	709	-	-	2/4/4/4	-
12	LDA	H	901	-	-	6/13/13/13	-
13	GOL	M	707	-	-	3/4/4/4	-
12	LDA	H	904	-	-	5/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BCL	M	311	2	-	9/41/137/137	-
12	LDA	H	908	-	-	10/13/13/13	-
13	GOL	M	710	-	-	4/4/4/4	-
7	BPH	M	401	-	-	9/37/105/105	0/5/6/6
8	U10	M	501	-	-	5/45/69/87	0/1/1/1
13	GOL	H	705	-	-	1/4/4/4	-
7	BPH	L	402	-	-	5/37/105/105	0/5/6/6
6	BCL	M	313	2	-	3/41/137/137	-
10	CDL	M	800	-	-	38/91/91/110	-
12	LDA	M	920	-	-	7/13/13/13	-
13	GOL	H	706	-	-	2/4/4/4	-
12	LDA	M	902	-	-	2/13/13/13	-
6	BCL	L	314	1	-	4/41/137/137	-

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	M	902	LDA	C1-N1	-7.00	1.44	1.51
12	H	901	LDA	O1-N1	-6.64	1.25	1.42
12	H	908	LDA	O1-N1	-6.63	1.25	1.42
12	M	907	LDA	O1-N1	-6.62	1.25	1.42
12	H	903	LDA	O1-N1	-6.54	1.26	1.42
12	M	902	LDA	O1-N1	-6.53	1.26	1.42
12	M	920	LDA	O1-N1	-6.53	1.26	1.42
12	H	904	LDA	O1-N1	-6.47	1.26	1.42
6	M	311	BCL	MG-NA	6.41	2.21	2.06
6	L	312	BCL	MG-NA	6.32	2.21	2.06
6	M	313	BCL	MG-NA	5.97	2.20	2.06
7	L	402	BPH	C1B-C2B	5.94	1.46	1.39
7	M	401	BPH	C1B-C2B	5.53	1.45	1.39
12	H	904	LDA	C1-N1	-4.76	1.46	1.51
10	M	800	CDL	OA6-CA5	4.75	1.47	1.34
10	M	800	CDL	OA8-CA7	4.68	1.47	1.33
10	M	800	CDL	OB6-CB5	4.60	1.47	1.34
12	M	907	LDA	C1-N1	-4.45	1.46	1.51
7	M	401	BPH	C1D-C2D	4.42	1.44	1.39
6	L	314	BCL	MG-NB	4.39	2.14	2.05
8	L	502	U10	O3-C3	4.31	1.47	1.36
10	M	800	CDL	OB8-CB7	4.27	1.45	1.33
12	H	901	LDA	C1-N1	-3.93	1.47	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	M	313	BCL	C3C-C4C	-3.73	1.46	1.51
12	H	908	LDA	C1-N1	-3.72	1.47	1.51
12	H	903	LDA	C1-N1	-3.50	1.47	1.51
8	L	502	U10	O4-C4	3.26	1.44	1.36
12	M	920	LDA	C1-N1	-3.01	1.48	1.51
7	L	402	BPH	C3B-C4B	2.76	1.45	1.41
7	L	402	BPH	C2C-C3C	2.71	1.57	1.54
6	L	314	BCL	C3B-C4B	2.66	1.46	1.41
6	M	311	BCL	C3B-C4B	2.65	1.46	1.41
8	M	501	U10	O3-C3	2.58	1.43	1.36
6	M	313	BCL	C1B-NB	-2.42	1.34	1.37
7	M	401	BPH	C3D-CAD	-2.41	1.43	1.47
6	M	313	BCL	MG-NB	2.39	2.10	2.05
7	L	402	BPH	C4D-CHA	-2.36	1.36	1.39
7	L	402	BPH	OBD-CAD	2.32	1.25	1.22
6	L	314	BCL	MG-NA	2.31	2.11	2.06
7	M	401	BPH	C3B-C4B	2.29	1.45	1.41
8	M	501	U10	O4-C4	2.28	1.42	1.36
8	L	502	U10	C13-C14	2.28	1.38	1.33
6	L	312	BCL	MG-NB	2.25	2.10	2.05
6	L	314	BCL	MG-ND	-2.24	2.01	2.05
6	L	314	BCL	C1D-ND	2.19	1.40	1.37
15	H	801	PC7	C1-C2	2.16	1.57	1.50
7	M	401	BPH	C4D-ND	-2.13	1.35	1.38
7	L	402	BPH	C1D-C2D	2.08	1.41	1.39
7	L	402	BPH	C3B-C2B	-2.07	1.36	1.39
6	L	312	BCL	C3B-C4B	2.05	1.45	1.41
7	L	402	BPH	C4D-ND	-2.05	1.35	1.38

All (128) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	M	401	BPH	C4D-CHA-CBD	-7.00	105.10	108.45
7	M	401	BPH	O2D-CGD-CBD	6.01	117.55	110.95
7	L	402	BPH	O2D-CGD-CBD	5.86	117.39	110.95
10	M	800	CDL	OA6-CA5-C11	4.94	122.17	111.48
7	L	402	BPH	C1-C2-C3	-4.81	118.32	126.20
10	M	800	CDL	OB6-CB5-C51	4.48	121.17	111.48
8	M	501	U10	C32-C33-C34	-4.24	117.92	127.62
7	L	402	BPH	C4D-CHA-CBD	-4.21	106.43	108.45
6	M	313	BCL	C2B-C1B-NB	-4.16	106.02	110.33
6	L	314	BCL	O2D-CGD-CBD	4.12	118.42	111.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	L	502	U10	C30-C29-C31	4.06	122.27	115.23
6	M	313	BCL	C4D-CHA-C1A	3.95	125.96	121.24
6	M	311	BCL	C1-O2A-CGA	3.92	126.15	116.65
6	M	313	BCL	C1-C2-C3	-3.76	120.04	126.20
8	M	501	U10	C30-C29-C31	3.75	121.74	115.23
6	M	311	BCL	C4-C3-C2	-3.71	114.11	123.63
7	M	401	BPH	C1-C2-C3	-3.66	120.20	126.20
7	M	401	BPH	C2B-C1B-NB	-3.66	106.78	109.43
8	L	502	U10	C31-C29-C28	-3.63	113.02	121.17
6	L	312	BCL	CAA-C2A-C3A	-3.55	103.41	113.00
6	L	312	BCL	C2B-C1B-NB	-3.48	106.72	110.33
8	L	502	U10	O2-C2-C3	-3.45	113.71	121.03
8	L	502	U10	C1M-C1-C6	-3.42	118.82	124.45
6	M	311	BCL	C4D-CHA-C1A	3.33	125.22	121.24
8	L	502	U10	C35-C34-C33	-3.32	115.11	123.63
7	M	401	BPH	C1-O2A-CGA	3.31	124.66	116.65
6	M	313	BCL	C1D-ND-C4D	3.26	108.60	106.31
15	H	801	PC7	O2-C31-C32	3.26	118.53	111.48
8	L	502	U10	C7-C6-C5	-3.25	114.74	118.52
7	M	401	BPH	C2D-C1D-ND	-3.23	107.09	109.43
8	M	501	U10	C17-C18-C19	-3.21	120.28	127.62
6	L	314	BCL	CAA-C2A-C3A	-3.18	104.41	113.00
11	M	802	PCK	O3-C3-C2	3.17	117.53	108.40
8	M	501	U10	C31-C29-C28	-3.14	114.11	121.17
6	M	311	BCL	CHA-C1A-NA	-3.13	119.31	126.39
6	L	312	BCL	C3B-C4B-NB	-3.13	105.63	109.76
6	M	313	BCL	CHA-C1A-NA	-3.12	119.32	126.39
7	M	401	BPH	OBD-CAD-CBD	-3.10	121.27	125.82
6	L	314	BCL	CAA-CBA-CGA	3.08	121.95	113.21
6	M	313	BCL	CHD-C1D-ND	-3.04	120.53	124.80
7	L	402	BPH	C2D-C1D-ND	-3.04	107.24	109.43
11	M	802	PCK	O3-C11-C12	3.03	121.09	111.83
6	M	311	BCL	C2B-C1B-NB	-3.03	107.18	110.33
6	M	313	BCL	O2D-CGD-O1D	-3.03	117.96	123.85
6	L	314	BCL	C2B-C1B-NB	-3.00	107.22	110.33
11	M	802	PCK	O2-C31-C32	2.99	117.95	111.48
8	L	502	U10	C25-C24-C26	2.98	120.39	115.23
6	M	311	BCL	C3B-C4B-NB	-2.97	105.84	109.76
7	M	401	BPH	CMA-C3A-C4A	-2.96	108.24	114.61
7	L	402	BPH	O2D-CGD-O1D	-2.95	118.10	123.85
12	H	908	LDA	CM1-N1-C1	2.91	116.35	110.23
6	L	312	BCL	CHA-C1A-NA	-2.91	119.80	126.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	L	502	U10	C12-C13-C14	-2.90	120.99	127.62
6	L	312	BCL	C4D-CHA-C1A	2.88	124.67	121.24
6	L	312	BCL	C2C-C3C-C4C	2.87	105.63	101.34
6	L	314	BCL	CBC-CAC-C3C	2.86	119.48	113.41
6	M	313	BCL	C4A-NA-C1A	2.86	107.98	106.68
8	M	501	U10	C22-C23-C24	-2.82	121.17	127.62
6	M	311	BCL	CAA-C2A-C3A	-2.81	105.40	113.00
8	M	501	U10	C15-C14-C16	2.79	120.07	115.23
6	M	311	BCL	CHD-C1D-ND	-2.78	120.89	124.80
10	M	800	CDL	OA8-CA7-C31	2.76	120.25	111.83
6	L	312	BCL	CBA-CAA-C2A	2.74	121.95	113.79
6	L	314	BCL	OBb-CAB-C3B	2.73	125.26	120.43
6	M	311	BCL	CMA-C3A-C4A	-2.71	104.48	111.77
6	L	314	BCL	OBb-CAB-CBB	-2.64	113.86	119.77
7	L	402	BPH	O2A-CGA-O1A	-2.63	117.04	123.63
6	M	313	BCL	CAC-C3C-C4C	-2.63	106.74	112.58
11	M	802	PCK	C18-C19-C20	-2.63	108.96	115.61
6	M	313	BCL	C11-C10-C8	-2.61	107.29	115.97
8	M	501	U10	C7-C6-C5	-2.59	115.51	118.52
6	L	312	BCL	C1C-NC-C4C	2.58	107.86	106.68
6	M	311	BCL	CAA-CBA-CGA	2.57	120.51	113.21
8	M	501	U10	C6-C1-C2	2.56	121.19	119.17
6	M	311	BCL	C5-C3-C2	2.55	126.90	121.17
15	H	801	PC7	C2-O2-C31	-2.55	111.70	117.80
6	M	313	BCL	C2C-C3C-C4C	2.54	105.15	101.34
6	M	313	BCL	CHD-C1D-C2D	2.52	130.74	125.49
6	L	312	BCL	CHD-C1D-C2D	2.49	130.68	125.49
10	M	800	CDL	OA8-CA7-OA9	-2.48	117.42	123.63
6	M	313	BCL	CMB-C2B-C1B	-2.48	121.64	125.42
7	M	401	BPH	CAA-C2A-C3A	-2.45	106.37	113.00
10	M	800	CDL	OA6-CA5-OA7	-2.44	117.99	123.70
6	L	312	BCL	C2D-C1D-ND	-2.41	107.74	110.13
7	M	401	BPH	O1D-CGD-CBD	-2.41	121.07	124.72
7	M	401	BPH	CMA-C3A-C2A	-2.41	104.83	114.13
8	L	502	U10	C35-C34-C36	2.41	119.41	115.23
6	M	311	BCL	C1D-ND-C4D	2.40	108.00	106.31
6	L	314	BCL	C4D-CHA-C1A	2.39	124.10	121.24
6	L	314	BCL	O1D-CGD-CBD	-2.39	119.80	124.52
6	M	313	BCL	CHC-C1C-NC	2.38	127.84	124.40
6	L	314	BCL	C5-C3-C2	-2.37	115.85	121.17
6	L	312	BCL	C4-C3-C5	2.34	119.29	115.23
6	L	312	BCL	CHD-C1D-ND	-2.31	121.55	124.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	312	BCL	CED-O2D-CGD	2.31	121.14	115.92
8	M	501	U10	C25-C24-C26	2.29	119.20	115.23
6	M	313	BCL	C3B-C4B-NB	-2.28	106.74	109.76
7	L	402	BPH	CMA-C3A-C2A	-2.28	105.33	114.13
15	H	801	PC7	O3-C11-C12	2.25	118.69	111.83
6	L	314	BCL	CMC-C2C-C3C	-2.23	105.36	113.98
8	L	502	U10	C22-C23-C24	-2.23	122.52	127.62
7	M	401	BPH	CMD-C2D-C3D	2.23	129.13	124.68
8	L	502	U10	C3M-O3-C3	2.22	124.27	116.47
8	M	501	U10	C26-C27-C28	-2.22	101.06	112.02
7	M	401	BPH	OBB-CAB-C3B	2.21	123.69	119.99
6	M	311	BCL	C2A-C1A-CHA	2.20	127.69	123.87
6	M	311	BCL	CMA-C3A-C2A	-2.19	105.52	113.98
6	L	314	BCL	C4-C3-C5	2.18	119.01	115.23
6	M	311	BCL	C4-C3-C5	2.17	118.99	115.23
10	M	800	CDL	CA6-OA8-CA7	2.16	125.02	117.12
6	L	314	BCL	CAC-C3C-C4C	-2.15	107.80	112.58
8	M	501	U10	C10-C9-C11	2.15	118.95	115.23
8	L	502	U10	C15-C14-C13	-2.13	118.17	123.63
6	M	313	BCL	C4-C3-C5	2.12	118.91	115.23
6	M	313	BCL	C4D-C3D-CAD	-2.10	105.82	108.11
6	L	314	BCL	CMA-C3A-C2A	-2.10	105.86	113.98
6	M	311	BCL	OBB-CAB-C3B	2.10	124.14	120.43
8	L	502	U10	O2-C2-C1	2.09	126.57	120.73
6	M	311	BCL	C6-C5-C3	-2.09	108.38	113.47
6	M	311	BCL	CHD-C1D-C2D	2.08	129.81	125.49
7	M	401	BPH	CAA-CBA-CGA	2.07	119.08	113.21
11	M	802	PCK	BR1-C19-C18	2.05	112.44	108.87
6	L	314	BCL	CHA-C1A-NA	-2.05	121.74	126.39
6	L	312	BCL	CAA-C2A-C1A	-2.04	105.28	111.97
6	L	314	BCL	CMB-C2B-C1B	-2.04	122.32	125.42
6	L	312	BCL	CMB-C2B-C1B	-2.02	122.34	125.42
8	M	501	U10	C11-C9-C8	-2.01	116.65	121.17
7	M	401	BPH	CMB-C2B-C3B	2.00	128.68	124.68

There are no chirality outliers.

All (196) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	M	401	BPH	C11-C10-C8-C9
10	M	800	CDL	CA2-OA2-PA1-OA3
10	M	800	CDL	CA2-OA2-PA1-OA4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	M	800	CDL	CA2-OA2-PA1-OA5
10	M	800	CDL	CB2-OB2-PB2-OB5
11	M	802	PCK	C40-C41-C42-C43
11	M	802	PCK	C32-C31-O2-C2
11	M	802	PCK	O3P-C1-C2-O2
11	M	802	PCK	C1-O3P-P-O1P
11	M	802	PCK	C1-O3P-P-O4P
11	M	802	PCK	C4-O4P-P-O2P
11	M	802	PCK	O4P-C4-C5-N
11	M	802	PCK	BR1-C19-C20-C21
11	M	802	PCK	BR2-C20-C21-C22
12	M	920	LDA	C2-C1-N1-O1
12	M	920	LDA	C2-C1-N1-CM1
12	M	920	LDA	C2-C1-N1-CM2
12	H	903	LDA	C2-C1-N1-O1
12	H	903	LDA	C2-C1-N1-CM2
12	H	904	LDA	N1-C1-C2-C3
12	H	908	LDA	C2-C1-N1-O1
12	H	908	LDA	C2-C1-N1-CM1
12	H	908	LDA	N1-C1-C2-C3
13	M	707	GOL	O1-C1-C2-C3
13	M	710	GOL	O1-C1-C2-C3
13	M	710	GOL	C1-C2-C3-O3
15	H	801	PC7	O31-C31-O2-C2
15	H	801	PC7	C1-O3P-P-O1P
15	H	801	PC7	C1-O3P-P-O2P
15	H	801	PC7	C1-O3P-P-O4P
15	H	801	PC7	O4P-C4-C5-N
11	M	802	PCK	O31-C31-O2-C2
15	H	801	PC7	C32-C31-O2-C2
10	M	800	CDL	OA9-CA7-OA8-CA6
8	L	502	U10	C30-C29-C31-C32
8	L	502	U10	C28-C29-C31-C32
10	M	800	CDL	C31-CA7-OA8-CA6
6	M	311	BCL	C2-C3-C5-C6
8	L	502	U10	C24-C26-C27-C28
12	M	920	LDA	C7-C8-C9-C10
6	M	311	BCL	C4-C3-C5-C6
8	M	501	U10	C29-C31-C32-C33
10	M	800	CDL	CA7-C31-C32-C33
11	M	802	PCK	C31-C32-C33-C34
7	M	401	BPH	C13-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	M	800	CDL	CB7-C71-C72-C73
11	M	802	PCK	C11-C12-C13-C14
15	H	801	PC7	C12-C11-O3-C3
13	H	709	GOL	O1-C1-C2-C3
15	H	801	PC7	O11-C11-O3-C3
10	M	800	CDL	C36-C37-C38-C39
6	M	311	BCL	C2-C1-O2A-CGA
12	H	908	LDA	C6-C7-C8-C9
10	M	800	CDL	C15-C16-C17-C18
10	M	800	CDL	C54-C55-C56-C57
11	M	802	PCK	C35-C36-C37-C38
13	M	707	GOL	O1-C1-C2-O2
13	M	710	GOL	O1-C1-C2-O2
13	M	710	GOL	O2-C2-C3-O3
13	H	709	GOL	O1-C1-C2-O2
12	H	901	LDA	C11-C10-C9-C8
12	H	908	LDA	C11-C10-C9-C8
10	M	800	CDL	C19-C20-C21-C22
11	M	802	PCK	C18-C19-C20-C21
10	M	800	CDL	C18-C19-C20-C21
7	L	402	BPH	C8-C10-C11-C12
12	H	908	LDA	C5-C6-C7-C8
10	M	800	CDL	C39-C40-C41-C42
12	H	908	LDA	C7-C8-C9-C10
11	M	802	PCK	C33-C34-C35-C36
11	M	802	PCK	C12-C13-C14-C15
10	M	800	CDL	C11-CA5-OA6-CA4
10	M	800	CDL	C51-CB5-OB6-CB4
11	M	802	PCK	C34-C35-C36-C37
10	M	800	CDL	OA7-CA5-OA6-CA4
12	M	907	LDA	C1-C2-C3-C4
12	H	901	LDA	C1-C2-C3-C4
10	M	800	CDL	OB7-CB5-OB6-CB4
11	M	802	PCK	O2-C2-C3-O3
12	M	920	LDA	C3-C4-C5-C6
6	M	313	BCL	C16-C17-C18-C19
15	H	801	PC7	C44-C45-C46-C47
10	M	800	CDL	C71-C72-C73-C74
13	H	706	GOL	O2-C2-C3-O3
10	M	800	CDL	OA5-CA3-CA4-CA6
11	M	802	PCK	O3P-C1-C2-C3
8	L	502	U10	C15-C14-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	H	801	PC7	C42-C43-C44-C45
12	H	903	LDA	C1-C2-C3-C4
11	M	802	PCK	C1-C2-C3-O3
15	H	801	PC7	C22-C23-C24-C25
8	L	502	U10	C13-C14-C16-C17
11	M	802	PCK	C32-C33-C34-C35
10	M	800	CDL	C74-C75-C76-C77
15	H	801	PC7	C1-C2-O2-C31
15	H	801	PC7	C33-C34-C35-C36
15	H	801	PC7	C32-C33-C34-C35
10	M	800	CDL	C34-C35-C36-C37
15	H	801	PC7	C14-C15-C16-C17
8	L	502	U10	C25-C24-C26-C27
12	H	908	LDA	C4-C5-C6-C7
15	H	801	PC7	C17-C18-C19-C20
11	M	802	PCK	BR1-C19-C20-BR2
6	M	311	BCL	C12-C13-C15-C16
7	M	401	BPH	C11-C10-C8-C7
6	M	313	BCL	C16-C17-C18-C20
6	M	311	BCL	C15-C16-C17-C18
15	H	801	PC7	C11-C12-C13-C14
10	M	800	CDL	OA5-CA3-CA4-OA6
12	H	904	LDA	C5-C6-C7-C8
12	H	908	LDA	C1-C2-C3-C4
15	H	801	PC7	C41-C42-C43-C44
10	M	800	CDL	OA6-CA4-CA6-OA8
15	H	801	PC7	O2-C2-C3-O3
15	H	801	PC7	C12-C13-C14-C15
7	L	402	BPH	C2-C3-C5-C6
11	M	802	PCK	C25-C26-C27-C28
6	L	314	BCL	C14-C13-C15-C16
6	M	311	BCL	C4C-C3C-CAC-CBC
13	H	705	GOL	O2-C2-C3-O3
8	M	501	U10	C30-C29-C31-C32
8	L	502	U10	C23-C24-C26-C27
10	M	800	CDL	C52-C53-C54-C55
11	M	802	PCK	C18-C19-C20-BR2
6	L	314	BCL	C12-C13-C15-C16
12	H	904	LDA	C1-C2-C3-C4
11	M	802	PCK	C23-C24-C25-C26
10	M	800	CDL	C35-C36-C37-C38
15	H	801	PC7	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	H	801	PC7	C15-C16-C17-C18
7	L	402	BPH	C4-C3-C5-C6
12	H	903	LDA	C5-C6-C7-C8
7	M	401	BPH	C2C-C3C-CAC-CBC
12	M	907	LDA	C6-C7-C8-C9
12	H	908	LDA	C2-C1-N1-CM2
8	M	501	U10	C28-C29-C31-C32
7	M	401	BPH	C10-C11-C12-C13
7	M	401	BPH	C3-C5-C6-C7
12	M	902	LDA	C2-C3-C4-C5
10	M	800	CDL	C81-C82-C83-C84
10	M	800	CDL	OB9-CB7-OB8-CB6
12	M	920	LDA	C5-C6-C7-C8
12	M	902	LDA	C9-C10-C11-C12
6	M	311	BCL	C11-C10-C8-C7
12	M	907	LDA	C7-C8-C9-C10
7	M	401	BPH	C4C-C3C-CAC-CBC
10	M	800	CDL	C71-CB7-OB8-CB6
12	H	903	LDA	C4-C5-C6-C7
12	H	901	LDA	C9-C10-C11-C12
12	M	907	LDA	C5-C6-C7-C8
6	L	314	BCL	CHA-CBD-CGD-O1D
6	L	314	BCL	CHA-CBD-CGD-O2D
10	M	800	CDL	CB2-OB2-PB2-OB3
11	M	802	PCK	BR4-C40-C41-C42
10	M	800	CDL	C72-C73-C74-C75
6	M	311	BCL	C14-C13-C15-C16
11	M	802	PCK	C15-C16-C17-C18
12	H	903	LDA	C7-C8-C9-C10
8	L	502	U10	C20-C19-C21-C22
10	M	800	CDL	C32-C33-C34-C35
13	M	707	GOL	O2-C2-C3-O3
15	H	801	PC7	C2-C1-O3P-P
8	M	501	U10	C5-C4-O4-C4M
12	M	907	LDA	C9-C10-C11-C12
8	L	502	U10	C18-C19-C21-C22
11	M	802	PCK	C17-C18-C19-C20
12	H	901	LDA	C5-C6-C7-C8
10	M	800	CDL	C11-C12-C13-C14
6	M	313	BCL	CAA-CBA-CGA-O2A
11	M	802	PCK	C17-C18-C19-BR1
10	M	800	CDL	CA3-CA4-CA6-OA8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	H	706	GOL	C1-C2-C3-O3
7	M	401	BPH	C16-C17-C18-C19
12	H	903	LDA	C9-C10-C11-C12
7	M	401	BPH	C6-C7-C8-C10
10	M	800	CDL	C75-C76-C77-C78
7	L	402	BPH	O2A-C1-C2-C3
11	M	802	PCK	C5-C4-O4P-P
6	M	311	BCL	C11-C10-C8-C9
10	M	800	CDL	C37-C38-C39-C40
10	M	800	CDL	C20-C21-C22-C23
12	H	903	LDA	C2-C1-N1-CM1
12	M	920	LDA	C9-C10-C11-C12
12	H	904	LDA	C9-C10-C11-C12
11	M	802	PCK	C45-C46-C47-C48
8	M	501	U10	C25-C24-C26-C27
12	M	907	LDA	C11-C10-C9-C8
8	L	502	U10	C3-C4-O4-C4M
12	H	903	LDA	C2-C3-C4-C5
12	H	901	LDA	C2-C1-N1-O1
13	H	708	GOL	O1-C1-C2-O2
11	M	802	PCK	C41-C42-C43-C44
12	H	904	LDA	C3-C4-C5-C6
7	L	402	BPH	CAD-CBD-CGD-O2D
12	H	901	LDA	C6-C7-C8-C9
10	M	800	CDL	C78-C79-C80-C81

There are no ring outliers.

15 monomers are involved in 50 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	H	801	PC7	2	0
8	L	502	U10	4	0
12	M	907	LDA	1	0
6	L	312	BCL	3	0
11	M	802	PCK	11	0
12	H	901	LDA	2	0
6	M	311	BCL	16	0
12	H	908	LDA	4	0
7	M	401	BPH	4	0
8	M	501	U10	1	0
7	L	402	BPH	5	0
6	M	313	BCL	6	0




Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	M	800	CDL	1	0
12	M	920	LDA	3	0
6	L	314	BCL	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand BPH L 402



Ligand BCL M 313





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	281/281 (100%)	0.16	6 (2%) 63 65	36, 53, 66, 82	3 (1%)
2	M	302/307 (98%)	0.19	11 (3%) 46 46	32, 53, 64, 89	12 (3%)
3	H	241/260 (92%)	0.13	4 (1%) 69 71	34, 52, 61, 95	8 (3%)
All	All	824/848 (97%)	0.16	21 (2%) 58 61	32, 53, 65, 95	23 (2%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	M	1	ALA	7.9
2	M	2[A]	GLU	6.5
3	H	251	VAL	5.7
2	M	3	TYR	4.5
1	L	277	GLY	3.8
2	M	302	GLY	3.7
2	M	75	TRP	3.4
3	H	250	SER	3.0
2	M	126	VAL	2.7
3	H	245	ALA	2.7
2	M	148	TRP	2.6
2	M	52	LEU	2.5
1	L	67	TYR	2.5
3	H	175	MET	2.4
1	L	59	TRP	2.4
2	M	114	LEU	2.3
1	L	268	LYS	2.3
1	L	281	GLY	2.1
1	L	270	PRO	2.1
2	M	134	TYR	2.0
2	M	67	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
13	GOL	H	709	6/6	0.58	0.83	55,56,57,58	6
13	GOL	M	710	6/6	0.62	0.53	55,57,58,60	6
13	GOL	M	707	6/6	0.68	0.57	49,50,52,52	6
13	GOL	H	708	6/6	0.70	0.67	47,49,50,52	6
11	PCK	M	802	58/58	0.73	0.52	60,69,82,84	58
15	PC7	H	801	52/52	0.75	0.41	24,60,69,69	52
10	CDL	M	800	81/100	0.78	0.39	43,67,79,82	81
12	LDA	M	902	16/16	0.82	0.34	59,64,67,68	16
4	PO4	H	704	5/5	0.82	0.24	71,73,74,75	5
5	CL	L	712	1/1	0.83	0.46	66,66,66,66	1
5	CL	M	711	1/1	0.84	0.38	74,74,74,74	1
12	LDA	H	908	16/16	0.85	0.44	45,51,61,61	16
12	LDA	H	903	16/16	0.85	0.23	56,61,64,65	16
12	LDA	H	904	16/16	0.85	0.43	53,54,58,58	16
4	PO4	M	702	5/5	0.87	0.12	53,53,54,55	5
12	LDA	M	907	16/16	0.88	0.34	56,59,65,66	16
12	LDA	M	920	16/16	0.88	0.32	42,46,59,59	16
13	GOL	H	706	6/6	0.89	0.20	71,72,73,74	6
4	PO4	L	703	5/5	0.90	0.20	61,61,62,65	5
8	U10	L	502	48/63	0.91	0.23	40,55,73,75	48
12	LDA	H	901	16/16	0.94	0.18	61,63,66,68	16
8	U10	M	501	48/63	0.94	0.13	49,61,81,84	0
6	BCL	M	311	66/66	0.94	0.12	46,54,119,120	0
13	GOL	H	705	6/6	0.94	0.17	48,58,59,61	6
6	BCL	M	313	66/66	0.95	0.10	42,50,79,87	0
7	BPH	M	401	65/65	0.95	0.11	45,55,106,107	0
14	K	H	700	1/1	0.96	0.05	57,57,57,57	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	PO4	M	701	5/5	0.96	0.05	57,58,62,62	5
7	BPH	L	402	65/65	0.97	0.08	40,52,60,61	0
6	BCL	L	312	66/66	0.97	0.08	42,50,63,67	0
6	BCL	L	314	66/66	0.97	0.07	41,48,67,71	0
9	FE	M	500	1/1	1.00	0.03	51,51,51,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PC7 H 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around CDL M 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U10 L 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U10 M 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 311:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL M 313:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH L 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL L 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BCL L 314:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.