



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 12:01 PM EDT

PDB ID : 6WY0 / pdb_00006wy0
Title : CRYSTAL STRUCTURE OF MYELOPEROXIDASE SUBFORM C (MPO)
COMPLEX WITH Compound-40 A.K.A 7-[(1R)-1-phenyl-3-{[(1r,4r)-4-phenylcyclohexyl]amino}propyl]-3H-[1,2,3]triazolo[4,5-b]pyridin-5-amine
Authors : Khan, J.A.
Deposited on : 2020-05-12
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	105	% 83% 14% ..
1	D	105	% 91% 7% ..
1	F	105	92% 7% .
1	H	105	88% 10% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	B	467	
2	E	467	
2	G	467	
2	I	467	
3	C	6	
3	K	6	
3	M	6	
3	N	6	
4	J	2	
4	L	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	HEC	A	201	X	-	-	-
5	HEC	D	201	X	-	-	-
5	HEC	G	601	X	-	-	-
5	HEC	I	601	X	-	-	-
8	CL	D	202	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 18744 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Myeloperoxidase light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	103	Total	C	N	O	S	3	0	0
			825	522	145	153	5			
1	D	104	Total	C	N	O	S	0	0	0
			823	522	146	150	5			
1	F	104	Total	C	N	O	S	3	0	0
			824	522	145	152	5			
1	H	103	Total	C	N	O	S	0	0	0
			817	518	145	149	5			

- Molecule 2 is a protein called Myeloperoxidase heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	464	Total	C	N	O	S	25	0	0
			3638	2295	658	658	27			
2	E	465	Total	C	N	O	S	31	0	0
			3647	2307	655	658	27			
2	G	464	Total	C	N	O	S	28	0	0
			3650	2312	650	661	27			
2	I	465	Total	C	N	O	S	32	0	0
			3640	2305	652	656	27			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	6	Total	C	N	O	0	0	0
			71	40	2	29			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	K	6	Total	C	N	O	0	0	0
			71	40	2	29			
3	M	6	Total	C	N	O	0	0	0
			71	40	2	29			
3	N	6	Total	C	N	O	0	0	0
			71	40	2	29			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	L	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is HEME C (CCD ID: HEC) (formula: $C_{34}H_{36}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0
			43	34	1	4	4	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	G	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	I	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	E	1	Total	C	N	O	0	0
			14	8	1	5		
6	G	1	Total	C	N	O	0	0
			14	8	1	5		
6	I	1	Total	C	N	O	0	0
			14	8	1	5		
6	I	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	B	1	Total Ca 1 1	0	0
7	E	1	Total Ca 1 1	0	0
7	G	1	Total Ca 1 1	0	0
7	I	1	Total Ca 1 1	0	0

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	2	Total Cl 2 2	0	0
8	D	1	Total Cl 1 1	0	0
8	E	2	Total Cl 2 2	0	0
8	F	1	Total Cl 1 1	0	0
8	G	1	Total Cl 1 1	0	0
8	I	1	Total Cl 1 1	0	0

- Molecule 9 is 7-((1R)-1-phenyl-3-[(trans-4-phenylcyclohexyl)amino]propyl)-3H-[1,2,3]triazolo[4,5-b]pyridin-5-amine (CCD ID: UFA) (formula: C₂₆H₃₀N₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	N	0	0
			27	21	6		
9	E	1	Total	C	N	0	0
			32	26	6		
9	G	1	Total	C	N	0	0
			32	26	6		
9	I	1	Total	C	N	0	0
			32	26	6		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	3	Total	O	0	0
			3	3		
10	B	28	Total	O	0	0
			28	28		
10	D	12	Total	O	0	0
			12	12		
10	E	31	Total	O	0	0
			31	31		
10	F	8	Total	O	0	0
			8	8		
10	G	28	Total	O	0	0
			28	28		
10	H	8	Total	O	0	0
			8	8		
10	I	31	Total	O	0	0
			31	31		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain



- Molecule 1: Myeloperoxidase light chain




- Molecule 2: Myeloperoxidase heavy chain







- Molecule 2: Myeloperoxidase heavy chain



- Molecule 2: Myeloperoxidase heavy chain



- Molecule 2: Myeloperoxidase heavy chain



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose






- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M: 50% 50%



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 33% 67%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L: 100%



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	145.35Å 151.40Å 229.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.69 – 2.80 47.69 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.69-2.80) 99.9 (47.69-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.77 (at 2.81Å)	Xtriage
Refinement program	BUSTER 2.11.7 (17-DEC-2019)	Depositor
R, R_{free}	0.185 , 0.216 0.191 , 0.221	Depositor DCC
R_{free} test set	3170 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	53.4	Xtriage
Anisotropy	0.218	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.037 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	18744	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, FUC, CL, MAN, NAG, HEC, UFA, CSO, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.72	0/850	1.04	1/1159 (0.1%)
1	D	0.76	0/848	1.05	0/1157
1	F	0.76	0/849	1.05	2/1159 (0.2%)
1	H	0.74	0/842	1.05	2/1149 (0.2%)
2	B	0.73	0/3715	1.05	4/5052 (0.1%)
2	E	0.77	0/3724	1.06	1/5065 (0.0%)
2	G	0.76	1/3727 (0.0%)	1.04	5/5065 (0.1%)
2	I	0.75	0/3717	1.04	5/5057 (0.1%)
All	All	0.75	1/18272 (0.0%)	1.05	20/24863 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	333	ARG	C-N	5.70	1.41	1.34

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	347	ASP	CA-CB-CG	7.09	119.69	112.60
2	I	348	ASN	CA-CB-CG	6.58	119.19	112.60
2	E	356	ASN	CA-CB-CG	5.82	118.42	112.60
2	I	375	GLY	N-CA-C	5.66	123.15	115.00
2	I	317	ASN	CA-CB-CG	5.65	118.25	112.60
2	I	147	PHE	CA-CB-CG	5.61	119.41	113.80
2	B	147	PHE	CA-CB-CG	5.49	119.29	113.80
2	B	348	ASN	CA-CB-CG	5.38	117.98	112.60
1	F	37	TYR	CA-C-N	5.27	127.60	120.38
1	F	37	TYR	C-N-CA	5.27	127.60	120.38
2	G	147	PHE	CA-CB-CG	5.21	119.01	113.80
2	G	432	GLY	CA-C-N	5.20	128.02	120.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	432	GLY	C-N-CA	5.20	128.02	120.79
2	G	203	PHE	N-CA-C	5.20	117.09	109.24
2	I	203	PHE	N-CA-C	5.16	117.03	109.24
2	B	407	PHE	CA-C-N	5.11	127.38	120.38
2	B	407	PHE	C-N-CA	5.11	127.38	120.38
1	H	37	TYR	CA-C-N	5.03	127.27	120.38
1	H	37	TYR	C-N-CA	5.03	127.27	120.38
1	A	15	ASN	N-CA-C	-5.00	105.73	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	825	0	780	10	0
1	D	823	0	779	7	0
1	F	824	0	774	4	0
1	H	817	0	772	7	0
2	B	3638	0	3562	28	0
2	E	3647	0	3589	25	0
2	G	3650	0	3598	19	0
2	I	3640	0	3572	20	0
3	C	71	0	61	0	0
3	K	71	0	61	0	0
3	M	71	0	61	0	0
3	N	71	0	61	0	0
4	J	28	0	25	0	0
4	L	28	0	25	0	0
5	A	43	0	28	1	0
5	D	43	0	28	2	0
5	G	43	0	28	2	0
5	I	43	0	28	1	0
6	B	28	0	26	0	0
6	E	14	0	13	0	0
6	G	14	0	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	I	28	0	26	0	0
7	B	1	0	0	0	0
7	E	1	0	0	0	0
7	G	1	0	0	0	0
7	I	1	0	0	0	0
8	B	2	0	0	0	0
8	D	1	0	0	2	0
8	E	2	0	0	1	0
8	F	1	0	0	0	0
8	G	1	0	0	0	0
8	I	1	0	0	0	0
9	B	27	0	0	0	0
9	E	32	0	0	1	0
9	G	32	0	0	1	0
9	I	32	0	0	0	0
10	A	3	0	0	0	0
10	B	28	0	0	0	0
10	D	12	0	0	0	0
10	E	31	0	0	0	0
10	F	8	0	0	0	0
10	G	28	0	0	0	0
10	H	8	0	0	0	0
10	I	31	0	0	0	0
All	All	18744	0	17910	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:119:CYS:HG	2:B:143:CYS:HG	1.13	0.95
2:I:119:CYS:HG	2:I:143:CYS:HG	0.93	0.89
2:E:119:CYS:HG	2:E:143:CYS:HG	0.89	0.84
2:E:440:CYS:HG	2:E:497:CYS:HG	1.06	0.82
2:G:119:CYS:HG	2:G:143:CYS:HG	1.22	0.81
2:G:440:CYS:HG	2:G:497:CYS:HG	1.20	0.78
2:E:447:THR:HG22	2:E:450:GLN:H	1.52	0.73
2:I:333:ARG:HH11	2:I:421:ASN:HD22	1.35	0.71
2:B:153:CYS:HG	2:E:153:CYS:HG	1.39	0.70
1:D:84:LEU:HD21	2:E:340:GLN:HG3	1.75	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:448:VAL:HB	2:B:465:MET:HG3	1.77	0.66
1:F:90:GLY:C	5:G:601:HEC:HBC3	2.22	0.65
2:I:211:LEU:HD23	2:I:254:LEU:HD22	1.78	0.64
2:B:333:ARG:HH11	2:B:421:ASN:HD22	1.45	0.64
2:I:333:ARG:HH11	2:I:421:ASN:ND2	1.98	0.62
1:D:31:ARG:HD3	8:D:202:CL:CL	2.37	0.62
1:A:90:GLY:C	5:A:201:HEC:HBC3	2.27	0.60
2:B:394:GLN:HB3	2:B:460:LEU:HD22	1.85	0.59
2:E:242:GLU:HG3	9:E:605:UFA:N4	2.17	0.59
2:I:394:GLN:HB3	2:I:460:LEU:HD22	1.84	0.59
2:B:211:LEU:HD23	2:B:254:LEU:HD22	1.84	0.58
2:E:448:VAL:HB	2:E:465:MET:HG3	1.85	0.58
1:A:1:CYS:HG	1:A:14:CYS:HG	1.45	0.58
2:G:153:CYS:SG	2:G:156:SER:HB2	2.43	0.58
2:I:153:CYS:HB3	2:I:159:THR:HG21	1.86	0.57
1:D:90:GLY:C	5:D:201:HEC:HBC3	2.29	0.56
2:G:367:ALA:HB1	2:G:370:ARG:HG3	1.87	0.55
2:E:211:LEU:HD23	2:E:254:LEU:HD22	1.89	0.55
1:D:84:LEU:HD13	2:E:389:ALA:HA	1.90	0.53
1:H:90:GLY:C	5:I:601:HEC:HBC3	2.33	0.53
2:B:284:VAL:HA	2:B:287:MET:HE2	1.89	0.53
2:I:448:VAL:HB	2:I:465:MET:HG3	1.90	0.53
2:B:153:CYS:SG	2:B:156:SER:HB2	2.48	0.52
2:E:367:ALA:HB1	2:E:370:ARG:HG3	1.92	0.51
2:E:153:CYS:SG	2:E:156:SER:HB2	2.51	0.51
1:H:13:MET:O	1:H:14:CYS:HB2	2.11	0.51
2:G:448:VAL:HB	2:G:465:MET:HG3	1.93	0.49
1:H:22:LEU:HB3	2:I:322:PRO:HD2	1.94	0.49
2:I:153:CYS:SG	2:I:156:SER:HB2	2.52	0.49
2:B:117:THR:HG21	2:G:486:LYS:HA	1.94	0.49
2:B:119:CYS:SG	2:G:456:ARG:HG2	2.54	0.48
2:G:447:THR:HG23	2:G:450:GLN:H	1.77	0.48
2:G:440:CYS:CB	2:G:497:CYS:HG	2.25	0.48
2:G:548:LYS:HE2	2:G:560:ASP:HA	1.96	0.48
1:H:68:ILE:CD1	2:I:463:LYS:HB3	2.44	0.48
2:B:283:ILE:O	2:B:287:MET:HG3	2.14	0.48
1:A:102:GLU:HG2	2:B:147:PHE:HB2	1.95	0.47
2:G:153:CYS:HG	2:I:153:CYS:CB	2.27	0.47
2:E:333:ARG:HH11	2:E:421:ASN:ND2	2.13	0.47
1:A:16:ASN:O	1:A:20:PRO:HA	2.15	0.47
8:D:202:CL:CL	8:E:604:CL:CL	3.08	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:440:CYS:CB	2:E:497:CYS:HG	2.26	0.46
1:D:16:ASN:O	1:D:20:PRO:HA	2.15	0.46
2:E:507:ARG:HG3	2:E:513:TRP:CE2	2.50	0.46
5:D:201:HEC:HAC	2:E:332:PHE:O	2.15	0.46
1:H:81:GLU:HG2	2:I:553:MET:HE3	1.98	0.46
1:A:22:LEU:HB3	2:B:322:PRO:HD2	1.98	0.45
2:I:440:CYS:CB	2:I:497:CYS:HG	2.29	0.45
1:A:103:PRO:HD2	2:B:147:PHE:HB3	1.98	0.45
2:B:433:TYR:HB3	2:B:471:PRO:O	2.16	0.45
2:B:506:LEU:O	2:B:510:ASP:HB2	2.17	0.45
1:A:63:ALA:O	1:A:67:GLU:HG2	2.17	0.45
2:B:440:CYS:CB	2:B:497:CYS:HG	2.29	0.44
2:B:507:ARG:HG3	2:B:513:TRP:CE2	2.53	0.44
1:F:16:ASN:O	1:F:20:PRO:HA	2.17	0.44
2:I:205:ASP:HB2	2:I:210:LEU:HD21	2.00	0.44
2:I:406:LEU:HD22	2:I:417:LEU:HB2	2.00	0.44
2:B:333:ARG:HD3	2:B:421:ASN:ND2	2.32	0.44
1:H:16:ASN:O	1:H:20:PRO:HA	2.16	0.44
2:I:538:CYS:HG	2:I:564:CYS:HG	1.61	0.44
2:B:153:CYS:HG	2:E:153:CYS:CB	2.30	0.43
2:G:242:GLU:O	2:G:365:PHE:HA	2.18	0.43
2:G:538:CYS:SG	2:G:564:CYS:SG	3.09	0.43
1:A:13:MET:O	1:A:14:CYS:HB2	2.19	0.43
2:E:394:GLN:HB3	2:E:460:LEU:HD22	2.00	0.43
1:F:29:PHE:CE1	2:G:165:ASN:HB2	2.54	0.43
2:E:538:CYS:SG	2:E:564:CYS:SG	3.15	0.42
2:E:362:SER:HB3	2:E:405:ARG:HB3	2.01	0.42
2:E:434:ASN:HB2	2:E:472:ASN:HA	2.00	0.42
2:I:333:ARG:NH1	2:I:421:ASN:HD22	2.11	0.42
2:B:333:ARG:HH11	2:B:421:ASN:ND2	2.15	0.42
2:B:169:SER:HB2	2:B:324:ILE:HG12	2.01	0.42
2:E:563:ASN:HD22	2:E:563:ASN:HA	1.70	0.42
2:B:367:ALA:HB1	2:B:370:ARG:HG3	2.02	0.42
2:B:120:VAL:HG11	2:G:443:PRO:HG2	2.02	0.42
1:F:22:LEU:HB3	2:G:322:PRO:HD2	2.02	0.42
2:B:196:LEU:HD23	2:B:261:ALA:HB3	2.02	0.42
1:A:64:VAL:HG13	1:A:68:ILE:HD12	2.02	0.41
2:I:115:CYS:SG	2:I:147:PHE:CD2	3.04	0.41
1:A:103:PRO:HD3	2:B:148:ARG:O	2.20	0.41
2:B:455:LEU:HA	2:B:484:PRO:HD3	2.02	0.41
2:G:352:PRO:HB3	2:G:357:PRO:HB3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:367:ALA:HB1	2:I:370:ARG:HG3	2.02	0.41
1:D:88:GLN:OE1	2:E:243:MET:HE2	2.19	0.41
2:G:406:LEU:HB3	2:G:415:LEU:HB2	2.02	0.41
1:D:22:LEU:HB3	2:E:322:PRO:HD2	2.00	0.41
5:G:601:HEC:O2D	9:G:605:UFA:N6	2.54	0.41
2:G:221:CYS:SG	2:G:366:PHE:O	2.79	0.41
2:B:265:LYS:HD3	2:B:276:LEU:HD11	2.03	0.41
2:E:256:GLU:OE2	2:E:259:ARG:NH1	2.54	0.41
1:H:83:SER:HB3	2:I:554:SER:O	2.21	0.40
2:E:455:LEU:HA	2:E:484:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	101/105 (96%)	98 (97%)	3 (3%)	0	100	100
1	D	102/105 (97%)	100 (98%)	2 (2%)	0	100	100
1	F	102/105 (97%)	99 (97%)	3 (3%)	0	100	100
1	H	101/105 (96%)	97 (96%)	4 (4%)	0	100	100
2	B	461/467 (99%)	447 (97%)	14 (3%)	0	100	100
2	E	462/467 (99%)	448 (97%)	14 (3%)	0	100	100
2	G	461/467 (99%)	447 (97%)	14 (3%)	0	100	100
2	I	462/467 (99%)	448 (97%)	14 (3%)	0	100	100
All	All	2252/2288 (98%)	2184 (97%)	68 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	88/90 (98%)	85 (97%)	3 (3%)	32	68
1	D	86/90 (96%)	84 (98%)	2 (2%)	44	78
1	F	86/90 (96%)	85 (99%)	1 (1%)	63	87
1	H	86/90 (96%)	85 (99%)	1 (1%)	63	87
2	B	390/411 (95%)	380 (97%)	10 (3%)	40	75
2	E	392/411 (95%)	380 (97%)	12 (3%)	35	70
2	G	394/411 (96%)	380 (96%)	14 (4%)	31	66
2	I	389/411 (95%)	375 (96%)	14 (4%)	31	66
All	All	1911/2004 (95%)	1854 (97%)	57 (3%)	36	72

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	CYS
1	A	73	THR
1	A	84	LEU
2	B	115	CYS
2	B	122	GLN
2	B	175	MET
2	B	181	GLU
2	B	227	SER
2	B	240	SER
2	B	353	MET
2	B	359	VAL
2	B	361	LEU
2	B	411	MET
1	D	1	CYS
1	D	84	LEU
2	E	115	CYS
2	E	175	MET
2	E	227	SER
2	E	267	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	353	MET
2	E	356	ASN
2	E	361	LEU
2	E	364	VAL
2	E	411	MET
2	E	447	THR
2	E	487	ARG
2	E	538	CYS
1	F	1	CYS
2	G	115	CYS
2	G	122	GLN
2	G	175	MET
2	G	181	GLU
2	G	190	MET
2	G	227	SER
2	G	254	LEU
2	G	267	LEU
2	G	348	ASN
2	G	359	VAL
2	G	361	LEU
2	G	411	MET
2	G	548	LYS
2	G	566	THR
1	H	1	CYS
2	I	115	CYS
2	I	122	GLN
2	I	159	THR
2	I	175	MET
2	I	190	MET
2	I	227	SER
2	I	267	LEU
2	I	348	ASN
2	I	353	MET
2	I	354	GLU
2	I	361	LEU
2	I	364	VAL
2	I	408	GLU
2	I	411	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	114	ASN
2	B	250	HIS
2	B	326	ASN
2	B	421	ASN
2	B	434	ASN
2	B	516	ASN
2	E	122	GLN
2	E	326	ASN
2	E	356	ASN
2	E	516	ASN
2	E	563	ASN
2	G	326	ASN
2	G	348	ASN
2	G	467	GLN
2	G	516	ASN
2	G	563	ASN
2	I	326	ASN
2	I	421	ASN
2	I	516	ASN
2	I	563	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CSO	B	150	2	3,6,7	0.89	0	1,6,8	0.71	0
2	CSO	G	150	2	3,6,7	0.86	0	1,6,8	0.21	0
2	CSO	E	150	2	3,6,7	0.79	0	1,6,8	0.09	0
2	CSO	I	150	2	3,6,7	0.73	0	1,6,8	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSO	B	150	2	-	0/1/5/7	-
2	CSO	G	150	2	-	0/1/5/7	-
2	CSO	E	150	2	-	0/1/5/7	-
2	CSO	I	150	2	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

28 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	C	1	3,2	14,14,15	0.31	0	17,19,21	0.98	1 (5%)
3	NAG	C	2	3	14,14,15	0.30	0	17,19,21	0.77	1 (5%)
3	BMA	C	3	3	11,11,12	0.27	0	15,15,17	0.72	0
3	MAN	C	4	3	11,11,12	0.31	0	15,15,17	1.14	1 (6%)
3	MAN	C	5	3	11,11,12	0.33	0	15,15,17	0.89	1 (6%)
3	FUC	C	6	3	10,10,11	0.37	0	14,14,16	0.67	0
4	NAG	J	1	4,2	14,14,15	0.28	0	17,19,21	0.52	0
4	NAG	J	2	4	14,14,15	0.31	0	17,19,21	1.56	3 (17%)
3	NAG	K	1	3,2	14,14,15	0.34	0	17,19,21	1.01	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	K	2	3	14,14,15	0.36	0	17,19,21	0.94	1 (5%)
3	BMA	K	3	3	11,11,12	0.28	0	15,15,17	0.67	0
3	MAN	K	4	3	11,11,12	0.32	0	15,15,17	1.26	1 (6%)
3	MAN	K	5	3	11,11,12	0.32	0	15,15,17	1.05	1 (6%)
3	FUC	K	6	3	10,10,11	0.37	0	14,14,16	0.61	0
4	NAG	L	1	4,2	14,14,15	0.28	0	17,19,21	0.89	1 (5%)
4	NAG	L	2	4	14,14,15	0.28	0	17,19,21	0.75	1 (5%)
3	NAG	M	1	3,2	14,14,15	0.40	0	17,19,21	1.00	0
3	NAG	M	2	3	14,14,15	0.35	0	17,19,21	0.88	1 (5%)
3	BMA	M	3	3	11,11,12	0.27	0	15,15,17	0.65	0
3	MAN	M	4	3	11,11,12	0.26	0	15,15,17	1.19	1 (6%)
3	MAN	M	5	3	11,11,12	0.36	0	15,15,17	0.92	1 (6%)
3	FUC	M	6	3	10,10,11	0.34	0	14,14,16	0.62	0
3	NAG	N	1	3,2	14,14,15	0.33	0	17,19,21	1.13	2 (11%)
3	NAG	N	2	3	14,14,15	0.33	0	17,19,21	0.95	1 (5%)
3	BMA	N	3	3	11,11,12	0.28	0	15,15,17	0.73	0
3	MAN	N	4	3	11,11,12	0.33	0	15,15,17	1.21	1 (6%)
3	MAN	N	5	3	11,11,12	0.30	0	15,15,17	0.92	1 (6%)
3	FUC	N	6	3	10,10,11	0.42	0	14,14,16	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
3	BMA	C	3	3	-	0/2/19/22	0/1/1/1
3	MAN	C	4	3	-	0/2/19/22	0/1/1/1
3	MAN	C	5	3	-	0/2/19/22	0/1/1/1
3	FUC	C	6	3	-	-	0/1/1/1
4	NAG	J	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	1/6/23/26	0/1/1/1
3	NAG	K	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	0/6/23/26	0/1/1/1
3	BMA	K	3	3	-	0/2/19/22	0/1/1/1
3	MAN	K	4	3	-	2/2/19/22	0/1/1/1
3	MAN	K	5	3	-	0/2/19/22	0/1/1/1
3	FUC	K	6	3	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	L	1	4,2	-	1/6/23/26	0/1/1/1
4	NAG	L	2	4	-	1/6/23/26	0/1/1/1
3	NAG	M	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	M	2	3	-	0/6/23/26	0/1/1/1
3	BMA	M	3	3	-	0/2/19/22	0/1/1/1
3	MAN	M	4	3	-	1/2/19/22	0/1/1/1
3	MAN	M	5	3	-	0/2/19/22	0/1/1/1
3	FUC	M	6	3	-	-	0/1/1/1
3	NAG	N	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	N	2	3	-	0/6/23/26	0/1/1/1
3	BMA	N	3	3	-	0/2/19/22	0/1/1/1
3	MAN	N	4	3	-	1/2/19/22	0/1/1/1
3	MAN	N	5	3	-	0/2/19/22	0/1/1/1
3	FUC	N	6	3	-	-	0/1/1/1

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	N	4	MAN	C1-O5-C5	4.40	118.09	112.19
3	K	4	MAN	C1-O5-C5	4.32	117.97	112.19
4	J	2	NAG	C1-O5-C5	4.26	117.90	112.19
3	M	4	MAN	C1-O5-C5	4.21	117.83	112.19
3	C	4	MAN	C1-O5-C5	3.95	117.49	112.19
3	K	5	MAN	C1-O5-C5	3.74	117.20	112.19
4	J	2	NAG	O5-C1-C2	3.60	116.86	111.29
3	C	5	MAN	C1-O5-C5	3.18	116.45	112.19
3	N	5	MAN	C1-O5-C5	3.17	116.43	112.19
3	M	5	MAN	C1-O5-C5	2.88	116.04	112.19
3	N	2	NAG	C1-O5-C5	2.81	115.96	112.19
4	L	1	NAG	O4-C4-C5	-2.58	102.98	109.32
3	M	2	NAG	C1-O5-C5	2.54	115.59	112.19
4	J	2	NAG	C3-C4-C5	2.51	114.78	110.23
3	N	1	NAG	O5-C1-C2	-2.46	107.48	111.29
3	N	1	NAG	C1-C2-N2	-2.45	106.58	110.43
3	K	1	NAG	O5-C1-C2	-2.44	107.52	111.29
3	K	2	NAG	C1-C2-N2	-2.41	106.63	110.43
4	L	2	NAG	C1-O5-C5	2.38	115.38	112.19
3	C	1	NAG	C1-C2-N2	-2.23	106.92	110.43
3	C	2	NAG	C1-O5-C5	2.18	115.11	112.19

There are no chirality outliers.


All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	K	4	MAN	O5-C5-C6-O6
3	N	4	MAN	O5-C5-C6-O6
4	L	2	NAG	O5-C5-C6-O6
3	M	4	MAN	O5-C5-C6-O6
4	L	1	NAG	C4-C5-C6-O6
3	K	4	MAN	C4-C5-C6-O6
4	J	2	NAG	C4-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

Of 26 ligands modelled in this entry, 12 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	HEC	I	601	2,1	50,50,50	1.55	7 (14%)	68,82,82	1.83	20 (29%)
6	NAG	I	603	2	14,14,15	0.29	0	17,19,21	0.59	0
9	UFA	B	606	-	30,30,36	2.24	6 (20%)	34,41,49	1.95	8 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	HEC	D	201	2,1	50,50,50	1.66	9 (18%)	68,82,82	1.83	20 (29%)
9	UFA	G	605	-	36,36,36	1.66	7 (19%)	42,49,49	1.62	3 (7%)
9	UFA	I	606	-	36,36,36	1.47	4 (11%)	42,49,49	1.68	8 (19%)
5	HEC	G	601	2,1	50,50,50	1.71	8 (16%)	68,82,82	1.78	18 (26%)
6	NAG	G	602	2	14,14,15	0.32	0	17,19,21	0.89	1 (5%)
6	NAG	B	601	2	14,14,15	0.29	0	17,19,21	1.11	1 (5%)
6	NAG	E	601	2	14,14,15	0.33	0	17,19,21	0.99	1 (5%)
9	UFA	E	605	-	36,36,36	1.58	5 (13%)	42,49,49	1.47	3 (7%)
6	NAG	I	602	2	14,14,15	0.31	0	17,19,21	1.22	1 (5%)
5	HEC	A	201	2,1	50,50,50	1.46	5 (10%)	68,82,82	1.80	18 (26%)
6	NAG	B	602	2	14,14,15	0.28	0	17,19,21	0.67	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEC	I	601	2,1	1/1/3/7	8/14/54/54	-
6	NAG	I	603	2	-	0/6/23/26	0/1/1/1
9	UFA	B	606	-	-	2/14/24/28	0/4/4/5
5	HEC	D	201	2,1	1/1/3/7	8/14/54/54	-
9	UFA	G	605	-	-	1/18/28/28	0/5/5/5
9	UFA	I	606	-	-	2/18/28/28	0/5/5/5
5	HEC	G	601	2,1	1/1/3/7	8/14/54/54	-
6	NAG	G	602	2	-	0/6/23/26	0/1/1/1
6	NAG	B	601	2	-	0/6/23/26	0/1/1/1
6	NAG	E	601	2	-	0/6/23/26	0/1/1/1
9	UFA	E	605	-	-	2/18/28/28	0/5/5/5
6	NAG	I	602	2	-	0/6/23/26	0/1/1/1
5	HEC	A	201	2,1	1/1/3/7	8/14/54/54	-
6	NAG	B	602	2	-	0/6/23/26	0/1/1/1

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	606	UFA	C3-N2	9.20	1.42	1.35
9	G	605	UFA	C3-N2	6.26	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	E	605	UFA	C3-N2	5.93	1.39	1.35
9	B	606	UFA	C4-C3	5.15	1.47	1.39
5	G	601	HEC	CBB-CAB	-4.85	1.30	1.51
9	I	606	UFA	C3-N2	4.82	1.39	1.35
5	D	201	HEC	CBB-CAB	-4.64	1.31	1.51
5	G	601	HEC	CBC-CAC	-4.60	1.31	1.51
5	G	601	HEC	C4B-NB	-4.60	1.32	1.40
5	A	201	HEC	CBB-CAB	-4.59	1.31	1.51
5	A	201	HEC	CBC-CAC	-4.57	1.32	1.51
5	I	601	HEC	CBB-CAB	-4.53	1.32	1.51
5	D	201	HEC	CBC-CAC	-4.24	1.33	1.51
9	I	606	UFA	C1-C2	4.20	1.46	1.40
5	I	601	HEC	CBC-CAC	-4.03	1.34	1.51
5	D	201	HEC	C4B-NB	-3.72	1.33	1.40
5	G	601	HEC	C1D-ND	-3.69	1.33	1.40
9	E	605	UFA	C4-N4	3.38	1.45	1.38
5	I	601	HEC	C1D-ND	-3.29	1.34	1.40
9	I	606	UFA	C4-C3	3.22	1.44	1.39
5	D	201	HEC	C1D-ND	-3.08	1.34	1.40
9	B	606	UFA	C1-C2	2.96	1.44	1.40
5	A	201	HEC	C4B-NB	-2.91	1.35	1.40
9	G	605	UFA	C26-C21	2.86	1.43	1.39
9	G	605	UFA	C1-C2	2.85	1.44	1.40
5	I	601	HEC	C1B-NB	-2.82	1.33	1.38
9	G	605	UFA	C22-C21	2.80	1.43	1.39
5	D	201	HEC	CHD-C4C	-2.72	1.33	1.39
5	G	601	HEC	C4B-C3B	2.57	1.49	1.45
5	I	601	HEC	C4B-C3B	2.56	1.49	1.45
5	D	201	HEC	CHA-C1A	-2.50	1.33	1.38
5	G	601	HEC	CHD-C4C	-2.47	1.33	1.39
5	A	201	HEC	C1D-ND	-2.43	1.36	1.40
5	I	601	HEC	C4C-NC	-2.38	1.35	1.39
5	D	201	HEC	C4A-C3A	-2.32	1.40	1.45
5	I	601	HEC	C4B-NB	-2.28	1.36	1.40
9	B	606	UFA	C4-C5	2.28	1.44	1.41
5	G	601	HEC	C4A-C3A	-2.28	1.40	1.45
9	E	605	UFA	C1-C2	2.27	1.43	1.40
9	E	605	UFA	C5-C6	-2.26	1.49	1.53
9	G	605	UFA	C5-C6	-2.25	1.49	1.53
9	B	606	UFA	C4-N4	2.20	1.42	1.38
9	G	605	UFA	C23-C22	2.19	1.42	1.38
9	B	606	UFA	C2-N1	2.18	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	601	HEC	C1D-C2D	2.17	1.48	1.44
9	E	605	UFA	C4-C3	2.17	1.42	1.39
9	I	606	UFA	C26-C21	2.13	1.42	1.39
5	D	201	HEC	C1A-C2A	-2.13	1.41	1.45
5	D	201	HEC	C1D-C2D	2.10	1.48	1.44
9	G	605	UFA	C25-C26	2.05	1.42	1.38
5	A	201	HEC	CAB-C3B	-2.01	1.46	1.51

All (103) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	G	605	UFA	C3-N2-N3	-7.36	107.10	111.18
9	B	606	UFA	C3-N2-N3	-6.66	107.48	111.18
5	A	201	HEC	CBC-CAC-C3C	6.34	129.61	112.42
9	E	605	UFA	N2-C3-N1	5.70	130.33	125.64
5	D	201	HEC	CBC-CAC-C3C	5.61	127.63	112.42
9	I	606	UFA	C8-C9-N5	5.49	121.04	111.89
5	I	601	HEC	CBC-CAC-C3C	5.12	126.31	112.42
5	G	601	HEC	CBC-CAC-C3C	5.00	125.98	112.42
9	B	606	UFA	C3-C4-N4	-4.65	105.72	109.31
5	G	601	HEC	CBB-CAB-C3B	4.51	124.64	112.42
5	I	601	HEC	CBB-CAB-C3B	4.31	124.11	112.42
5	A	201	HEC	CBB-CAB-C3B	4.30	124.08	112.42
6	I	602	NAG	C1-O5-C5	4.23	117.86	112.19
5	D	201	HEC	CBB-CAB-C3B	4.20	123.81	112.42
5	I	601	HEC	CHA-C4D-ND	3.81	128.53	124.42
5	G	601	HEC	CHA-C4D-ND	3.72	128.43	124.42
6	B	601	NAG	C1-O5-C5	3.72	117.17	112.19
5	I	601	HEC	CHC-C4B-NB	3.71	128.96	124.37
9	I	606	UFA	C3-N2-N3	-3.67	109.14	111.18
5	A	201	HEC	CHA-C4D-ND	3.66	128.36	124.42
9	G	605	UFA	N2-C3-N1	3.62	128.62	125.64
5	D	201	HEC	CHC-C4B-NB	3.46	128.65	124.37
5	D	201	HEC	CHA-C4D-ND	3.44	128.13	124.42
5	I	601	HEC	CHB-C1B-C2B	-3.35	119.73	125.03
6	G	602	NAG	C1-O5-C5	3.33	116.64	112.19
9	I	606	UFA	N2-C3-N1	3.30	128.36	125.64
6	E	601	NAG	C1-O5-C5	3.30	116.61	112.19
5	I	601	HEC	O2D-CGD-O1D	-3.30	114.85	123.33
9	E	605	UFA	C19-C18-C21	3.20	120.24	112.67
5	G	601	HEC	CHC-C4B-NB	3.15	128.27	124.37
5	D	201	HEC	CHB-C1B-C2B	-3.14	120.07	125.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	606	UFA	N2-C3-N1	3.11	128.20	125.64
5	G	601	HEC	CHB-C1B-C2B	-3.08	120.16	125.03
9	B	606	UFA	C1-C5-C4	-3.03	115.01	118.25
5	G	601	HEC	CAC-C3C-C2C	2.92	131.51	126.89
5	A	201	HEC	CHD-C1D-ND	2.90	127.95	124.37
9	I	606	UFA	C3-C4-N4	-2.87	107.09	109.31
5	I	601	HEC	C2B-C1B-NB	2.84	113.19	109.90
5	G	601	HEC	C4A-NA-C1A	-2.84	101.20	105.82
5	D	201	HEC	O2A-CGA-CBA	2.81	122.89	114.00
5	G	601	HEC	C2B-C1B-NB	2.79	113.13	109.90
5	D	201	HEC	O2D-CGD-O1D	-2.73	116.30	123.33
5	A	201	HEC	C1A-CHA-C4D	-2.73	120.22	126.02
5	A	201	HEC	CHB-C1B-C2B	-2.66	120.83	125.03
5	I	601	HEC	C3C-C4C-NC	2.66	113.11	110.15
9	B	606	UFA	C8-C9-N5	2.64	116.29	111.89
5	G	601	HEC	C3C-C4C-NC	2.64	113.08	110.15
9	E	605	UFA	C4-C3-N2	-2.64	102.60	106.76
5	G	601	HEC	CHD-C1D-ND	2.62	127.61	124.37
5	I	601	HEC	C1A-CHA-C4D	-2.62	120.46	126.02
5	I	601	HEC	O2A-CGA-O1A	-2.58	116.70	123.33
9	I	606	UFA	C16-C10-N5	2.57	123.38	110.56
9	I	606	UFA	C1-C5-C4	-2.57	115.51	118.25
5	A	201	HEC	O2D-CGD-O1D	-2.56	116.75	123.33
9	B	606	UFA	C1-C2-N6	-2.54	116.34	121.81
5	A	201	HEC	C4A-NA-C1A	-2.53	101.70	105.82
5	A	201	HEC	C3C-C4C-NC	2.52	112.95	110.15
5	G	601	HEC	C1A-CHA-C4D	-2.51	120.68	126.02
5	D	201	HEC	CHC-C4B-C3B	-2.51	120.59	125.23
5	D	201	HEC	CHB-C1B-NB	2.51	127.12	124.42
5	I	601	HEC	CHC-C4B-C3B	-2.50	120.61	125.23
5	A	201	HEC	C1D-C2D-C3D	-2.49	104.36	106.98
9	G	605	UFA	C8-C9-N5	2.49	116.04	111.89
5	A	201	HEC	C3A-C4A-NA	2.49	114.24	109.64
5	D	201	HEC	CHD-C1D-ND	2.47	127.43	124.37
5	D	201	HEC	C1A-CHA-C4D	-2.47	120.77	126.02
5	I	601	HEC	CAC-C3C-C2C	2.47	130.79	126.89
5	D	201	HEC	O2A-CGA-O1A	-2.45	117.02	123.33
5	G	601	HEC	CHA-C4D-C3D	-2.45	121.20	124.77
5	A	201	HEC	CBA-CAA-C2A	-2.45	105.77	112.53
5	I	601	HEC	CHB-C1B-NB	2.44	127.05	124.42
5	D	201	HEC	C3C-C4C-NC	2.40	112.81	110.15
5	I	601	HEC	O2A-CGA-CBA	2.39	121.54	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	601	HEC	C1D-C2D-C3D	-2.39	104.47	106.98
6	B	602	NAG	C1-C2-N2	-2.38	106.68	110.43
5	A	201	HEC	CAC-C3C-C2C	2.38	130.66	126.89
5	D	201	HEC	C4A-NA-C1A	-2.37	101.96	105.82
5	I	601	HEC	C4A-NA-C1A	-2.36	101.97	105.82
5	A	201	HEC	C2B-C1B-NB	2.36	112.63	109.90
5	A	201	HEC	CHA-C4D-C3D	-2.35	121.35	124.77
5	D	201	HEC	C2B-C1B-NB	2.34	112.60	109.90
5	A	201	HEC	CHC-C4B-NB	2.31	127.22	124.37
5	D	201	HEC	CAC-C3C-C2C	2.29	130.51	126.89
5	D	201	HEC	C1C-CHC-C4B	-2.29	120.87	126.25
5	D	201	HEC	CHA-C4D-C3D	-2.26	121.47	124.77
5	G	601	HEC	C3A-C4A-NA	2.26	113.82	109.64
9	I	606	UFA	C1-C5-C6	2.26	125.25	122.19
5	I	601	HEC	O2D-CGD-CBD	2.25	121.12	114.00
5	G	601	HEC	CHC-C4B-C3B	-2.25	121.08	125.23
9	B	606	UFA	C7-C6-C5	-2.24	105.89	110.98
5	D	201	HEC	CBD-CAD-C3D	-2.22	106.39	112.53
9	I	606	UFA	C1-C2-N1	2.21	126.18	121.76
9	B	606	UFA	C1-C2-N1	2.21	126.17	121.76
5	I	601	HEC	CHD-C1D-ND	2.20	127.08	124.37
5	A	201	HEC	CHD-C1D-C2D	-2.18	120.75	126.95
5	I	601	HEC	C1C-CHC-C4B	-2.15	121.18	126.25
5	G	601	HEC	C1C-CHC-C4B	-2.12	121.27	126.25
5	A	201	HEC	C4C-NC-C1C	-2.10	102.40	105.82
5	G	601	HEC	C2A-C1A-NA	2.06	112.31	110.32
5	I	601	HEC	C3A-C4A-NA	2.04	113.41	109.64
5	D	201	HEC	CHD-C1D-C2D	-2.02	121.19	126.95
5	G	601	HEC	CHB-C1B-NB	2.01	126.59	124.42
5	G	601	HEC	CBA-CAA-C2A	-2.00	106.99	112.53

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	201	HEC	NA
5	D	201	HEC	NA
5	G	601	HEC	NA
5	I	601	HEC	NA

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	201	HEC	C2C-C3C-CAC-CBC
5	D	201	HEC	C2C-C3C-CAC-CBC
5	G	601	HEC	C2C-C3C-CAC-CBC
9	B	606	UFA	C6-C8-C9-N5
9	E	605	UFA	C6-C8-C9-N5
9	G	605	UFA	C6-C8-C9-N5
9	I	606	UFA	C16-C10-N5-C9
5	D	201	HEC	C4C-C3C-CAC-CBC
5	A	201	HEC	C4C-C3C-CAC-CBC
5	G	601	HEC	C4C-C3C-CAC-CBC
5	I	601	HEC	C2C-C3C-CAC-CBC
5	I	601	HEC	C4C-C3C-CAC-CBC
5	G	601	HEC	C2B-C3B-CAB-CBB
5	A	201	HEC	C2B-C3B-CAB-CBB
5	D	201	HEC	C2B-C3B-CAB-CBB
5	I	601	HEC	C2B-C3B-CAB-CBB
5	A	201	HEC	C4B-C3B-CAB-CBB
5	G	601	HEC	C4B-C3B-CAB-CBB
5	I	601	HEC	C4B-C3B-CAB-CBB
5	D	201	HEC	C4B-C3B-CAB-CBB
9	E	605	UFA	C7-C6-C8-C9
5	A	201	HEC	CAA-CBA-CGA-O2A
9	B	606	UFA	C7-C6-C8-C9
5	D	201	HEC	CAD-CBD-CGD-O2D
5	G	601	HEC	CAA-CBA-CGA-O1A
5	G	601	HEC	CAD-CBD-CGD-O2D
5	A	201	HEC	CAA-CBA-CGA-O1A
5	G	601	HEC	CAA-CBA-CGA-O2A
5	I	601	HEC	CAA-CBA-CGA-O1A
5	A	201	HEC	CAD-CBD-CGD-O2D
5	D	201	HEC	CAD-CBD-CGD-O1D
9	I	606	UFA	C20-C10-N5-C9
5	G	601	HEC	CAD-CBD-CGD-O1D
5	I	601	HEC	CAD-CBD-CGD-O2D
5	I	601	HEC	CAA-CBA-CGA-O2A
5	D	201	HEC	CAA-CBA-CGA-O2A
5	I	601	HEC	CAD-CBD-CGD-O1D
5	A	201	HEC	CAD-CBD-CGD-O1D
5	D	201	HEC	CAA-CBA-CGA-O1A


There are no ring outliers.

6 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	I	601	HEC	1	0
5	D	201	HEC	2	0
9	G	605	UFA	1	0
5	G	601	HEC	2	0
9	E	605	UFA	1	0
5	A	201	HEC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand HEC I 601




Ligand UFA B 606




Bond lengths




Bond angles




Torsions




Rings





Ligand UFA G 605




Ligand UFA I 606









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	103/105 (98%)	-0.18	1 (0%) 79 72	33, 54, 72, 87	1 (0%)
1	D	104/105 (99%)	-0.18	1 (0%) 79 72	31, 47, 68, 88	0
1	F	104/105 (99%)	-0.18	0 100 100	30, 46, 64, 77	1 (0%)
1	H	103/105 (98%)	-0.33	0 100 100	33, 46, 68, 78	0
2	B	463/467 (99%)	0.02	4 (0%) 81 74	31, 61, 94, 100	7 (1%)
2	E	464/467 (99%)	-0.16	4 (0%) 81 74	24, 52, 80, 92	10 (2%)
2	G	463/467 (99%)	-0.23	0 100 100	26, 51, 69, 79	8 (1%)
2	I	464/467 (99%)	-0.14	0 100 100	26, 55, 81, 89	10 (2%)
All	All	2268/2288 (99%)	-0.14	10 (0%) 88 84	24, 52, 83, 100	37 (1%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	GLN	3.0
2	E	348	ASN	2.9
2	B	372	VAL	2.9
2	B	264	LEU	2.6
2	E	157	ASN	2.5
2	E	354	GLU	2.3
2	B	251	THR	2.3
2	B	218	ASP	2.1
2	E	355	PRO	2.1
1	D	4	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CSO	G	150	7/8	0.92	0.08	42,43,44,45	0
2	CSO	B	150	7/8	0.93	0.09	48,49,51,51	0
2	CSO	I	150	7/8	0.94	0.08	44,45,48,48	0
2	CSO	E	150	7/8	0.96	0.08	47,48,51,51	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	C	1	14/15	-	-	49,51,52,53	0
3	NAG	C	2	14/15	-	-	46,48,50,50	0
3	BMA	C	3	11/12	-	-	49,50,52,54	0
3	MAN	C	4	11/12	-	-	58,60,62,63	0
3	MAN	C	5	11/12	-	-	51,52,52,52	0
3	FUC	C	6	10/11	-	-	50,51,52,53	0
4	NAG	J	2	14/15	0.70	0.13	91,93,93,93	0
3	MAN	N	4	11/12	0.82	0.12	58,60,62,62	0
4	NAG	L	2	14/15	0.83	0.09	80,81,82,82	0
3	MAN	M	4	11/12	0.84	0.10	60,62,64,65	0
3	MAN	K	4	11/12	0.84	0.10	60,62,64,64	0
4	NAG	J	1	14/15	0.85	0.13	84,87,88,89	0
3	MAN	M	5	11/12	0.91	0.08	52,53,53,53	0
3	MAN	N	5	11/12	0.92	0.08	52,54,54,55	0
3	MAN	K	5	11/12	0.92	0.08	44,48,49,49	0
4	NAG	L	1	14/15	0.93	0.09	72,75,76,78	0
3	FUC	N	6	10/11	0.94	0.07	49,49,50,51	0
3	FUC	K	6	10/11	0.95	0.08	47,48,49,50	0
3	NAG	M	1	14/15	0.95	0.08	41,42,43,44	0
3	NAG	M	2	14/15	0.95	0.08	41,44,46,48	0
3	BMA	M	3	11/12	0.96	0.07	51,53,55,57	0
3	BMA	K	3	11/12	0.96	0.06	50,52,55,57	0
3	NAG	K	2	14/15	0.96	0.06	35,42,44,48	0
3	FUC	M	6	10/11	0.96	0.07	43,43,44,45	0
3	NAG	N	1	14/15	0.96	0.07	45,47,47,48	0
3	NAG	N	2	14/15	0.96	0.08	45,46,47,49	0
3	BMA	N	3	11/12	0.96	0.07	51,52,54,56	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	K	1	14/15	0.97	0.06	40,43,45,46	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain J:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	I	603	14/15	0.75	0.12	84,85,86,86	0
6	NAG	B	601	14/15	0.76	0.12	93,95,96,96	0
6	NAG	B	602	14/15	0.79	0.12	97,98,99,99	0
6	NAG	G	602	14/15	0.80	0.11	65,67,67,68	0
6	NAG	I	602	14/15	0.83	0.10	70,71,72,72	0
6	NAG	E	601	14/15	0.83	0.10	79,79,80,80	0
9	UFA	B	606	27/32	0.83	0.12	54,55,58,58	0
8	CL	B	605	1/1	0.89	0.13	60,60,60,60	0
9	UFA	I	606	32/32	0.93	0.09	50,51,56,56	0
8	CL	D	202	1/1	0.95	0.30	86,86,86,86	0
8	CL	E	603	1/1	0.95	0.16	59,59,59,59	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	UFA	G	605	32/32	0.96	0.07	43,44,45,46	0
9	UFA	E	605	32/32	0.96	0.06	35,39,41,41	0
5	HEC	D	201	43/43	0.97	0.07	40,44,49,54	0
8	CL	G	604	1/1	0.97	0.18	56,56,56,56	0
7	CA	I	604	1/1	0.98	0.03	41,41,41,41	0
8	CL	I	605	1/1	0.98	0.17	49,49,49,49	0
5	HEC	A	201	43/43	0.98	0.07	52,56,60,64	0
5	HEC	G	601	43/43	0.98	0.07	37,43,46,49	0
5	HEC	I	601	43/43	0.98	0.07	42,46,51,55	0
8	CL	F	201	1/1	0.98	0.06	41,41,41,41	0
8	CL	E	604	1/1	0.99	0.07	38,38,38,38	0
7	CA	E	602	1/1	0.99	0.03	41,41,41,41	0
7	CA	B	603	1/1	0.99	0.03	50,50,50,50	0
8	CL	B	604	1/1	0.99	0.03	38,38,38,38	0
7	CA	G	603	1/1	1.00	0.01	34,34,34,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UFA B 606:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UFA I 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UFA G 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UFA E 605:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC D 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEC A 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEC G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEC I 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.